

# TIMBER SPECIES INFORMATION SHEET

## PRIMED FINGER-JOINTED PINE Pre primed Finger-Jointed Pinus radiata



### DESCRIPTION

Porta Primed Finger-Jointed Pine is a time and cost effective solution when you are painting yet want a real timber substrate. Manufactured from finger jointed clear Pine the product has enhanced strength and stability. Featuring two coats of a water based primer so it is ready to paint.

### VISUAL FEATURES

Pre-coated with a specially developed water-based primer with a matte finish. Mouldings are ready to paint with either water based (acrylic) or oil-based paints, after a light sand.

### COMMON APPLICATIONS

- Windows and door trims
- Mouldings
- Architraves and Skirting
- Shelves
- Furniture

### TECHNICAL INFORMATION

Radiata Pine is a soft and low density timber that is easy to work and holds nails and screws easily.

Density kg/m <sup>3</sup> dry	550	Durability in ground	0-5 years	Resistance to Split (Nailing)	Satisfactory
Specific Gravity	0.51	Durability above ground	0-7 years	Resistance to Split (Screwing)	Satisfactory
Hardness (Janka) kN	3.1	Susceptible to Lyctid Borer	No	Gluing	Satisfactory
Modulus of Rupture Mpa dry	81	Termite Resistance	Not Resistant	Machining	Satisfactory
Modulus of Elasticity GPa dry	10	Spread of Flame	7	Finish	Satisfactory
Radial Shrinkage %	3	Smoke Development Index	3	Stability	Satisfactory
Tangential Shrinkage %	5	BAL Rating	12.5 and 19	Growing Region	Globally



### AVAILABILITY

A wide range of Architraves, DAR and Mouldings are available in various profiles & lengths. Contact Customer Service for information & availability.

f @portatimber @ @porta\_timber

1300 650 787 sales@porta.com.au porta.com.au