SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: SafeWork Australia Approved Code of Practice about the preparation of safety data sheets for hazardous chemicals (July 2020), which is an approved code of practice under section 274 of the Work Health and Safety Act

Revision date 24-06-2024 **Revision Number** 1

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name Armor All Podium Series Hybrid Ceramic Protectant

Product Code(s) 54500

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Automotive cleaner.

Uses advised against

Banned and/or restricted This product contains one or more substance(s) subject to prohibition, authorisation or restriction. Verify that requirements related to using, handling, and storing substances subject to prohibition, authorisation or restriction are met.

Chemicals of Security Concern This product contains one or more substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

Details of manufacturer or importer

Supplier
Energizer Australia Pty Ltd
Level 2, Murray Rose Avenue, 2127 Sydney Olympic Park
T: +612 9763 6111
E: consumerserviceeu@energizer.com

Emergency telephone number

Emergency telephone number Poisons Information Centre, Australia: 13 11 26

Section 2: Hazard(s) identification

GHS Classification
Not classified

Label elements

Hazard statements
Not classified

Precautionary Statements - General
Keep out of reach of children.

Other hazards which do not result in classification
No information available.

Section 3: Composition/information on ingredients

Chemical name	CAS No.	Weight-%
Triethanolamine	102-71-6	0.25 - <0.5%
Sodium hydroxide	1310-73-2	<0.025%
Methanol	67-56-1	<0.025%
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms occur.

Eye contact Remove contact lenses, if present and easy to do. Continue rinsing. Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation develops and persists.

Skin contact Wash skin with soap and water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth thoroughly with water. Do not induce vomiting without medical advice. Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms Prolonged contact may cause redness and irritation. May cause gastrointestinal discomfort if consumed in large amounts.

Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Dry chemical, CO2, alcohol-resistant foam or water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical

Specific hazards arising from the None known.

chemical

Hazardous combustion products Thermal decomposition can lead to release of irritating gases and vapours.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoid contact with skin and eyes.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Prevent product from entering drains. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Cover liquid spill with sand, earth or other noncombustible absorbent material. Do not touch or walk through spilled material. Use personal protective equipment as required. Pick up and transfer to properly labelled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Avoid contact with skin and eyes. Use personal protection equipment. See section 8 for more information.

General hygiene considerations Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Take off all contaminated clothing and wash it before reuse. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep out of the reach of children.

Incompatible materials None known based on information supplied.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

Chemical name	Australia	New Zealand	ACGIH TLV
Triethanolamine 102-71-6	TWA: 5 mg/m³	TWA: 5 mg/m³	TWA: 5 mg/m³
Sodium hydroxide 1310-73-2	Peak: 2 mg/m³	Ceiling: 2 mg/m³	Ceiling: 2 mg/m³
Methanol 67-56-1	TWA: 200 ppm TWA: 262 mg/m³ STEL: 250 ppm STEL: 328 mg/m³	TWA: 200 ppm TWA: 262 mg/m³ STEL: 250 ppm STEL: 328 mg/m³ Skin	STEL: 250 ppm TWA: 200 ppm S*

Chemical name	European Union	United Kingdom	Germany DFG
Triethanolamine 102-71-6	-	-	TWA: 1 mg/m³ Peak: 1 mg/m³
Sodium hydroxide 1310-73-2	-	STEL: 2 mg/m³	-
Methanol 67-56-1	TWA: 200 ppm TWA: 260 mg/m³ *	TWA: 200 ppm TWA: 266 mg/m³ STEL: 250 ppm STEL: 333 mg/m³ Sk*	TWA: 100 ppm TWA: 130 mg/m³ Peak: 200 ppm Peak: 260 mg/m³ *

Biological occupational exposure limits

Chemical name	Australia	ACGIH	European Union
Methanol 67-56-1	-	15 mg/L - urine (Methanol) - end of shift	-

Appropriate engineering controls

Engineering controls Eyewash stations. Showers. Ventilation systems. Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection If there is a risk of contact:. Wear safety glasses with side shields (or goggles).

Skin and body protection No special protective equipment required.

Hand protection For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

Thermal hazards No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid
Appearance Opaque liquid
Colour White

Odour	Characteristic.
Odour threshold	No information available

Property	Values	Remarks • Method
pH	7 - 8	
Melting point / freezing point		No data available
Initial boiling point and boiling range		No data available
Flash point		No data available
Evaporation rate		No data available
Flammability		No data available
Flammability Limit in Air		No data available
Upper flammability or explosive limits		
Lower flammability or explosive limits		
Vapour pressure		No data available
Relative vapour density		No data available
Relative density		No data available
Water solubility		Partially miscible
Solubility(ies)		No data available
Partition coefficient		No data available
Autoignition temperature		No data available
Decomposition temperature		No data available
Kinematic viscosity	1600 - 3600 cSt	
Dynamic viscosity		No data available
Explosive properties	No information available	
Oxidising properties	No information available	
Liquid Density	No information available	
Bulk density	No information available	
Particle characteristics	No information available	

Section 10: Stability and reactivity

Reactivity

Reactivity None under normal use conditions.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Excessive heat.

Incompatible materials

Incompatible materials None known based on information supplied.

Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

Section 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms Prolonged contact may cause redness and irritation. May cause gastrointestinal discomfort if consumed in large amounts.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 888,888.90 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Triethanolamine	= 4190 mg/kg (Rat)	> 20000 mg/kg (Rabbit)	-
Methanol	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
Triethanolamine - 102-71-6	-	-	Group 3

Legend

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Other adverse effects No information available.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Triethanolamine	EC50: =216mg/L (72h, Desmodesmus subspicatus) EC50: =169mg/L (96h, Desmodesmus subspicatus)	LC50: 10600 - 13000mg/L (96h, Pimephales promelas) LC50: >1000mg/L (96h, Pimephales promelas) LC50: 450 - 1000mg/L (96h, Lepomis macrochirus)	-	-
Sodium hydroxide	-	LC50: =45.4mg/L (96h, Oncorhynchus mykiss)	-	-
Methanol	-	LC50: =28200mg/L (96h, Pimephales promelas) LC50: >100mg/L (96h, Pimephales promelas) LC50: 19500 - 20700mg/L (96h, Oncorhynchus mykiss) LC50: 18 - 20mL/L (96h, Oncorhynchus mykiss) LC50: 13500 - 17600mg/L (96h, Lepomis macrochirus)	-	-

Terrestrial ecotoxicty

Chemical name	Earthworm	Avian	Honeybees
Methanol	Acute Toxicity: LC50 > 1 mg/cm2 (Eisenia foetida 48 h filter paper) Source: IUCLID	-	-

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Triethanolamine	-2.53
Methanol	-0.77

Mobility

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

Section 13: Disposal considerations

Disposal methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

See section 8 for more information

Section 14: Transport information

ADG Not regulated

IATA Not regulated

IMDG Not regulated

Transport in bulk according to Annex II of MARPOL and the IBC Code
No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)
No poisons schedule number allocated

Australian Industrial Chemicals Introduction Scheme (AICIS)

Chemical name	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Triethanolamine - 102-71-6	Present	-
Sodium hydroxide - 1310-73-2	Present	-

Chemical name	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Methanol - 67-56-1	Present	-

Illicit Drug Precursors/Reagents
This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling, and storing these substances.

Chemical name	Illicit Drug Precursors/Reagents
Sodium hydroxide - 1310-73-2	Category 3
Methanol - 67-56-1	Category 3

Legend
Category 2 - Chemicals and apparatus that require an End User Declaration when sold to non-account customers.
Category 3 - Chemicals and apparatus that may be used in the illicit production of drugs. Purchases from this list should alert companies or organisations to seek further indicators of any suspicious orders or enquiries. No official reporting is required.
Chemicals of Security Concern
This product contains one or more substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

Chemical name	Chemicals of Security Concern
Triethanolamine - 102-71-6	Present

National pollutant inventory
Subject to reporting requirement

Chemical name	National pollutant inventory
Triethanolamine - 102-71-6	20 MW Threshold category 2b total 60000 MWH Threshold category 2b total 1 tonne/h Threshold category 2a total 25 tonne/yr Threshold category 1a total 400 tonne/yr Threshold category 2a total 2000 tonne/yr Threshold category 2b total
Methanol - 67-56-1	10 tonne/yr Threshold category 1

Banned and/or restricted
This product contains one or more substance(s) subject to prohibition, authorisation or restriction. Verify that requirements related to using, handling, and storing substances subject to prohibition, authorisation or restriction are met.

Chemical name	Carcinogen	Restricted substance
Methanol - 67-56-1	-	For spray painting at a concentration of >1% by volume

International Inventories
Contact supplier for inventory compliance status

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Any other relevant information

Revision date 24-06-2024

Revision Number 1

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation
C	Carcinogen		

Key literature references and sources for data used to compile the SDS
U.S. Environmental Protection Agency ChemView Database
EPA (Environmental Protection Agency)
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
Australian Industrial Chemicals Introduction Scheme (AICIS)
NIOSH (National Institute for Occupational Safety and Health)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
World Health Organization

Disclaimer
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet