

HOW TO PREPARE: Product can be applied with most garden sprayers. Avoid using fine droplets as this will increase spray drift. It is important to apply the recommended spray mixture when weeds are young and actively growing. Results may take time to become evident.

CAUTION:
DO NOT allow spray to contact other plants that you do not want killed.
DO NOT allow chemical containers or sprays to get into drains, sewers, streams or ponds.
DO NOT feed grass clippings from treated areas to poultry or other animals.

STORAGE AND DISPOSAL: Store in the closed original container in a cool, dry place out of reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in a plastic bag and putting in garbage.

SAFETY DIRECTIONS: Poisonous if absorbed by skin contact or swallowed. Will irritate the eyes and skin. Avoid contact with the eyes and skin. Do not inhale spray mist. When preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each days use wash gloves and contaminated clothing.

FIRST AID: If poisoning occurs contact a Doctor or Poisons Information Centre (Ph 13 11 26). If swallowed and if more than 15 minutes from hospital induce vomiting preferably using IPECAC SYRUP APF.

NOTICE This product is designed only for the particular purposes indicated on the label. Failure to use the product strictly as directed may be illegal, prove dangerous and render the product ineffective. The buyer or user is responsible for any misuse or negligence in the handling, storage, use of or disposal of this material. David Gray & Co. Pty Ltd will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply and use of the product other than those responsibilities mandatorily imposed by Statutes applicable to the safety and supply of these goods.

 **DAVID GRAY & Co.P/L**
 ABN: 73 008 671 127
 2 Rawlinson Street, O'Connor WA 6163
 Ph: (08) 9337 4933 davidgray.com.au

APVMA Approval No. 50739 / 0199
 Batch No.:
 DOM:



500mL

POISON

KEEP OUT OF REACH OF CHILDREN
 READ SAFETY DIRECTIONS BEFORE OPENING OR USING



CRAB GRASS & CLOVER KILLER

SELECTIVE WEED KILLER

ACTIVE CONSTITUENTS: 74 g/L DSMA, 24 g/L MCPA present as the Sodium Salt

SELECTIVELY CONTROLS:

**PASPALUM
 MULLUMBIMBY COUCH
 NUTGRASS
 CRAB GRASS
 CLOVER & BINDI**



DIRECTIONS FOR USE



DO NOT mow for at least 3 days before or after spray application.
DO NOT fertilize for at least 10 days before or after application.
DO NOT apply if rain is expected within 4 hours.
DO NOT apply to damaged or stressed turf.
DO NOT cover spray Buffalo or Kikuyu Lawns - spot spray only.

| LAWNS | WEEDS CONTROLLED | RATE COVER SPRAY | RATE SPOT SPRAY | HOW TO APPLY |
|----------------------------------|--|--|-------------------------|--|
| Couch Lawns (Not QLD Blue Couch) | Barnyard Grass, Bindii, Capeweed, Catsear, Chickweed, Clovers, | Spray 170ml in 2L of water per 10 m ² | Mix 90ml in 1L of water | Spray weeds when young and vigorous. When spot spraying thoroughly |
| Bent & Fescue Lawns | Cotula, Cudweed, Dandelion, Duckweed, Fleabane, Lamb's Tongue. | Spray 85ml in 2L of water per 10m ² | Mix 45ml in 1L of water | but avoid excessive run-off. Respray in 10 days if necessary. |
| Buffalo and Kikuyu Lawns | Mouse-Eared Chickweed, Mullumbimby Couch, Nutgrass, Paspalum, Scarlet Pimpernel, Summergrass, Water Couch, White Clover. | DO NOT COVER SPRAY BUFFALO OR KIKUYU LAWNS | Mix 45ml in 1L of water | SPOT SPRAY ONLY ON BUFFALO AND KIKUYU LAWNS AS SOME DAMAGE TO LAWN IS EXPECTED. |

SPOT SPRAY ONLY ON BUFFALO AND KIKUYU LAWNS AS SOME DAMAGE TO LAWN IS EXPECTED.

