

Makita

18V Brushless Hammer Driver Drill / Driver Drill

DHP485 - DDF485



BRUSHLESS

Setup Data



Demo tools:
Demo tools allocated, by
request only

Model No.	Barcode	Description	Packaging Dimensions LxWxH (cm)	Packaged Item Weight (kg)
DHP485Z	0088381866156	18V Brushless Hammer Driver Drill	20 x 23 x 9	1.30
DDF485Z	0088381866316	18V Brushless Driver Drill	19 x 22.5 x 9	1.25
DLX2283SM	0088381866965	18V Brushless 2 Piece Combo Kit	42 x 28 x 16	5.5

Makita

LXT[®] COMPACT BRUSHLESS


COMPACT DESIGN. HIGH PERFORMANCE.

Our Compact range delivers outstanding performance without the bulkiness and weight of the typical cordless tool. LXT[®] Compact continues to refine the formula of faster-charging batteries with leading power-to-weight ratio's.



Product Objectives

- Replace the DHP/DDF459 with an all round improved product
- Ideal for a wide range of trades requiring a compact, light weight power



Product Overview

BRUSHLESS

21 Torque settings

3 settings: Hammer*, screw & drill modes

13mm keyless chuck

Mechanical 2-speed gearing

Twin LED job light

Ergonomic design

Variable speed trigger

Belt Clip



* Feature applicable to DHP485 only

Product Specification Sheet

DHP485 – 18V Brushless Hammer Driver Drill DDF485 – 18V Brushless Driver Drill



DHP485

DDF485

	DHP485	DDF485
Chuck size	1.5 – 13mm	1.5 – 13mm
Capacity	13mm - Steel 38mm - Wood 13mm - Masonry*	13mm - Steel 38mm - Wood
Impact per minute	High: 0 - 28,500* Low: 0 - 7,500*	-
No load speed	High: 0 - 1,900 Low: 0 - 500	High: 0 - 1,900 Low: 0 - 500
Max lock torque	50Nm	50Nm
Overall length	182 x 79 x 255mm	169 x 79 x 255mm
Skin weight	1.1kg	1.05kg
Voltage	18V	18V

- **Brushless** – motor improves runtime and performance
- **21 Stage torque settings** – so you can adjust for the task at hand
- **13mm Keyless chuck** – for easy bit installation/ removal by one hand
- **Twin LED job light** – for improved visibility in low light environments
- **Variable speed trigger** – for maximum control at your finger tip
- **3 Settings** – Hammer setting* for drilling in masonry or brick, screw setting and drill setting to optimal performance for the task
- **Mechanical 2 speed gearing** – allows you to choose between maximum rpm or higher torque
- **Ergonomic design** – with slim rubber grip and lighter more compact chassis to reduce fatigue and improve control
- **Belt clip** – to easily hang your tool
- **XPT** – eXtreme Protection Technology protects your tools against dust and moisture to ensure reliable service even in tough jobsite conditions

Advantages

Innovation



Protection for harsh jobsite conditions

Versatility



2 Stage mechanical gearing to tackle any task

Ergonomics



Superior design for maximum comfort

Convenience



Twin LED job light for maximum visibility


Advantages

More compact, power & speed

The DHP485/DDF485 delivers more all round than its predecessor with a powerful 50Nm Max lock torque, an impressive 1,900rpm no load speed and a lighter more compact chassis giving you true compact power.





Our Range

	DHP485/DDF485	DHP459/DDF459	DHP483/DDF483	DHP484/DDF484	DHP481/DDF481
					
Chuck size	1.5 – 13mm	1.5 – 13mm	1.5 – 13mm	1.5 – 13mm	1.5 – 13mm
Capacity	13mm - Steel 38mm - Wood 13mm - Masonry*	13mm - Steel 38mm - Wood 13mm - Masonry*	13mm - Steel 38mm - Wood 13mm - Masonry*	13mm - Steel 38mm - Wood 13mm - Masonry*	13mm - Steel 76mm - Wood 16mm - Masonry*
Impact per minute	High: 0 - 28,500* Low: 0 - 7,500*	High: 0 - 22,500* Low: 0 - 6,000*	High: 0 - 25,500* Low: 0 - 7,500*	High: 0 - 30,000* Low: 0 - 7,500*	High: 0 - 31,500* Low: 0 - 8,250*
No load speed	High: 0 - 1,900 Low: 0 - 500	High: 0 - 1,500 Low: 0 - 400	High: 0 - 1,700 Low: 0 - 500	High: 0 - 2,000 Low: 0 - 500	High: 0 - 2,100 Low: 0 - 550
Max lock torque	50Nm	45Nm	40Nm	60Nm	125Nm
Overall length	182 x 79 x 255mm	192 x 78 x 256mm	176 x 79 x 247mm	182 x 79 x 261mm	205 x 79 x 249mm
Skin weight	1.1kg / 1.05kg	1.7kg / 1.5kg	1.6kg / 1.3kg	1.6kg / 1.8kg	2.4kg / 2.7kg
Voltage	18V	18V	18V	18V	18V


* Hammer Driver Drill only

Accessories


Standard Accessories

	-	Belt clip
	-	Phillip's screwdriver double ended bit

Optional Accessories

	-	<p>Wood Drilling (3-28mm)</p> <p>Flat spade bits Brad point drill bit Forstner drill bit Single spur auger bit Ship wood auger bit Self feeding bit</p>
------------------------------------------------------------------------------------	---	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Optional Accessories

	-	<p>Metal Drilling – (1-10mm)</p> <p>HSS-G metal drill bit HSS-R metal drill bit Double ended HSS-R drill bit M-Force metal drill bit HSS-TiN metal drill bit HSS-Co metal drill bit</p>
-------------------------------------------------------------------------------------	---	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

	-	<p>Screwing and fastening</p> <p>Standard screw driving bits Standard flip top case Standard screwdriver bulk jars</p>
--------------------------------------------------------------------------------------	---	---------------------------------------------------------------------------------------------------------------------------------------