

Complete Cladding Solutions

James Hardie - Hardie™ Oblique™ Cladding



WeatherTex - Weathergroove 75 Natural

BUNNINGS
TRADE

Helping business is our trade.

With over 130 years' experience in the building industry, Bunnings Trade is your reliable source for quality cladding materials.

We work with a range of customers including project and volume builders, as well as owner builders to develop unique cladding solutions for all types of residential and commercial projects. From apartment complexes and hospitals, to education campuses and private developments, our qualified team can partner with you to help deliver your next project.

Responsible Sourcing

As a leading retailer of home improvement and outdoor living products, Bunnings is committed to ensuring all timber and wood products originate from legal and well-managed forest operations. To reduce the impacts to nature and biodiversity associated with the procurement of timber products, Bunnings' Responsible Timber Sourcing Policy seeks to exclude sources derived from deforestation and natural forest conversion. This is achieved by requiring that all natural forest timber products originate from independently certified forests in line with the Forest Stewardship Council® (FSC®), Programme for the Endorsement of Forest Certification (PEFC) or another equivalent standard.

For full details on our responsible sourcing, sustainability and community commitments, scan here



GreenTag® Certification

GreenTag® is an independent, globally trusted ecolabel that verifies a product's sustainability, low toxicity, and responsible manufacturing across its full life cycle. It helps customers confidently choose healthier, environmentally responsible building products.

James Hardie - Stria™ Cladding

*The information contained in this publication is intended for qualified and experienced building professionals and is of a general nature. It does not take into account individual circumstances, objectives or applicable requirements at law or otherwise. You should not act on the basis of or rely on this information without checking that the information is still current, satisfying yourself the solutions and products proposed meet your or your client's specific needs and where applicable, obtaining advice from a suitably qualified professional. Any claims of product compliance, including with respect to the applicable Australian Standards, have been provided by our product suppliers and have not been independently verified by Bunnings. Installation is your responsibility unless Bunnings agrees to supply and manage installation for applicable products, such as joinery and flooring. Photos used in this publication are for illustrative purposes only and products that are available for sale may vary. Some products listed may not be available for immediate purchase. Not all products are available in all locations.

Please speak to your Account Manager for more information.

CONTENTS

4 FIBRE CEMENT, PRE-FINISHED

8 FIBRE CEMENT, PAINTABLE

22 HARDBOARD

25 AAC

27 COMPOSITE

29 TIMBER

32 ALUMINIUM

34 STEEL

35 EPS


37 MAGNESIA CEMENT

38 PARTY WALLS

39 CEMENT BOARDS

40 ACCESSORIES

Hardie™ Oblique™ Cladding



FIBRE CEMENT, PRE-FINISHED | SYSTEMS

Innova | Montage®

Montage® is a versatile fibre cement facade system that can be used both internally and externally. It's pre-formed, pre-finished and non-combustible, making it a durable, safe and aesthetic addition to your project.

Designed to withstand the elements, Montage® was created with critical specifying needs in mind. Not only does it look stunning, but its simple installation speeds up the building process too – reducing project build time with no need for finishing trades.

Montage® panels are manufactured from cement bonded wood fibres that have a pattern impressed to the face of the panel. The panels are then pre-finished using a multiple coat finishing system that is supplied in a variety of colours and textures that emulate the look of Concrete, Stackstone, Slimline Tile and Woodgrain.

- ✓ Resistant to bushfire attack level 40 (BAL 40)
- ✓ Installed using a range of accessories, clip installation system provides a ventilated cavity
- ✓ Conforms to NCC requirements for external wall applications, tested to AS 3959 - Construction of buildings in bushfire prone areas.
- ✓ Fully sealed panels that are weather resistant and won't rot or burn



INNOVA
by etex

[Home](#)



FIBRE CEMENT, PRE-FINISHED | SYSTEMS

CSR Cemintel | Territory™

Cemintel Territory™ is a pre-finished cladding system that simulates materials such as stone, timber, concrete, and brick.

Territory™ cladding is a 16mm thick cement bonded fibrous wood particle panel that is pressed with surface textures and finished with a high-quality paint and UV coating. Panels are 3030mm in length, with an effective cover width of 455mm, and connect seamlessly into each other via a tongue and groove profile.

Territory™ cladding panels are supported by a proprietary concealed fixing system that enables the panels to be installed on masonry, timber and steel frames, either horizontally or vertically, externally or internally, on both residential and commercial buildings.

Available in a wide range of colour and texture options.

- ✓ AS 5113 EW (External Wall) classified
- ✓ CodeMark® certified
- ✓ Resistant to bushfire attack level 40 (BAL 40)
- ✓ Group Number 1 for internal lining in accordance with AS5637.1/ISO9705
- ✓ Suitable for all building classes



Note: site environmental factors such as wind pressures and corrosivity zones must be considered to determine product suitability for a particular application.



CEMINTEL
SAINT-GOBAIN



[Home](#)



FIBRE CEMENT, PRE-FINISHED | COLOUR THROUGH CSR Cemintel® | Barestone® and Surround

Cemintel® Barestone® and Surround panels are pre-finished, square edged cladding with superior resistance, strength, and durability for residential commercial applications.

Barestone® panels are 9mm thick, and provide a natural mottled concrete finish. Barestone® panels can be installed on steel or timber stud framing, masonry/concrete, or on timber battens either horizontally or vertically, externally, or internally. External panels are secured with either screws or colour matched rivets when fixing to steel framing, and colour matched screws when fixing to timber framing.

Surround panels are 8mm thick and available in over 40 colours and textures – five neutral 'ISH' colours in five textures, and a range of 16 secondary bold colours. They are an excellent choice for commercial applications subject to high wind loads.

- ✓ CodeMark® certified
- ✓ Barestone® is resistant to bushfire attack level 40 (BAL 40), whilst Surround is resistant to bushfire attack level 29 (BAL 29)
- ✓ ExpressWall® Top Hat fixing system, a pressure equalised ventilated cavity system that is easy to install and delivers a high weather performance solution




CEMINTEL
SAINT-GOBAIN



Note: site environmental factors such as wind pressures and corrosivity zones must be considered to determine product suitability for a particular application.

[Home](#)



FIBRE CEMENT, PRE-FINISHED | COLOUR THROUGH Cedar Sales by Modinex | Viroc

Viroc from Cedar Sales by Modinex is a cement bonded particle board that brings together the workability of pine particles and the strength of cement. It is available in 12 mm and 19 mm thicknesses for internal and external applications and comes in a range of colours.

Its bending strength supports a wide range of structural uses, and the 19 mm sheets can be installed as flooring. Standard woodworking tools and fixings are all that is needed, so installation is simple and there is no rendering, concrete polishing or drying time involved.

Viroc can be finished to a polished, raw or sanded concrete look, offering a practical way to create a refined concrete-style feature in residential interiors, bars, foyers, auditoriums, commercial fitouts and joinery.

- ✓ Group 1 fire rated
- ✓ BAL 29 rated
- ✓ No crystalline silica



[Home](#)



FIBRE CEMENT, PAINTABLE | WEATHERBOARD AND PLANKS

James Hardie | Linea™ Weatherboard

Harness the features and charm of traditional weatherboard styles with the benefits of Hardie™ fibre cement, using Linea™ Weatherboard.

Made to withstand our harsh and unpredictable climate, Linea™ Weatherboard is ideal for creating a Modern Coastal or Hamptons look in new homes or renovations.

Available in 150mm and 180mm widths, the unmatched 16mm thickness enables handy tongue and groove short ends for clean butt joins even off-stud.

- ✓ Resistant to rot and damage from termites and moisture
- ✓ Resistant to bushfire attack level 40 (BAL 40)
- ✓ Gun-nail to timber frames or screw to light gauge steel frames
- ✓ Pre-primed and ready to paint
- ✓ 25-year warranty



[Home](#)





FIBRE CEMENT, PAINTABLE | WEATHERBOARD AND PLANKS

James Hardie | Primeline™ Weatherboard

Primeline™ Weatherboard Heritage: a double-width weatherboard with rebated edges to create shadow lines. It uses a shiplap joint and mounts flush with studs.

Primeline™ Weatherboard Newport: a smooth, narrow weatherboard that overlaps like traditional weatherboards, with a rebate to deepen the overlap shadow line. Compatible with the Hardie™ Lock fixing system for fast lap alignment and off-stud joining.

Primeline™ Weatherboard Chamfer: a double-width weatherboard with clean lines to create a shadow effect. It uses a shiplap joint and mounts flush with studs.

- ✓ Resistant to bushfire attack level 40 (BAL 40)
- ✓ Pre-primed and ready to paint
- ✓ 25-year warranty
- ✓ Chamfer and Heritage profiles available in double-height boards
- ✓ Resistant to rot and damage from termites and moisture



[Home](#)



FIBRE CEMENT, PAINTABLE | WEATHERBOARD AND PLANKS

James Hardie | Hardie™ Plank Weatherboard

Hardie™ Plank Weatherboard is a no-fuss, 7.5mm thick fibre cement weatherboard available in two woodgrain textures. Hardie™ Plank Woodgrain and Hardie™ Plank Smooth are wide board weatherboards which come in 230mm and 300mm heights.

Hardie™ Plank Weatherboard is suitable for use as an external cladding in residential single and medium-density homes, including renovations and extensions, where a traditional or contemporary weatherboard look is required. Ideal for full or composite construction designs on either timber or light gauge steel framed homes.

- ✓ Resistant to bushfire attack level 29 (BAL 29)
- ✓ Gun-nail to timber frames or screw to light gauge steel frames
- ✓ 25-year warranty
- ✓ Available in two different finishes, woodgrain and smooth and in 230mm and 300mm widths
- ✓ Pre-primed and ready to paint in any colour



[Home](#)



FIBRE CEMENT, PAINTABLE | WEATHERBOARD AND PLANKS

Innova | Stratum®, Nuline® and Duraplank®

The Innova® range of weatherboard and planks provide the versatility to achieve a traditional look which blends into the landscape. Use Nuline® or Duraplank® for your timeless weatherboard charm, or Stratum® for a range of versatile cladding looks.

Nuline® and Duraplank® provide several widths, thicknesses, and profiles of the more traditional looking weatherboards, whilst Stratum® comprises of five profiles which can be used either horizontally or vertically to create a contemporary twist and be mixed and matched to create an eye catching, original exterior cladding.

Nuline comes in square or bullnose edge profiles and 175mm and 205mm widths.

Duraplank® is available in a smooth or woodgrain profiles and 230mm or 300mm widths.

Stratum® is available in five profiles with smooth and woodgrain options available.

- ✓ Stratum® and Nuline® are resistant to bushfire attack level 40 (BAL 40), whilst Duraplank® is resistant to bushfire attack level 29 (BAL 29)
- ✓ Nuline® and Stratum® are CodeMark® certified
- ✓ Deemed non-combustible in accordance with the NCC
- ✓ 25-year warranty



INNOVA
by ete

Home



FIBRE CEMENT, PAINTABLE | WEATHERBOARD AND PLANKS

CSR Cemintel® | Balmoral, Scarborough and Headland Weatherboards and Smooth Plank

Cemintel® fibre cement weatherboards are a modern take on traditional timber cladding. They are pre-primed and gun-nailable for installation on site. They are deemed suitable for use in applications where non-combustible materials are specified and are suitable for bushfire attack level 40.

Balmoral weatherboards are 16mm thick panels, with a clean, flat face and a slight bevel on their lower edges.

Scarborough weatherboards are 12mm thick, flat faced boards with a small arris at the bottom edge. When the boards overlap, they create a medium depth shadow line.

Headland weatherboards are 10mm thick and feature a horizontal linear groove. They have a shiplap joint where they overlap which makes them self-aligning and faster to install.

Smooth Plank are 7.5mm thick wide weatherboards that cover more wall so there are fewer to install. The panels require priming and are suitable for bushfire attack level 29.

- ✓ Suitable for Residential BCA Classes 1 and 10
- ✓ Shiplap jointing method
- ✓ Direct or cavity fix cladding systems
- ✓ Pre-primed panels (except Smooth Plank)
- ✓ Balmoral and Scarborough are resistant to bushfire attack level 40 (BAL 40), whilst Headland Weatherboards are resistant to bushfire attack level 29 (BAL 29)
- ✓ Smooth Plank is resistant to bushfire attack level 29 (BAL 29)



CEMINTEL[™]
SAINT-GOBAIN



Note: site environmental factors such as wind pressures must be considered to determine product suitability for a particular application.

[Home](#)



FIBRE CEMENT, PAINTABLE | WEATHERBOARD AND PLANKS

James Hardie | Hardie™ Oblique™ Cladding

Evoke a bold, contemporary aesthetic with the wide grooves and bespoke design flexibility of Hardie™ Oblique™ Cladding.

Available in 200mm and 300mm widths, these 14mm thick shiplap boards offer multiple installation options and can be arranged in alternating or bespoke patterns.

- ✓ Resistant to rot and damage from termites and moisture
- ✓ Resistant to bushfire attack level 40 (BAL 40)
- ✓ Pre-primed and ready to paint
- ✓ Horizontal castellated battens simplify vertical installation
- ✓ 25-year warranty



[Home](#)



FIBRE CEMENT, PAINTABLE | CLADDING TEXTURED PANELS

James Hardie | Hardie™ Brushed Concrete and Hardie™ Fine Texture Cladding

Hardie™ Brushed Concrete Cladding has a unique texture, which is embedded into the panel, reminiscent of softly brushed concrete making it distinctively tactile.

This sophisticated texture is perfect for creating modern facades, appearing smooth from a distance and surprisingly detailed up-close when used in ground floor applications.

Hardie™ Fine Texture Cladding is a pre-textured fibre cement panel with a shiplap joint on the long edges, resulting in a subtle vertical v-groove joint.

Without the weight of masonry, Hardie™ Fine Texture Cladding provides the ability to follow timber and steel frames, creating weightless and bold designs.

- ✓ CodeMark® certified
- ✓ 25-year warranty
- ✓ Pre-primed and ready to paint
- ✓ Resistant to bushfire attack level 40 (BAL 40)
- ✓ Resistant to rot and damage from termites and moisture



[Home](#)



FIBRE CEMENT, PAINTABLE | CLADDING PANELS

James Hardie | Axon™ Cladding and Matrix™ Cladding

Axon™ Cladding is a range of vertically grooved panels with the detail of vertical joint timber. It incorporates the beauty and fine detail of painted vertical joint timber, without time-consuming board construction or durability hassles. It's available in two groove spacing options to give the appearance of narrow and wide board sizes.

Matrix™ Cladding is a pre-primed exterior cladding system with a geometric look created by an express joint, which leaves a precise 10mm gap between panels. Choose from various panel sizes to create a variety of geometric shapes in square, vertical, horizontal and brick pattern layouts. Paint the express joint a dark colour to accentuate the lines and shapes. Panels are installed on vertical cavity battens with horizontal backing strips and suitable for use in residential and medium-density applications wherever a modern look is required. The cavity construction design improves thermal properties and achieves higher R-values.

- ✓ CodeMark® certified
- ✓ Pre-primed and ready to paint in any colour
- ✓ 25-year product warranty
- ✓ Axon Cladding™ is resistant to bushfire attack level 40 (BAL 40)
- ✓ Matrix Cladding™ is resistant to bushfire attack level 29 (BAL 29)



[Home](#)



FIBRE CEMENT, PAINTABLE | CLADDING BOARDS

James Hardie | Stria™ Cladding Smooth & Stria™ Cladding Fine Texture

Stria™ Cladding Smooth features deep, square-shaped grooves to create strong horizontal or vertical line details in modern home designs. Clean and sophisticated, Stria™ Cladding Smooth is the perfect solution for contemporary designs that require a bold but pared-back aesthetic.

Stria™ Cladding Fine Texture, an extension of the popular Stria™ Cladding range, is a 14mm thick board with a sharp v-groove and an embedded fine render texture for a robust feel on the ground floor.

- ✓ CodeMark® certified
- ✓ Resistant to bushfire attack level 40 (BAL 40)
- ✓ Pre-primed and ready to paint in any colour
- ✓ Resistant to rot and damage from termites and moisture
- ✓ 25-year warranty



[Home](#)



FIBRE CEMENT, PAINTABLE | CLADDING PANELS


James Hardie | ExoTec Facade™ Panel and System

ExoTec™ Facade Panel provides a durable, expressed joint panel appearance for building facades and fascias and, together with the ExoTec™ fixing system, offers versatility to architects and builders. ExoTec™ Facade Panels provide a durable, expressed joint panel appearance for building facades and fascias.

- ✓ Ideal for use on high-rise buildings exposed to high wind pressure and other weather elements
- ✓ Panels are sealed on all sides
- ✓ Resistant to bushfire attack level 40 (BAL 40)
- ✓ Resistant to damage from termites and moisture



[Home](#)



FIBRE CEMENT, PAINTABLE | CLADDING PANELS

James Hardie | EasyLap™ Panel

EasyLap™ Panel is a pre-primed fibre cement sheet with a shiplap joint along its two vertical edges. Lightweight yet durable, EasyLap™ Panel is a broadwall cladding solution. Panels are finished with a site-applied, roll-on textured acrylic paint to achieve a subtle rendered texture look.

- ✓ Can be used for tiling applications
- ✓ Resistant to bushfire attack level 40 (BAL 40)
- ✓ Resistant to rot and damage from termites and moisture
- ✓ 25-year product warranty



[Home](#)



FIBRE CEMENT, PAINTABLE | CLADDING SHEET

James Hardie | Hardie™ Flex Sheet and Versilux™ Lining

Hardie™ Flex Sheet is a smooth, flat sheet that is painted on-site to create a flat panel look. It is a square-edged panel in a 6mm thickness for a simple cladding and soffit solution.

Versilux™ Lining is a pre-sealed flat sheet with square edges for butt joints. Sanded smooth and pre-sealed, Versilux™ Lining provides a flat surface that is site-painted to create a panellised look. Unlike Villaboard™ Lining, Versilux™ Lining is square on the long edges for making butt joints and accessory joints doing away with set joints that can require extra finishing time and cost.

- ✓ Easily cut to size with a score and snap knife
- ✓ Gun-nail to timber frames or screw to light gauge steel frames
- ✓ 25-year warranty



Note: Jack Lovel Photography.



[Home](#)



FIBRE CEMENT, PAINTABLE | CLADDING SHEET

Innova | Durasheet®, Duragroove®, Duratex® and Duragrid®

Innova® offers a comprehensive range of traditional and contemporary fibre cement solutions, giving you the flexibility to meet the design and performance requirements of any new build or renovation project.

For eaves and soffit applications, Durasheet® provides a reliable general-purpose option known for its durability and clean finish. If your project calls for a base sheet suitable for applied decorative finishes, Duratex® delivers excellent adhesion and a smooth, consistent surface.

For a modern, refined grid aesthetic, Duragrid® is an ideal choice. It offers ultimate layout flexibility with horizontal or vertical installation in a brick or stack-bond pattern, allowing you to tailor the look to your project's design. Duragrid® is also versatile to install over both timber and steel battens.

If a vertical grooved profile is what you need, the Duragroove® range offers four distinct options. With varying groove widths and an attractive woodgrain texture, Duragroove® provides both style and flexibility to complement a variety of architectural looks.

- ✓ Resistant to bushfire attack level 40 (BAL 40)
- ✓ Deemed non-combustible in accordance with the NCC
- ✓ Create eye catching external facades by combining products together
- ✓ Highly durable
- ✓ 25-year warranty
- ✓ Duragroove® and Duragrid® are CodeMark® certified



INNOVA
by ete

[Home](#)



FIBRE CEMENT, PAINTABLE | CLADDING SHEET

CSR Cemintel® | Edge, SimpleLine and ExpressPanel

Cemintel® Edge and SimpleLine fibre cement panels are pre-primed, gun-nailable, vertical joint cladding suitable for residential use. They can be direct or cavity fixed.

Edge Cladding is 9mm thick and available in four different vertical joint intervals, and is suitable for external cladding, internal linings, soffits and vaulted ceilings. The panels can also be installed horizontally.

SimpleLine Cladding is 8.5mm thick and available in 900mm or 1200mm widths. The large panels allow installers to cover a lot of external wall area quickly, making them suitable for the side facades of a house.

ExpressPanel Cladding is 9mm thick and uses square edge panels and expressed joints to create geometric designs. It can be painted a wide range of colours, and when combined with the ExpressWall™ Top Hat system is a high-performance façade cladding solution for commercial and industrial buildings.

- ✓ Edge and SimpleLine are pre-primed and gun-nailable
- ✓ Commercial ExpressPanel Walling System is CodeMark® Certified
- ✓ ExpressPanel withstands high wind loads up to 7.0kPa when used with Cemintel Rigid Air Barrier
- ✓ All panels can be used where non-combustible material is required



CEMINTEL
SAINT-GOBAIN



[Home](#)



HARDBOARD | TIMBERGRAIN Weathertex | Selflok Weatherboards

Selflok is a fresh alternative to traditional lapped planks and perfectly suited for the modern home. These CodeMark® accredited weatherboards have the simplest unique horizontal tongued groove flush system, which allows every board to self-gauge. The precise routing gives the product a beautiful and unique profile that makes it the first choice for many.

The Selflok range comes in Natural and Primed with a variety of groove spacings. Weathertex is safe to cut indoors with standard carpentry tools and contains no added glue, resin, silica or formaldehyde.

- ✓ CodeMark® Certified
- ✓ Resistant to bushfire attack level 19 (BAL 19)
- ✓ Lightweight product
- ✓ Off-stud joining option enables minimal waste and less timber stud layout
- ✓ 25-year warranty



weathertex
a better choice, naturally

Home



HARDBOARD | **TIMBERGRAIN** **Weathertex** | Weathergroove Panels

Weathergroove is the largest panel available in the Australian market, making this vertically grooved panel ideal for covering large areas in a short amount of time, and its versatility offers endless possibilities. It has a universal edge which makes it possible to flip and reuse offcuts.

Weathertex is safe to cut indoors with standard carpentry tools and contains no added glue, resin, silica or formaldehyde. The Weathergroove range comes in Natural and Primed with a variety of groove spacings, textures and panel sizes.

- ✓ CodeMark® Certified
- ✓ Resistant to bushfire attack level 19 (BAL 19)
- ✓ Off-stud joining option enables minimal waste and less timber stud layout
- ✓ 25-year warranty
- ✓ Tallest panel size in Australia - 3.66m height



 **weathertex**
a better choice, *naturally*

 [Home](#)



HARDBOARD | **TIMBERGRAIN** **Weathertex** | Primelok Weatherboards

Primelok is Weathertex's most popular range for achieving traditional sophistication and elegance and has a wide range of profiles to create the weatherboard look.

Primelok's unique interlocking system not only ensures a seamless, flawless finish but also enhances the structural integrity of the space. Designed to withstand the test of time and nature's toughest elements, Primelok cladding offers unmatched durability and protection for a residential or commercial project.

Weathertex is safe to cut indoors with standard carpentry tools and contains no added glue, resin, silica or formaldehyde.

- ✓ CodeMark® Certified
- ✓ Resistant to bushfire attack level 19 (BAL 19)
- ✓ Exclusive easy-aligning boards saving time and labour costs
- ✓ Lapping of board conceals fixings
- ✓ 25-year warranty



 **weathertex**
a better choice, naturally

 Home



AUTOCLAVED AERATED CONCRETE (AAC), PAINTABLE

Hebel | PowerPanelXL

The PowerPanel^{XL} external wall system consists of 75mm thick, steel-reinforced AAC panels, fixed vertically to Hebel's patented perforated Top Hat sections. The wall is then rendered with a recommended acrylic coating system, delivering a wide choice of colours and finishes so you can get the look you want for your next project.

Compared to traditional masonry, the installation of the PowerPanel^{XL} system provides a faster way of constructing external façades for residential builds. The PowerPanel^{XL} walling system also provides good acoustic and thermal insulation performance, helping to keep the home quiet and comfortable.

Strong and solid, each PowerPanel^{XL} panel contains steel reinforcement for added strength with an anti-corrosion layer on the steel for maximum durability.

PowerPanel^{XL} is non-combustible, making it the perfect choice in bushfire zones.

- ✓ Fire resistant with FRL 180/180/180 (when using wall system without construction joint)
- ✓ Can achieve up to BAL FZ as specified in Australian Standard AS 3959
- ✓ CodeMark[®] certified
- ✓ Conforms with AS 5146



Note: Refer to relevant Design and Installation Guide on website or contact Technical services team for further details on performance of variety of wall system configurations.

[Home](#)



AUTOCLAVED AERATED CONCRETE (AAC) Nasahi®

Nasahi® Panels are designed to deliver high-performance building systems that provide the look and feel of concrete at a considerably lower cost. Manufactured from lightweight, reinforced autoclaved aerated concrete, Nasahi® Panels offer a balanced combination of strength and light weight properties, making them easier to handle while maintaining excellent durability throughout transport and installation.

Nasahi® Panels are available in both vertical and horizontal installation configurations and can be used for external walls, party walls, boundary walls and flooring. The Nasahi® range of building systems is routinely tested in Australia by NATA accredited laboratories and is carefully engineered to meet the requirements of the Building Code of Australia, ensuring ongoing compliance and continued product innovation.

- ✓ CodeMark® certified
- ✓ Strong and lightweight
- ✓ Sound insulation
- ✓ Fire resistant with FRL 120/120/120 (when using 10mm plasterboard internal lining)



[Home](#)



COMPOSITE | TIMBERGRAIN PermaTimber® | Composite Timber Cladding

PermaTimber® Cladding is your low-maintenance, durable alternative to traditional timber cladding and lining that won't fade or warp.

With a beautiful timber-look finish in various colour options and available in original, castellated and Weatherlap profiles*, PermaTimber® cladding is ideal for use in both commercial and residential builds.

The custom fixing system and lightweight nature offer an easy installation that is much more cost effective than traditional timber installation. PermaTimber® Cladding is made from 87% recycled materials, is pest-resistant and has a multi-trim system available for a professional finish to your project.

- ✓ CodeMark® certified
- ✓ Custom fixing system for ease of installation
- ✓ UV stabilised to hold colour for life
- ✓ Resistant to bushfire attack level 19 (BAL 19) version available via custom order



*Traditional and Castellated profiles are not available in Victoria.



[Home](#)



COMPOSITE | SHIPLAP

Ekodeck® | Shiplap Composite Cladding

Ekodeck® Shiplap Cladding doesn't need to be painted or sealed like traditional cladding, making it an attractive, low-maintenance alternative.

Coupled with a 25-year warranty, Ekodeck® Shiplap Cladding is an industry-leading composite cladding material.

With a sleek, modern grey, a more traditional timber tone, or a subtle warm white, Ekodeck® Shiplap Cladding elevates your project with its contemporary profile.

Shiplap Cladding can be installed horizontally and vertically, giving you the designer's choice.

Once installed, each piece of Ekodeck® Shiplap Cladding piece provides 150mm of coverage.

- ✓ CodeMark® Certified, fully compliant with Australian Standards
- ✓ Pre-finished, no need to patch, sand or paint
- ✓ Natural timber tones that won't fade or require any oiling or painting maintenance
- ✓ Can be installed both horizontally and vertically
- ✓ Uses a simple, self-supporting clip system
- ✓ 25-year warranty



EKODECK®



[Home](#)



TIMBER | WEATHERBOARD PLANKS

Woodhouse | Woodhouse Weatherproof

The Woodhouse Timber Company has supplied cladding manufactured from finger-jointed H3-LOSP treated radiata pine to the Australian market under the Weatherproof® banner since the mid-1990s. Their extensive range of profiles and sizes will ensure you'll get the look you want for your project.

Supplied with a genuine Dulux® Industrial Primer, every Woodhouse Weatherproof Cladding product is ready for installation and final top coatings. All products in the Weatherproof® cladding range are sourced and manufactured from radiata pine plantations.

- ✓ Treated with a LOSP H3 for resistance against termite and fungal attack
- ✓ Coated with a genuine Dulux® Industrial pink primer
- ✓ Finger-jointed and kiln dried to assist with stability during and after installation
- ✓ 25-year warranty against termite and fungal attack
- ✓ 25-year Dulux® warranty against failure of the priming coating



[Home](#)



TIMBER | WEATHERBOARD PLANKS

Vida Wood and Tilling Timber

Vida Weatherboards

Vida offers a complete range of structural timber and stress-graded timber for building material suppliers and construction companies.

A high degree of processing takes place at Vida's technically advanced sawmills through planning, precision cutting, stress-grading, finger-joining and impregnating.

Vida's Primed European Spruce Weatherboards are produced from high quality, sustainably sourced, Baltic Spruce and are available with square or round edges in lengths from 3600mm to 6000mm.

- ✓ Kiln-dried and HT-stamped unless otherwise specified

Tilling Timber Cladding

Tilling Western Red Cedar Knotty Kiln Dried Weatherboard offers the ultimate in quality appearance. Western Red Cedar has beauty, rich colour and exceptional building properties, and it is manufactured to exacting standards. Properly finished and maintained, Western Red Cedar ages gracefully and lasts for years.

Whether for a cottage, house or multi-storey structure, Tilling Knotty Kiln Dried Weatherboard is the grade of choice for quality builders. It is graded on all sides and is kiln dried to allow immediate finishing.

- ✓ Premium product grade
- ✓ Timber durability Class 2
- ✓ Acoustic rating (Rw+Ctr) of 19-20
- ✓ PEFC™ certified timber options are available for this range



[Home](#)



TIMBER | PANELS

Cedar Sales by Modinex

Cedar Sales by Modinex offers durable, design-led timber solutions for Australian homes and commercial spaces. Each product is made to perform in local conditions.

The locally manufactured cladding range includes both hardwoods and softwoods, giving you practical options for creating warm, distinctive designs. A variety of species, finishes, and coatings makes it easy to choose a look that suits the style of your project.

Sizes, channel widths and materials are available to suit different applications. Species include Western Red Cedar, Spotted Gum, Ironbark, Hemlock, and Blackbutt.

- ✓ Naturally pest resistant
- ✓ PEFC™ certified options available on selected products.
- ✓ AS/NZS 3837-1998 compliant
- ✓ Locally manufactured



[Home](#)



ALUMINIUM | TIMBER LOOK DECO | DecoClad®

Enjoy maximum impact with minimum hassle with DecoClad® – the non-combustible solid aluminium cladding system by DECO Australia.

Designed and made in Australia, DecoClad® offers a sleek architectural style for modern builds. Featuring a patented interlocking system, 6.5-metre cladding boards and pre-punched fixing holes, DecoClad® is suitable for horizontal, vertical or diagonal applications across external walls, facades, ceilings, soffits, porticos and more. All cladding boards and accessories are pre-finished in DECO's durable, UV-resistant, marine-grade powder coatings – including six Super Durable™ DecoWood® timber-look options and two DecoCoat® solid colours – ensuring the highest durability and longevity for your project.

- ✓ Non-combustible; compliant with the National Construction Code, AS 1530.1 and AS 1530.3
- ✓ Resistant to bushfire attack level 40 (BAL 40)
- ✓ Pre-finished, marine-grade powder coating – no sanding, painting, or staining
- ✓ 6.5 m lengths with pre-punched fixing holes
- ✓ Available in six distinct cladding board profiles



[Home](#)



ALUMINIUM | TIMBER LOOK

Cedar Sales by Modinex | Alu Batten and Alu Seleкта

Cedar Sales by Modinex offers an aluminium range designed to give the look of timber with none of the maintenance, using long lasting powder on powder coating for consistent colour, realistic grain detail and improved durability in Australian conditions.

Alu Seleкта is a non combustible cladding board available in timber look and solid colour finishes. It is lightweight, and provides a reliable alternative to traditional exterior timber cladding.

Alu Batten is a standalone batten system used to add linear detail to façades, soffits or interior areas. It uses the same powder on powder coating process to deliver a stable, low maintenance finish that holds its colour over time.

- ✓ Alu Seleкта is CodeMark® Certified and non-combustible AS1530.3 compliant
- ✓ Saltwater spray tested
- ✓ 25-year structural warranty
- ✓ 15-year fade warranty
- ✓ Ideal for high-rises and bushfire rated areas
- ✓ Available in Green and Supergreen aluminum



[Home](#)



STEEL | PANELS Lysaght | ZENITH®

Built for Australian conditions and trusted by trades nationwide, Lysaght ZENITH® cladding delivers the performance and durability that builders rely on. Australian made from genuine COLORBOND® steel, the ZENITH® range helps you deliver energy-smart builds without compromising on style.

Whether you need a bold architectural finish or a clean, understated look, ZENITH® provides the flexibility to meet your client's vision while keeping installs straightforward. Comprehensive installation guides and Lysaght's long-standing technical support help keep your jobs moving efficiently and safely.

Proudly Australian made, ZENITH® is designed to deliver strength, consistency and performance on every site.

- ✓ Six unique profiles
- ✓ Thermal efficient



[Home](#)



EXPANDABLE POLYSTYRENE (EPS) | PANELS

NRG | Greenboard™

NRG Greenboard™ is an insulative walling system suitable for external cladding of timber or steel framed buildings, as well as solid concrete and masonry walls. The system provides a weather resistant, seam-free rendered finish in a wide range of textures and colours. It also provides continuous thermal insulation over the entire wall.

NRG Greenboard™ is a high density expanded polystyrene containing fire and vermin retardant, and can achieve thermal ratings from 1.92R to 3.96R, with added advantage of an acoustic rating (RW38). The NRG Greenboard™ Wall System has CodeMark® and BAL 29 Accreditation on the complete system, comprising of NRG Greenboard™, fixings, render beads, polymer modified render, reinforced mesh, textures and membrane coatings, making the system fully BCA compliant.

- ✓ CodeMark® certified
- ✓ Resistant to bushfire attack level 29 (BAL 29)



[Home](#)



EXPANDABLE POLYSTYRENE (EPS) | PANELS

Masterwall | M-Series, X-Series, Skyline and Umbra

With a range of systems available there is a Masterwall lightweight system suited to every Australian home.

M-Series, featuring pre-coated premium M-Grade polystyrene panel, is an external lightweight, reinforced, insulating wall panel, mechanically fixed to the outer face of the building. X-Series is the uncoated version of the M-Series product.

Skyline is an architectural 'cap-less' solution for parapet walls and balcony heads. The Skyline membrane may be installed over substrates that have a smooth surface for a strong bond, such as polystyrene, fibre cement, plywood, M-Series panel, smooth render, concrete or smooth masonry.

Umbra is a lightweight engineered solution for providing architectural shading for windows or as a feature to give definition to any design. Umbra comprises of stainless-steel brackets, fixed to a variety of substrates.

M-Series:

- ✓ CodeMark® certified
- ✓ Resistant to bushfire attack level 29 (BAL 29)
- ✓ Certified C2 (Cyclonic) Wind Load

X-Series:

- ✓ CodeMark® certified
- ✓ Resistant to bushfire attack level 29 (BAL 29)



[Home](#)



MAGNESIA CEMENT | MULTI-PURPOSE CLADDINGS

ResCom® BP | FireBuster Pro

FireBuster® Pro is a high-performance, non-combustible panel system designed to simplify construction, improve compliance, and deliver exceptional fire, acoustic and structural performance in modern Australian building projects. Combining the strength of engineered magnesium cement with the versatility of a multi-application board, FireBuster Pro™ offers builders a reliable solution for internal and external walls, ceilings, floors and separation systems.

Engineered to perform in demanding environments, this lightweight, moisture, impact and mould-resistant board is ideal for coastal, high-humidity and high-traffic areas. Its single-layer construction delivers high fire, acoustic and structural performance without requiring complex build-ups. With zero VOCs and non-toxic composition, it supports healthier indoor air quality—perfect for schools, aged-care, medical and residential spaces. Proven across residential, commercial and industrial applications, it offers a dependable, versatile solution for high-performance construction.

- ✓ Certified Fire Resistance with the product independently tested to AS 1530.4:2014, with system ratings from >30/30/30 to >-/120/120 across the FireBuster Pro™ range.
- ✓ A1 Non-Combustible Performance that meets AS 1530.1:2014 and AS 1530.3:2014 for use in all NCC-defined non-combustible applications.
- ✓ NCC 2022 Compliant Across Walls, Floors & Ceilings and ISO:8336 certified for use in façades, linings, separation walls, soffits, risers, ceilings and floors.
- ✓ BAL FZ Suitable and engineered to perform in Australia's most extreme bushfire zones.

FIREBUSTER™

PC
RESCOM
BUILDING PRODUCTS

Home



PARTY WALLS | SEPARATION WALL SYSTEMS

We can supply you with party, separation and boundary wall systems for your upcoming build.


Modern wall system designs offer strong acoustic performance and straightforward installation while supporting a wide range of architectural layouts. Twin-stud configurations in either timber or steel enable smooth coordination with other trades and accommodate essential services without additional fire-proofing requirements.

Backed by long-established use in healthy building environments, these systems provide confidence for builders, designers and certifiers through verified fire, structural and acoustic testing. With options available across party, separation and boundary wall applications, they bring versatility and reliability to both residential and commercial projects.

- ✓ Designed to simplify on-site coordination, reducing delays during follow-on trades.
- ✓ Helps streamline compliance pathways with robust, third-party-verified performance data.
- ✓ Supports flexible design layouts, including variable service routing and room configurations.
- ✓ Suitable for a wide range of building types, from multi-residential to mixed-use commercial projects.
- ✓ Offers multiple system formats to meet differing fire, acoustic and structural performance requirements.



[Home](#)



CEMENT BOARDS | INDOOR AND OUTDOOR

Knauf | Permarock®

PERMAROCK® Cement Board Systems provide interior and exterior cement boards for wet, humid and demanding environments. Use them as exterior render carriers and soffit backings, or as interior tile backers and ceiling substrates across façades, pool surrounds, bathrooms and laundries.

PERMAROCK® Cement Board Outdoor is a robust, non-combustible exterior board with weather, water and impact resistance, reinforced edges and a cement core with glass-fibre mesh. It also underpins an economical Residential External Cladding System engineered for coastal and high-wind sites with compliance up to BAL 40 and options for curved façades.

PERMAROCK® Cement Board Indoor is a durable, water-resistant backing for tiles or proprietary renders in wet and humid interiors, ideal for bathrooms, showers, laundries and stable ceiling substrates.

- ✓ Lightweight boards
- ✓ Score-and-snap cutting; dry bend to 1m radius
- ✓ Dimensionally stable; resistant to water, mould and mildew
- ✓ Broad compatibility with proprietary renders or tiled finish
- ✓ Not deemed combustible per AS 1530.1-1994
- ✓ Expansion joint distances up to 15m for walls & ceilings
- ✓ Suitable for a wide range of building types, from single homes and multi-residential to mixed-use commercial projects
- ✓ Resistant to bushfire attack level 40 (BAL 40)

PERMAROCK®

KNAUF

Home



ACCESSORIES | BUILDING WRAPS

Ametalin

Ametalin's range of wall wraps, sarkings, reflective foil insulation and vapour permeable building membrane products are specifically designed to suit your building application and climate zone. Using world-class innovative design and technology, Ametalin aims to reduce the need for air conditioning in coastal Australia, as well as providing practical year-round thermal insulation.

Build to suit your climate – Ametalin produces a full range of products suitable for the various moisture risk zones in Australia. From wet tropical and warm temperate climate zones typical of Australia and much of Asia, to cold and alpine regions, the Ametalin range has your projects covered.

Select from their range of products and accessories to complement Group 1 Fire Performance constructions and all Bushfire Attack Levels (BALs). Whether you need Thermal Control, Vapour Permeable or Vapour Barrier products, use the Ametalin product selector to find the most suitable product for your project needs.

- ✓ Light and easy to work with
- ✓ Easy to fit into existing building process
- ✓ Group 1 fire performance
- ✓ Superior performance
- ✓ 25-year warranty
- ✓ Custom printing available



Ametalin

Performance insulation for a greener world

[Home](#)

Where products are system-based, Bunnings can supply all ancillaries and accessories for the system. Not all products are available in all locations. Speak to your Bunnings Trade Account Manager. Full product specifications available from manufacturers' websites – check for all conformity and compliance. All warranties are subject to terms and conditions specific to the manufacturer or supplier. Please visit their websites for details. December 2025



WeatherTex Weathergroove 150 Natural

Contact us for all your business needs

trade.bunnings.com.au

133 062

Service Contact Information

Frame and Truss

fameandtruss@bunnings.com.au
1800 202 222

Supply and Install

Supply&Install@bunnings.com.au
1800 909 819

Building Solutions Studio

Brisbane:
0408 983 660
bsschwh@bunnings.com.au

Sydney:
0438 189 931
bssch@bunnings.com.au

Melbourne:
0447 099 908
bsspm@bunnings.com.au

Commercial Services Team

13 30 62

[Home](#)