




Buyer's Guide



A Look Inside the *Buyer's Guide*

BUYERS GUIDE & ADVICE

<i>Our story - ThreeSixty Fans</i>	P. 4 – 5
<i>Ceiling fan buyer's guide</i>	P. 6 – 7
<i>Match your fan to your space</i>	P. 8 – 9
<i>Choosing the right fan size</i>	P. 10 – 11
<i>How high to hang your fan</i>	P. 12 – 13
<i>Choosing your motor technology</i>	P. 14
<i>Location guide for your fan</i>	P. 15
<i>Ceiling fan performance guide</i>	P. 82 – 83

DC CEILING FANS | P.16

<i>Spitfire DC</i>	P. 18 – 25
<i>Delta DC</i>	P. 26 – 29
<i>Ambience DC</i>	P. 30 – 33
<i>Simplicity DC</i>	P. 34 – 41
<i>FlatJET DC</i>	P. 42 – 45
<i>Trinity DC</i>	P. 46 – 53
<i>Kirra DC</i>	P. 54 – 65
<i>Tropicana DC</i>	P. 66 – 69
<i>DC Wall Control</i>	P. 70

AC CEILING FANS | P.72

<i>Spitfire AC</i>	P. 74 – 77
<i>Aspire AC</i>	P. 78 – 79
<i>Arumi AC</i>	P. 80 – 81





Our Story

ThreeSixty Fans is dedicated to providing beautifully designed and premium quality ceiling fans that complement and enhance the amazing Australian lifestyle.

We're on a mission to make ceiling fan shopping easier and more inspiring, so you stay comfortable in style. Our ceiling fans are designed and engineered for Australians, by Australians.

Originally founded as Crestwind Fans in 2003 to help keep Australians cool, our company has evolved into a design-focused, quality-obsessed ceiling fan manufacturer catering to customers seeking more than just a ceiling fan.

Drawing from a combined decade worth of experience in the industry, our dedication to quality craftsmanship goes beyond just what is seen. Only the highest quality components and engineering

standards guarantee our ceiling fans are built to last.

Everyone has different needs and preferences when it comes to their ceiling fan. We believe shopping for your new fan should be straightforward. We've expanded on the typical ceiling fan industry jargon so you don't need an engineering degree to understand whether your new fan is going to help you stay cool.

Our friendly team is available to assist in any way we can — whether that's helping you find a new statement piece for your living space or fixing any issues once your new fan is installed — we'd love to hear from you.

Ceiling Fan Buyer's Guide





60 INCH SPITFIRE AC IN WHITE/NATURAL

Choosing the right ceiling fan for your space and personal preferences can be confusing. We want to help make your shopping experience easier and more inspiring, so you stay comfortable in style.

Although to most people, a ceiling fan is a ceiling fan, when it comes time for you to make your choice the type and purpose of your ceiling fan can be worlds apart. A ceiling fan is not a one size fits all solution, certain ceiling fans can be a good or bad choice depending on their application.

Some fans are designed to move huge amounts of air at a high RPM whereas others are designed to be quiet in operation to provide a breeze but not heard.

Today, energy efficiency is a huge consideration to most household appliances, ceiling fans included.

In recent years, the humble ceiling fan has grown in its sophistication to become an integral part of the styling and comfort in our homes.

The following guide aims to help you better understand the options available, and ensure you find the perfect match for your home.



Local Australian Support

Proudly Australian Owned & Operated, our friendly team provides a comprehensive 3 Year In-Home Warranty for peace of mind.

Match your fan to *your space*



When choosing the right finish and style for your ceiling fan, decide if you want a **subtle** addition or a **statement** piece.

Choosing the right ceiling fan can enhance both the functionality and style of your space. For a bold statement, darker finishes like black and bronze create striking contrasts against neutral walls and pair beautifully with timber grain blades to complement modern timber aesthetics.

Alternatively, white and silver ceiling fans are perfect for blending seamlessly into light, neutral interiors, providing cooling without distracting from the room's design. For a subtle touch of texture, a white motor with timber-finish blades can discreetly tie in timber elements like beams or furniture, ensuring your fan harmonizes perfectly with your decor.


Make a statement in your space by adding a bold contrast to your interior colour scheme.

Since most interiors are typically painted with neutral colours such as whites and creams, darker finished ceiling fans such as black and bronze provide a stark and bold contrast that will draw the eye.

By matching the finish of the motor to permanent fixtures in the space (e.g. taps, hardware, door knobs, large furniture), black and bronze motor finishes lend themselves well to timber grain finishes on the ceiling fan blades to match timber aesthetics found in today's interior styling trends.

Statement

CONTRAST
& ADD
VARIETY



Subtle

BLEND IN
WITH YOUR
SPACE




Choose a ceiling fan that blends in to your space by matching the colours in your room.

White and silver ceiling fans are often a safe choice for anyone wanting their ceiling fan to disappear into the space, as they better blend with white and cream interior colour schemes. Choosing an all-white ceiling fan that matches your style will provide the benefits of functional cooling without distracting from your room's aesthetics.

An emerging trend is to introduce subtle textures by matching a white motor ceiling fan with timber finish blades. For decors that include timber aesthetics (either furnishing or timber beams) this can be a discreet way to further integrate a ceiling fan into your space.


Choosing the right fan size

There's no exact science to selecting the right size ceiling fan for a space (as every room layout is different), but the following sections will help guide you in the right direction. Always ensure **at least 50cm of space from the tip of any blade to any wall**. Pay attention to high furniture or floor-to-ceiling wardrobes to make sure they won't reduce your fan's performance.



SMALL SPACES

For small spaces (small bedrooms, home offices, media rooms, etc.) that are less than **3m x 3m**, we would recommend 48" or smaller ceiling fans. For small spaces, consider your lighting requirements – you will most likely require a light kit on your ceiling fan.




MEDIUM SPACES

For medium spaces (standard bedrooms, living areas, dining areas, etc.) that are between **3m x 3m** and **4m x 4m**, consider ceiling fans between 48" and 56" in size, depending on the exact size of your room. The average bedroom size in an Australian home is around 3.2m by 3.0m, in which space we would recommend a 52" ceiling fan.

The average **Master Bedroom** in an Australian home is 4m x 3.8m and blurs the line between medium and large spaces. This would allow for ceiling fans up to 60" in diameter, although a 52" ceiling fan positioned directly over the bed would still provide the necessary cooling while you sleep.

The average **Living Room** in an Australian home is 4.2m x 3.4m and suits models between 52" and 56" in diameter.



LARGE SPACES

For large spaces (large master bedrooms, large living areas, etc.) that are over **4.0m x 4.0m**, consider ceiling fans that are over 56" in size. An average master bedroom in Australia is 4.2m x 3.9m, which would suit a 56" blade span ceiling fan. For very large spaces, it is often more effective to install multiple smaller ceiling fans located over specific gathering points (couch, dining table, etc.) as opposed to one large ceiling fan.

A very large **master bedroom** (e.g. 5m x 4.2m) may suit a ceiling fan up to 70" in diameter for people that enjoy a gentle, quiet ceiling fan while they sleep.

OUTDOOR SPACES

Outdoor spaces are a little different to indoor areas since they typically lack four walls to help feed airflow back to the fan and improve air circulation. Therefore, it is often beneficial to use a smaller, higher-velocity ceiling fan positioned directly over key gathering points (e.g. seating areas) or cooking areas.

A large **Living Room** that is **5.5m x 5m** would suit models 56" and larger in size, although a 56" model would need to be well-positioned and would only provide localised cooling (e.g. over a couch).

Depending on the type of cooling you are looking for, a larger ceiling fan may suit the space better but factor in the type of airflow and cooling you would prefer.

So for outdoor applications of ceiling fans, the velocity and the CM/H of the fan is very important as the air provided will be forced down and simply be lost in the outdoor environment.

How high to hang *your fan*



It is important to hang your ceiling fan at an optimal height to provide sufficient airflow and cooling.

One often overlooked variable in the performance of a ceiling fan is its distance both from where the air needs to be delivered but also the distance of the fan from the ceiling. While it makes sense that you want the breeze velocity from the fan close to where it is needed to create optimal wind chill and breeze, this air needs to come from somewhere.


Ceiling fans draw in air from above and force it down to create the breeze we feel. If there is a restriction of the available air above the blades for the fan to draw upon, this can create a vacuum effect and begin to draw the same air that is being displaced down, back up to the top of the fan. This results in a “cavitation” effect and impedes

the performance of the fan. In most cases the ceiling fan provided to you in a box is not set to its optimum drop away from the ceiling, it is generally provided to you to be 30cm from the ceiling as this is the minimum height requirement on a standard 2.4m ceiling in Australia.

If you have the luxury in your space to be able to drop the fan down from the ceiling via a downrod it is advisable to do so to get the most out of your fan’s performance. For starters this gets the maximum velocity of the air forced closer to where it is needed, however, it is equally important for the fan to have as much unobstructed access to air from above to force it down efficiently.


Your ceiling fan's blades must always be at least 2.1m from the floor to meet safety regulations.

In terms of buying a downrod accessory for your ceiling fan, all our downrods are available in either 90cm or 180cm lengths and these **can be cut to custom lengths by your installing electrician**. The exact recommended downrod length for each ceiling height will vary slightly between models, as it depends on how deep the fan itself is.




Consider your ceiling slope or angle as this will affect which models will suit.

Most of our ceiling fan's support sloped or raked ceilings up to a certain angle. For high sloped ceilings above the standard installation angles, the SC45 Sloped Ceiling Kits are available and support both AC and DC ceiling fans with 26mm diameter downrods.



MODEL	STANDARD INSTALL ANGLES
Ambience DC	UP TO 12°
Arumi AC	UP TO 15°
Aspire AC	UP TO 30°
Delta DC	UP TO 12°
FlatJET DC	UP TO 12°
Kirra DC	UP TO 12°
Simplicity DC	UP TO 9°
Spitfire AC	UP TO 13°
Spitfire DC	UP TO 12°
Trinity DC	UP TO 12°
Tropicana DC	UP TO 12°

DESCRIPTION	SKU
45° Sloped Ceiling Kit, Black	SC45 - BL
45° Sloped Ceiling Kit, Matte White	SC45 - MW
45° Sloped Ceiling Kit, Oil-rubbed Bronze	SC45 - OB



Choosing your motor technology - AC vs DC



DC Ceiling Fans

DC ceiling fans feature newer motor technology that uses pulse-modulation, making them significantly more energy-efficient than AC fans.

- DC fans are also quieter, as their motors eliminate electrical hum.
- DC fans usually offer more speed options (commonly six) for precise airflow control.
- DC fans include remote controls as standard, which often include advanced features such as fan-off timers, breeze modes, and reversing functionality.





















AC Ceiling Fans

AC ceiling fans are powered by alternating current, which is the standard electrical current used in most homes and commercial buildings.

- These fans are based on tried-and-true technology that has been on the market for decades.
- AC fans typically include wall controls as standard, which can be ideal for spaces where remote handsets might get lost.
- The simplicity of AC motors, with fewer electronic components, makes them less prone to failure, ensuring long-term reliability.

Location guide for your fan – indoors or outdoors

All ceiling fans in our range are suitable for indoor use, offering versatility to complement any room in your home. For outdoor installations, however, it's essential to ensure the fan is not exposed to direct water. Outdoor areas require at least three walls or similar protection to shield the fan from rain and excessive moisture.

MODEL	INDOORS	OUTDOORS
SPITFIRE DC		
DELTA DC		
AMBIENCE DC		
SIMPLICITY DC		
FLATJET DC		
TRINITY DC		
KIRRA DC		
TROPICANA DC		
SPITFIRE AC		
ARUMI AC		
ASPIRE AC		



ALL FINISHES ARE SUITABLE FOR USE IN THE SPECIFIED LOCATION.



POWDER COATED FINISHES ONLY. BRUSHED NICKEL / PEWTER NOT SUITABLE FOR OUTDOOR USE.



TABLE OF CONTENTS

DC Ceiling Fans

Upgrade to a DC ceiling fan for superior energy efficiency, whisper-quiet operation, and advanced features that elevate comfort while reducing costs.



SPITFIFRE DC RANGE

52" Spitfire DC P. 18-21

60" Spitfire DC P. 22-25



DELTA DC RANGE

52" Delta DC P. 26-27

56" Delta DC P. 28-29



AMBIENCE DC RANGE

48" Ambience DC P. 30-31


52" Ambience DC P. 32-33



SIMPLICITY DC RANGE

45" Simplicity DC P. 34-37

52" Simplicity DC P. 38-41



FLATJET DC RANGE

52" FlatJET DC P. 42-43

56" FlatJET DC P. 44-45



TRINITY DC RANGE

48" Trinity DC P. 46-49

56" Trinity DC P. 50-53



KIRRA DC RANGE

60" Kirra DC P. 54-57

72" Kirra DC P. 58-61

100" Kirra DC P. 62-65



TROPICANA DC RANGE







56" Tropicana DC P. 66-69



52" Spitfire DC

Designer cooling with luxury polymer timber-finish blades.

- Make an elegant statement thanks to the Spitfire DC's stunningly crafted polymer timber-finish blades that offer rich textures coupled with a minimalist, understated motor design for a modern finish.
- Cleverly crafted all-weather polymer blades offer luxury timber finishes while being easy to maintain, weather resistant and long wearing.
- Highly efficient airflow made possible by the energy-efficient DC motor, using only 30W on high and as little as 7W on low - providing impressive cooling while consuming very little power.
- Enjoy whisper-quiet cooling thanks to the combination of a silent DC motor and premium polymer blades, so you stay cool with less wind and fan noise.

	
MOTOR TECHNOLOGY	INCH BLADE SPAN
	
RPM'S ON HIGH	WATTS ON HIGH
	
REMOTE INCLUDED	LED LIGHT ADAPTABLE

Motors



MSDCBK
Black



MSDCBN
Brushed Nickel



MSDCMW
Matte White

Blades



BS52BL
52" Black



BS52KA
52" Koa



BS52LO
52" Light Oak



BS52MW
52" Matte White



BS52WA
52" Walnut



BS52WW
52" White Wash

LED Light Kit

Power: 18 W (Dimmable)

Colour Temperature(s):

3000K / 4300K / 6000K

Lumens (lm): 1,510 / 1,718 / 1,642



SPD18BK
18W LED Light,
Black



SPD18BN
18W LED Light,
Brushed Nickel



SPD18MW
18W LED Light,
Matte White

Remote Control

INCLUDED




- 6 Fan Speeds
- Light On/Off & Dimming
- Fan Reversing
- Fan Off Timers
- Natural Breeze Mode

DC Wall Control


DCW-SPD52



- 5 Fan Speeds
- Light On/Off & Dimming
- Fan Reversing
- Fan Off Timers
- Natural Breeze Mode
- Isolation Switch



DIMENSIONS	
A	30 CM
B	30 CM
C	132 CM
D	16.5 CM



SPECIFICATIONS				
SPEED	RPMS	AIRFLOW	WATTS	EFFICIENCY
1	90	6,941 CMH	7 W	992 CMH/W
2	108	8,330 CMH	9 W	926 CMH/W
3	126	9,718 CMH	12 W	810 CMH/W
4	142	10,952 CMH	17 W	644 CMH/W
5	160	12,340 CMH	22 W	561 CMH/W
6	174	13,420 CMH	30 W	447 CMH/W

DOWNRODS	NON-LIGHT	WITH LIGHT
36 inch (90 cm) Downrod in Black	DR3-36BL	DR3L-36BL
36 inch (90 cm) Downrod in Brushed Nickel	DR3-36BN	DR3L-36BN
36 inch (90 cm) Downrod in Matte White	DR3-36MW	DR3L-36MW
72 inch (180 cm) Downrod in Black	DR3-72BL	DR3L-72BL
72 inch (180 cm) Downrod in Brushed Nickel	DR3-72BN	DR3L-72BN
72 inch (180 cm) Downrod in Matte White	DR3-72MW	DR3L-72MW

ACCESSORIES	BLACK	MATTE WHITE	OIL-RUBBED BRONZE
45° Sloped Ceiling Kit	SC45-BL	SC45-MW	SC45-OB

52" Spitfire DC - Kit Pack Order Codes



SPD52BKBK



SPD52BKLO



SPD52BKWALED

ORDER CODE	MOTOR	BLADES	LED LIGHT
SPD52BKBK	BLACK	BLACK	-
SPD52BKBKLED	BLACK	BLACK	18W LED
SPD52BKKA	BLACK	KOA	-
SPD52BKKALED	BLACK	KOA	18W LED
SPD52BKLO	BLACK	LIGHT OAK	-
SPD52BKLOLED	BLACK	LIGHT OAK	18W LED
SPD52BKWA	BLACK	WALNUT	-
SPD52BKWALED	BLACK	WALNUT	18W LED
SPD52BKWH	BLACK	MATTE WHITE	-
SPD52BKWHLED	BLACK	MATTE WHITE	18W LED
SPD52BKWW	BLACK	WHITE WASH	-
SPD52BKWWLED	BLACK	WHITE WASH	18W LED



SPD52BNKALED



SPD52BNLO



SPD52BNWW

ORDER CODE	MOTOR	BLADES	LED LIGHT
SPD52BNBK	BRUSHED NICKEL	BLACK	-
SPD52BNBKLED	BRUSHED NICKEL	BLACK	18W LED
SPD52BNKA	BRUSHED NICKEL	KOA	-
SPD52BNKALED	BRUSHED NICKEL	KOA	18W LED
SPD52BNLO	BRUSHED NICKEL	LIGHT OAK	-
SPD52BNLOLED	BRUSHED NICKEL	LIGHT OAK	18W LED
SPD52BNWA	BRUSHED NICKEL	WALNUT	-
SPD52BNWALED	BRUSHED NICKEL	WALNUT	18W LED
SPD52BNWH	BRUSHED NICKEL	MATTE WHITE	-
SPD52BNWHLED	BRUSHED NICKEL	MATTE WHITE	18W LED
SPD52BNWW	BRUSHED NICKEL	WHITE WASH	-
SPD52BNWWLED	BRUSHED NICKEL	WHITE WASH	18W LED



SPD52MWLOLED



SPD52MWKA



SPD52MWWH







ORDER CODE	MOTOR	BLADES	LED LIGHT
SPD52MWBK	MATTE WHITE	BLACK	-
SPD52MWBKLED	MATTE WHITE	BLACK	18W LED
SPD52MWKA	MATTE WHITE	KOA	-
SPD52MWKALED	MATTE WHITE	KOA	18W LED
SPD52MWLO	MATTE WHITE	LIGHT OAK	-
SPD52MWLOLED	MATTE WHITE	LIGHT OAK	18W LED
SPD52MWWA	MATTE WHITE	WALNUT	-
SPD52MWWALED	MATTE WHITE	WALNUT	18W LED
SPD52MWWH	MATTE WHITE	MATTE WHITE	-
SPD52MWWHLED	MATTE WHITE	MATTE WHITE	18W LED
SPD52MWWW	MATTE WHITE	WHITE WASH	-
SPD52MWWWLED	MATTE WHITE	WHITE WASH	18W LED



60" Spitfire DC

Designer cooling with luxury polymer timber-finish blades.

- Make an elegant statement thanks to the Spitfire DC's stunningly crafted polymer timber-finish blades that offer rich textures coupled with a minimalist, understated motor design for a modern finish.
- Cleverly crafted all-weather polymer blades offer luxury timber finishes while being easy to maintain, weather resistant and long wearing.
- Circulates air over a large area at a moderate velocity, making it ideal for larger spaces by providing balanced cooling without excessive windchill.
- Enjoy whisper-quiet cooling thanks to the combination of a silent DC motor and premium polymer blades, so you stay cool with less wind and fan noise.

	
MOTOR TECHNOLOGY	INCH BLADE SPAN
	
RPM'S ON HIGH	WATTS ON HIGH
	
REMOTE INCLUDED	LED LIGHT ADAPTABLE

Motors



MSDCBK
Black



MSDCBN
Brushed Nickel



MSDCMW
Matte White

Blades



BS60BL
60" Black



BS60KA
60" Koa




BS60LO
60" Light Oak



BS60MW
60" Matte White



BS60WA
60" Walnut



BS60WW
60" White Wash

LED Light Kit

Power: 18 W (Dimmable)

Colour Temperature(s):

3000K / 4300K / 6000K

Lumens (lm): 1,510 / 1,718 / 1,642



SPD18BK
18W LED Light,
Black



SPD18BN
18W LED Light,
Brushed Nickel



SPD18MW
18W LED Light,
Matte White

Remote Control

INCLUDED




- 6 Fan Speeds
- Light On/Off & Dimming
- Fan Reversing
- Fan Off Timers
- Natural Breeze Mode

DC Wall Control


DCW-SPD60



- 5 Fan Speeds
- Light On/Off & Dimming
- Fan Reversing
- Fan Off Timers
- Natural Breeze Mode
- Isolation Switch



DIMENSIONS	
A	30 CM
B	30 CM
C	152 CM
D	16.5 CM



SPECIFICATIONS				
SPEED	RPMS	AIRFLOW	WATTS	EFFICIENCY
1	60	6,607 CMH	5 W	1,321 CMH/W
2	78	8,590 CMH	8 W	1,074 CMH/W
3	95	10,462 CMH	11 W	951 CMH/W
4	116	12,774 CMH	17 W	751 CMH/W
5	128	14,096 CMH	26 W	542 CMH/W
6	145	15,968 CMH	35 W	456 CMH/W

DOWNRODS	NON-LIGHT	WITH LIGHT
36 inch (90 cm) Downrod in Black	DR3-36BL	DR3L-36BL
36 inch (90 cm) Downrod in Brushed Nickel	DR3-36BN	DR3L-36BN
36 inch (90 cm) Downrod in Matte White	DR3-36MW	DR3L-36MW
72 inch (180 cm) Downrod in Black	DR3-72BL	DR3L-72BL
72 inch (180 cm) Downrod in Brushed Nickel	DR3-72BN	DR3L-72BN
72 inch (180 cm) Downrod in Matte White	DR3-72MW	DR3L-72MW

ACCESSORIES	BLACK	MATTE WHITE	OIL-RUBBED BRONZE
45° Sloped Ceiling Kit	SC45-BL	SC45-MW	SC45-OB

60" Spitfire DC - Kit Pack Order Codes



SPD60BKBKLED



SPD60BKLO



SPD60BKWA

ORDER CODE	MOTOR	BLADES	LED LIGHT
SPD60BKBK	BLACK	BLACK	-
SPD60BKBKLED	BLACK	BLACK	18W LED
SPD60BKKA	BLACK	KOA	-
SPD60BKKALED	BLACK	KOA	18W LED
SPD60BKLO	BLACK	LIGHT OAK	-
SPD60BKLOLED	BLACK	LIGHT OAK	18W LED
SPD60BKWA	BLACK	WALNUT	-
SPD60BKWALED	BLACK	WALNUT	18W LED
SPD60BKWH	BLACK	MATTE WHITE	-
SPD60BKWHLED	BLACK	MATTE WHITE	18W LED
SPD60BKWW	BLACK	WHITE WASH	-
SPD60BKWWLED	BLACK	WHITE WASH	18W LED



SPD60BNLO



SPD60BNWALED



SPD60BNWW

ORDER CODE	MOTOR	BLADES	LED LIGHT
SPD60BNBK	BRUSHED NICKEL	BLACK	-
SPD60BNBKLED	BRUSHED NICKEL	BLACK	18W LED
SPD60BNKA	BRUSHED NICKEL	KOA	-
SPD60BNKALED	BRUSHED NICKEL	KOA	18W LED
SPD60BNLO	BRUSHED NICKEL	LIGHT OAK	-
SPD60BNLOLED	BRUSHED NICKEL	LIGHT OAK	18W LED
SPD60BNWA	BRUSHED NICKEL	WALNUT	-
SPD60BNWALED	BRUSHED NICKEL	WALNUT	18W LED
SPD60BNWH	BRUSHED NICKEL	MATTE WHITE	-
SPD60BNWHLED	BRUSHED NICKEL	MATTE WHITE	18W LED
SPD60BNWW	BRUSHED NICKEL	WHITE WASH	-
SPD60BNWWLED	BRUSHED NICKEL	WHITE WASH	18W LED



SPD60MWLO



SPD60MWWALED



SPD60MWWH

ORDER CODE	MOTOR	BLADES	LED LIGHT
SPD60MWBK	MATTE WHITE	BLACK	-
SPD60MWBKLED	MATTE WHITE	BLACK	18W LED
SPD60MWKA	MATTE WHITE	KOA	-
SPD60MWKALED	MATTE WHITE	KOA	18W LED
SPD60MWLO	MATTE WHITE	LIGHT OAK	-
SPD60MWLOLED	MATTE WHITE	LIGHT OAK	18W LED
SPD60MWWA	MATTE WHITE	WALNUT	-
SPD60MWWALED	MATTE WHITE	WALNUT	18W LED
SPD60MWWH	MATTE WHITE	MATTE WHITE	-
SPD60MWWHLED	MATTE WHITE	MATTE WHITE	18W LED
SPD60MWWW	MATTE WHITE	WHITE WASH	-
SPD60MWWWLED	MATTE WHITE	WHITE WASH	18W LED



52" Delta DC

Modern design with amazing airflow and energy efficiency.

- Modern and sleek design with an ultra slim motor profile and aerodynamic blades, the Delta DC ceiling fan combines stylish good looks with amazing airflow and energy efficiency.
- High performance cooling thanks to the powerful DC motor paired with aerodynamic fluted blades, providing high velocity airflow that is guaranteed to keep you cool.
- Highly efficient airflow made possible by the energy-efficient motor, using only 40W on high and as little as 6W on low so you stay cool for less.
- Enjoy whisper-quiet cooling, thanks to the combination of a silent DC motor and premium polymer blades, so you stay cool with less wind and fan noise.



MOTOR TECHNOLOGY



INCH BLADE SPAN



RPM'S ON HIGH



WATTS ON HIGH



REMOTE INCLUDED



INTEGRATED LED LIGHT



DEL52BK
52" (132cm) Delta DC, Black



DEL52MW
52" (132cm) Delta DC, Matte White



DEL52OB
52" (132cm) Delta DC, Oil-rubbed Bronze



DEL52BKLED
52" (132cm) Delta DC, Black with 18W LED Light



DEL52MWLED
52" (132cm) Delta DC, Matte White with 18W LED Light



DEL52OBLED
52" (132cm) Delta DC, Oil-rubbed Bronze with 18W LED Light

Integrated LED Light

Power: 18 W (Dimmable)

Colour Temperature(s):

3000K / 4000K / 5000K

Lumens (lm): 1,510 / 1,718 / 1,642

Remote Control

INCLUDED




- 6 Fan Speeds
- Light On/Off & Dimming
- Fan Reversing
- Fan Off Timers
- Natural Breeze Mode

DC Wall Control


DCW - DEL



- 5 Fan Speeds
- Light On/Off & Dimming
- Fan Reversing
- Fan Off Timers
- Natural Breeze Mode
- Isolation Switch



DIMENSIONS	
A	32 CM
B	29 CM
C	132 CM
D	18 CM



SPECIFICATIONS				
SPEED	RPMS	AIRFLOW	WATTS	EFFICIENCY
1	101	5,479 CMH	6 W	913 CMH/W
2	136	7,732 CMH	10 W	773 CMH/W
3	177	10,350 CMH	18 W	575 CMH/W
4	198	11,325 CMH	22 W	515 CMH/W
5	223	12,604 CMH	30 W	420 CMH/W
6	240	13,700 CMH	40 W	343 CMH/W

DOWNRODS	NON-LIGHT	WITH LIGHT
36 inch (90 cm) Downrod in Black	DR3-36BL	DR3L-36BL
36 inch (90 cm) Downrod in Matte White	DR3-36MW	DR3L-36MW
36 inch (90 cm) Downrod in Oil-rubbed Bronze	DR3-36OB	DR3L-36OB
72 inch (180 cm) Downrod in Black	DR3-72BL	DR3L-72BL
72 inch (180 cm) Downrod in Matte White	DR3-72MW	DR3L-72MW
72 inch (180 cm) Downrod in Oil-rubbed Bronze	DR3-72OB	DR3L-72OB

ACCESSORIES	BLACK	MATTE WHITE	OIL-RUBBED BRONZE
45° Sloped Ceiling Kit	SC45-BL	SC45-MW	SC45-OB



56" Delta DC

Modern design with amazing airflow and energy efficiency.

- Modern and sleek design with an ultra slim motor profile and aerodynamic blades, the Delta DC ceiling fan combines stylish good looks with amazing airflow and energy efficiency.
- High performance cooling thanks to the powerful DC motor paired with aerodynamic fluted blades, providing high velocity airflow that is guaranteed to keep you cool.
- Highly efficient airflow made possible by the energy-efficient motor, using only 40W on high and as little as 6W on low so you stay cool for less.
- Enjoy whisper-quiet cooling, thanks to the combination of a silent DC motor and premium polymer blades, so you stay cool with less wind and fan noise.



MOTOR TECHNOLOGY



INCH BLADE SPAN



RPM'S ON HIGH



WATTS ON HIGH



REMOTE INCLUDED



INTEGRATED LED LIGHT



DEL56BK
56" (142cm) Delta DC, Black



DEL56MW
56" (142cm) Delta DC, Matte White



DEL56OB
56" (142cm) Delta DC, Oil-rubbed Bronze



DEL56BKLED
56" (142cm) Delta DC, Black with 18W LED Light



DEL56MWLED
56" (142cm) Delta DC, Matte White with 18W LED Light



DEL56OBLED
56" (142cm) Delta DC, Oil-rubbed Bronze with 18W LED Light

Integrated LED Light

Power: 18 W (Dimmable)

Colour Temperature(s):

3000K / 4000K / 5000K

Lumens (lm): 1,510 / 1,718 / 1,642

Remote Control

INCLUDED




- 6 Fan Speeds
- Light On/Off & Dimming
- Fan Reversing
- Fan Off Timers
- Natural Breeze Mode

DC Wall Control


DCW - DEL



- 5 Fan Speeds
- Light On/Off & Dimming
- Fan Reversing
- Fan Off Timers
- Natural Breeze Mode
- Isolation Switch



DIMENSIONS	
A	32 CM
B	29 CM
C	142 CM
D	18 CM



SPECIFICATIONS				
SPEED	RPMS	AIRFLOW	WATTS	EFFICIENCY
1	90	5,573 CMH	6 W	929 CMH/W
2	127	7,864 CMH	10 W	786 CMH/W
3	170	10,527 CMH	18 W	585 CMH/W
4	186	11,518 CMH	22 W	524 CMH/W
5	207	12,819 CMH	30 W	427 CMH/W
6	225	13,934 CMH	40 W	348 CMH/W

DOWNRODS	NON-LIGHT	WITH LIGHT
36 inch (90 cm) Downrod in Black	DR3-36BL	DR3L-36BL
36 inch (90 cm) Downrod in Matte White	DR3-36MW	DR3L-36MW
36 inch (90 cm) Downrod in Oil-rubbed Bronze	DR3-36OB	DR3L-36OB
72 inch (180 cm) Downrod in Black	DR3-72BL	DR3L-72BL
72 inch (180 cm) Downrod in Matte White	DR3-72MW	DR3L-72MW
72 inch (180 cm) Downrod in Oil-rubbed Bronze	DR3-72OB	DR3L-72OB

ACCESSORIES	BLACK	MATTE WHITE	OIL-RUBBED BRONZE
45° Sloped Ceiling Kit	SC45-BL	SC45-MW	SC45-OB



48" Ambience DC

Modern cooling with ambient lighting built-in.

- Enjoy ambient lighting in your space thanks to the Ambience's built-in uplight (supports dimming), helping to create a relaxing atmosphere in your bedroom or living area.
- Excellent cooling thanks to the powerful DC motor paired with aerodynamic blades, making the Ambience a great choice for smaller spaces where strong airflow is desired.
- Whisper-quiet cooling thanks to the combination of a silent DC motor and premium polymer blades, so you stay cool with less wind and fan noise.
- Energy-efficient & dimmable (optional) 17W LED Downlight is available with colour changing technology (CCT) so you can choose between Warm, Cool and Daylight temperatures.



MOTOR TECHNOLOGY



INCH BLADE SPAN



RPM'S ON HIGH



WATTS ON HIGH



REMOTE INCLUDED



DOWNLIGHT ADAPTABLE



AMB48BK
48" (122cm) Ambience DC, Black



AMB48MW
48" (122cm) Ambience DC, Matte White



AMB48BKLED
48" (122cm) Ambience DC, Black with 17W LED Light



AMB48MWLED
48" (122cm) Ambience DC, Matte White with 17W LED Light

LED Light Kit

Power: 17 W (Dimmable)

Colour Temperature(s):

3000K / 4200K / 6000K

Lumens (lm): 985 / 1,150 / 1,050



AS17 LED
17W LED Light

Remote Control

INCLUDED




- 6 Fan Speeds
- Uplight On/Off & Dimming
- Downlight On/Off & Dimming
- Fan Reversing
- Fan Off Timers
- Natural Breeze Mode

DC Wall Control


DCW - AMB



- 5 Fan Speeds
- Uplight On/Off
- Downlight On/Off
- Fan Off Timers
- Natural Breeze Mode
- Isolation Switch



DIMENSIONS	
A	30 CM
B	30 CM
C	122 CM
D	15.5 CM



SPECIFICATIONS				
SPEED	RPMS	AIRFLOW	WATTS	EFFICIENCY
1	103	4,927 CMH	6 W	821 CMH/W
2	127	6,474 CMH	8 W	809 CMH/W
3	147	7,691 CMH	11 W	699 CMH/W
4	164	8,430 CMH	17 W	496 CMH/W
5	189	10,675 CMH	24 W	445 CMH/W
6	212	11,235 CMH	35 W	321 CMH/W

DOWNRODS	NON-LIGHT	WITH LIGHT
36 inch (90 cm) Downrod in Black		DR3L-36BL
36 inch (90 cm) Downrod in Matte White		DR3L-36MW
72 inch (180 cm) Downrod in Black		DR3L-72BL
72 inch (180 cm) Downrod in Matte White		DR3L-72MW

ACCESSORIES	BLACK	MATTE WHITE	OIL-RUBBED BRONZE
45° Sloped Ceiling Kit	SC45-BL	SC45-MW	SC45-OB



52" Ambience DC

Modern cooling with ambient lighting built-in.

- Enjoy ambient lighting in your space thanks to the Ambience's built-in uplight (supports dimming), helping to create a relaxing atmosphere in your bedroom or living area.
- Excellent cooling thanks to the powerful DC motor paired with aerodynamic blades, making the Ambience a great choice for small to medium sized spaces where strong airflow is desired.
- Whisper-quiet cooling thanks to the combination of a silent DC motor and premium polymer blades, so you stay cool with less wind and fan noise.
- Energy-efficient & dimmable (optional) 17W LED Downlight is available with colour changing technology (CCT) so you can choose between Warm, Cool and Daylight temperatures.



AMB52BK
52" (132cm) Ambience DC, Black



AMB52MW
52" (132cm) Ambience DC, Matte White



AMB52BKLED
52" (132cm) Ambience DC, Black with
17W LED Light



AMB52MWLED
52" (132cm) Ambience DC, Matte
White with 17W LED Light

LED Light Kit

Power: 17 W (Dimmable)

Colour Temperature(s):

3000K / 4200K / 6000K

Lumens (lm): 985 / 1,150 / 1,050



AS17 LED
17W LED Light

Remote Control

INCLUDED




- 6 Fan Speeds
- Uplight On/Off & Dimming
- Downlight On/Off & Dimming
- Fan Reversing
- Fan Off Timers
- Natural Breeze Mode

DC Wall Control


DCW - AMB



- 5 Fan Speeds
- Uplight On/Off
- Downlight On/Off
- Fan Off Timers
- Natural Breeze Mode
- Isolation Switch



DIMENSIONS	
A	30 CM
B	30 CM
C	132 CM
D	15.5 CM



SPECIFICATIONS				
SPEED	RPMS	AIRFLOW	WATTS	EFFICIENCY
1	91	5,302 CMH	6 W	884 CMH/W
2	114	6,948 CMH	8 W	869 CMH/W
3	131	8,650 CMH	11 W	786 CMH/W
4	145	9,864 CMH	19 W	519 CMH/W
5	165	10,856 CMH	24 W	452 CMH/W
6	185	12,262 CMH	35 W	350 CMH/W

DOWNRODS	NON-LIGHT	WITH LIGHT
36 inch (90 cm) Downrod in Black		DR3L-36BL
36 inch (90 cm) Downrod in Matte White		DR3L-36MW
72 inch (180 cm) Downrod in Black		DR3L-72BL
72 inch (180 cm) Downrod in Matte White		DR3L-72MW

ACCESSORIES	BLACK	MATTE WHITE	OIL-RUBBED BRONZE
45° Sloped Ceiling Kit	SC45-BL	SC45-MW	SC45-OB



45" Simplicity DC

Minimalist and modern cooling for small spaces.

- Stunningly designed ceiling fan with a focus on modern and minimalist ethos, the Simplicity is available in four finishes and two sizes, includes a 6-speed remote control and also offers an 18W LED Light version option.
- Sweeping and slimline blades accentuate the small and minimalist motor housing to ensure the Simplicity will blend harmoniously into its surroundings for a discreet and subtle addition.
- Highly efficient cooling made possible by the energy-efficient DC motor, using only 15W on high and as little as 5W on low so you stay cool for less.
- Enjoy whisper-quiet cooling, thanks to the combination of a silent DC motor and premium polymer blades, available in 45" and 52" sizes for small to medium spaces.



MOTOR TECHNOLOGY



45 INCH BLADE SPAN



209 RPM'S ON HIGH



15 WATTS ON HIGH



REMOTE INCLUDED



INTEGRATED LED LIGHT



SIM45BK
45" (114cm) Simplicity DC, Black



SIM45BKWA
45" (114cm) Simplicity DC, Black / Walnut



SIM45MW
45" (114cm) Simplicity DC, Matte White



SIM45MWLO
45" (114cm) Simplicity DC, Matte White / Light Oak

Remote Control

INCLUDED




- 6 Fan Speeds
- Light On/Off & Dimming
- Fan Reversing
- Fan Off Timers
- Natural Breeze Mode

DC Wall Control


DCW-SIM45



- 5 Fan Speeds
- Light On/Off & Dimming
- Fan Reversing
- Fan Off Timers
- Natural Breeze Mode
- Isolation Switch



DIMENSIONS	
A	30 CM
B	30 CM
C	114 CM
D	15 CM



SPECIFICATIONS				
SPEED	RPMS	AIRFLOW	WATTS	EFFICIENCY
1	97	3,908 CMH	5 W	782 CMH/W
2	118	4,621 CMH	6 W	770 CMH/W
3	149	5,505 CMH	7 W	786 CMH/W
4	161	6,252 CMH	9 W	695 CMH/W
5	191	7,323 CMH	12 W	610 CMH/W
6	209	7,849 CMH	15 W	523 CMH/W

DOWNRODS	NON-LIGHT	WITH LIGHT
36 inch (90 cm) Downrod in Black	DR3-36BL	DR3L-36BL
36 inch (90 cm) Downrod in Matte White	DR3-36MW	DR3L-36MW
72 inch (180 cm) Downrod in Black	DR3-72BL	DR3L-72BL
72 inch (180 cm) Downrod in Matte White	DR3-72MW	DR3L-72MW

ACCESSORIES	BLACK	MATTE WHITE	OIL-RUBBED BRONZE
45° Sloped Ceiling Kit	SC45-BL	SC45-MW	SC45-OB



45" Simplicity DC LED

Minimalist and modern cooling for small spaces.

- Stunningly designed ceiling fan with a focus on modern and minimalist ethos, the Simplicity is available in four finishes and two sizes, includes a 6-speed remote control and also offers an 18W LED Light version option.
- Sweeping and slimline blades accentuate the small and minimalist motor housing to ensure the Simplicity will blend harmoniously into its surroundings for a discreet and subtle addition.
- Highly efficient cooling made possible by the energy-efficient DC motor, using only 15W on high and as little as 5W on low so you stay cool for less.
- Enjoy whisper-quiet cooling, thanks to the combination of a silent DC motor and premium polymer blades, available in 45" and 52" sizes for small to medium spaces.



MOTOR TECHNOLOGY



45 INCH BLADE SPAN



209 RPM'S ON HIGH



15 WATTS ON HIGH



REMOTE INCLUDED



INTEGRATED LED LIGHT



SIM45BKLED
45" (114cm) Simplicity DC, Black with 18W LED Light



SIM45BKWLED
45" (114cm) Simplicity DC, Black / Walnut with 18W LED Light



SIM45MWLED
45" (114cm) Simplicity DC, Matte White with 18W LED Light



SIM45MWLOLED
45" (114cm) Simplicity DC, Matte White / Light Oak with 18W LED Light

LED Light Kit

Power: 18 W (Dimmable)

Colour Temperature(s):

3000K / 4000K / 6000K

Lumens (lm): 1,510 / 1,718 / 1,642

Remote Control

INCLUDED




- 6 Fan Speeds
- Light On/Off & Dimming
- Fan Reversing
- Fan Off Timers
- Natural Breeze Mode

DC Wall Control


DCW-SIM45



- 5 Fan Speeds
- Light On/Off & Dimming
- Fan Reversing
- Fan Off Timers
- Natural Breeze Mode
- Isolation Switch



DIMENSIONS	
A	32 CM
B	30 CM
C	114 CM
D	15 CM



SPECIFICATIONS				
SPEED	RPMS	AIRFLOW	WATTS	EFFICIENCY
1	97	3,908 CMH	5 W	782 CMH/W
2	118	4,621 CMH	6 W	770 CMH/W
3	149	5,505 CMH	7 W	786 CMH/W
4	161	6,252 CMH	9 W	695 CMH/W
5	191	7,323 CMH	12 W	610 CMH/W
6	209	7,849 CMH	15 W	523 CMH/W

DOWNRODS	NON-LIGHT	WITH LIGHT
36 inch (90 cm) Downrod in Black	DR3-36BL	DR3L-36BL
36 inch (90 cm) Downrod in Matte White	DR3-36MW	DR3L-36MW
72 inch (180 cm) Downrod in Black	DR3-72BL	DR3L-72BL
72 inch (180 cm) Downrod in Matte White	DR3-72MW	DR3L-72MW

ACCESSORIES	BLACK	MATTE WHITE	OIL-RUBBED BRONZE
45° Sloped Ceiling Kit	SC45-BL	SC45-MW	SC45-OB



52" Simplicity DC

Minimalist and modern cooling for your home.

- Stunningly designed ceiling fan with a focus on modern and minimalist ethos, the Simplicity is available in four finishes and two sizes, includes a 6-speed remote control and also offers an 18W LED Light version option.
- Sweeping and slimline blades accentuate the small and minimalist motor housing to ensure the Simplicity will blend harmoniously into its surroundings for a discreet and subtle addition.
- Highly efficient cooling made possible by the energy-efficient DC motor, using only 31W on high and as little as 4W on low so you stay cool for less.
- Enjoy whisper-quiet cooling, thanks to the combination of a silent DC motor and premium polymer blades, available in 45" and 52" sizes for small to medium spaces.



MOTOR TECHNOLOGY



INCH BLADE SPAN



RPM'S ON HIGH



WATTS ON HIGH



REMOTE INCLUDED



INTEGRATED LED LIGHT



SIM52BK
52" (132cm) Simplicity DC, Black



SIM52BKWA
52" (132cm) Simplicity DC, Black / Walnut



SIM52MW
52" (132cm) Simplicity DC, Matte White



SIM52MWLO
52" (132cm) Simplicity DC, Matte White / Light Oak

Remote Control

INCLUDED




- 6 Fan Speeds
- Light On/Off & Dimming
- Fan Reversing
- Fan Off Timers
- Natural Breeze Mode

DC Wall Control


DCW-SIM52



- 5 Fan Speeds
- Light On/Off & Dimming
- Fan Reversing
- Fan Off Timers
- Natural Breeze Mode
- Isolation Switch



DIMENSIONS	
A	30 CM
B	30 CM
C	132 CM
D	15 CM



SPECIFICATIONS				
SPEED	RPMS	AIRFLOW	WATTS	EFFICIENCY
1	85	5,777 CMH	4 W	1,444 CMH/W
2	105	6,966 CMH	6 W	1,161 CMH/W
3	124	8,274 CMH	10 W	827 CMH/W
4	146	9,056 CMH	15 W	604 CMH/W
5	166	10,755 CMH	22 W	489 CMH/W
6	184	11,842 CMH	31 W	382 CMH/W

DOWNRODS	NON-LIGHT	WITH LIGHT
36 inch (90 cm) Downrod in Black	DR3-36BL	DR3L-36BL
36 inch (90 cm) Downrod in Matte White	DR3-36MW	DR3L-36MW
72 inch (180 cm) Downrod in Black	DR3-72BL	DR3L-72BL
72 inch (180 cm) Downrod in Matte White	DR3-72MW	DR3L-72MW

ACCESSORIES	BLACK	MATTE WHITE	OIL-RUBBED BRONZE
45° Sloped Ceiling Kit	SC45-BL	SC45-MW	SC45-OB



52" Simplicity DC LED

Minimalist and modern cooling for your home.

- Stunningly designed ceiling fan with a focus on modern and minimalist ethos, the Simplicity is available in four finishes and two sizes, includes a 6-speed remote control and also offers an 18W LED Light version option.
- Sweeping and slimline blades accentuate the small and minimalist motor housing to ensure the Simplicity will blend harmoniously into its surroundings for a discreet and subtle addition.
- Highly efficient cooling made possible by the energy-efficient DC motor, using only 31W on high and as little as 4W on low so you stay cool for less.
- Enjoy whisper-quiet cooling, thanks to the combination of a silent DC motor and premium polymer blades, available in 45" and 52" sizes for small to medium spaces.



MOTOR TECHNOLOGY



52 INCH BLADE SPAN



184 RPM'S ON HIGH



31 WATTS ON HIGH



REMOTE INCLUDED



INTEGRATED LED LIGHT



SIM52BKLED
52" (132cm) Simplicity DC, Black with 18W LED Light



SIM52BKWLED
52" (132cm) Simplicity DC, Black / Walnut with 18W LED Light



SIM52MWLED
52" (132cm) Simplicity DC, Matte White with 18W LED Light



SIM52MWLOLED
52" (132cm) Simplicity DC, Matte White / Light Oak with 18W LED Light

Integrated LED Light

Power: 18 W (Dimmable)

Colour Temperature(s):

3000K / 4000K / 6000K

Lumens (lm): 1,510 / 1,718 / 1,642

Remote Control

INCLUDED




- 6 Fan Speeds
- Light On/Off & Dimming
- Fan Reversing
- Fan Off Timers
- Natural Breeze Mode

DC Wall Control


DCW-SIM52



- 5 Fan Speeds
- Light On/Off & Dimming
- Fan Reversing
- Fan Off Timers
- Natural Breeze Mode
- Isolation Switch



DIMENSIONS	
A	32 CM
B	30 CM
C	132 CM
D	15 CM



SPECIFICATIONS				
SPEED	RPMS	AIRFLOW	WATTS	EFFICIENCY
1	85	5,777 CMH	4 W	1,444 CMH/W
2	105	6,966 CMH	6 W	1,161 CMH/W
3	124	8,274 CMH	10 W	827 CMH/W
4	146	9,056 CMH	15 W	604 CMH/W
5	166	10,755 CMH	22 W	489 CMH/W
6	184	11,842 CMH	31 W	382 CMH/W

DOWNRODS	NON-LIGHT	WITH LIGHT
36 inch (90 cm) Downrod in Black	DR3-36BL	DR3L-36BL
36 inch (90 cm) Downrod in Matte White	DR3-36MW	DR3L-36MW
72 inch (180 cm) Downrod in Black	DR3-72BL	DR3L-72BL
72 inch (180 cm) Downrod in Matte White	DR3-72MW	DR3L-72MW

ACCESSORIES	BLACK	MATTE WHITE	OIL-RUBBED BRONZE
45° Sloped Ceiling Kit	SC45-BL	SC45-MW	SC45-OB



52" FlatJET DC

High-performance modern cooling with 3, 4 or 5 blades.

- With 5 blades included, FlatJET supports 3, 4 or 5 blade installation. So, you can freely choose the perfect configuration, style and aesthetic for your space.
- High performance cooling thanks to the powerful DC motor paired with aerodynamic fluted blades, providing high velocity airflow that is guaranteed to keep you cool.
- Moulded aerodynamic blades are crafted from polymer (a high-grade plastic) which are durable, easy to clean as well as being safer and quieter than metal blades.
- Highly efficient airflow made possible by the energy-efficient DC motor, using only 40W on high and as little as 4W on low.



MOTOR TECHNOLOGY



INCH BLADE SPAN



RPM'S ON HIGH



WATTS ON HIGH




REMOTE INCLUDED



LED LIGHT ADAPTABLE




FLJ52BK
52" (132cm) FlatJET DC, Black



FLJ52MW
52" (132cm) FlatJET DC, Matte White



FLJ52BKLED
52" (132cm) FlatJET DC, Black with
24W LED Light



FLJ52MWLED
52" (132cm) FlatJET DC, Matte White
with 24W LED Light

LED Light Kit

Power: 24 W (Dimmable)

Colour Temperature(s):

3000K / 4000K / 6500K

Lumens (lm): 2,375 / 2,780 / 2,540



LF24BK-LED
24W LED Light,
Black



LF24MW-LED
24W LED Light,
Matte White

Remote Control

INCLUDED




- 6 Fan Speeds
- Light On/Off & Dimming
- Fan Reversing
- Fan Off Timers
- Natural Breeze Mode

DC Wall Control


DCW-FLJ



- 5 Fan Speeds
- Light On/Off & Dimming
- Fan Reversing
- Fan Off Timers
- Natural Breeze Mode
- Isolation Switch



DIMENSIONS	
A	30 CM
B	30 CM
C	132 CM
D	16.5 CM



SPECIFICATIONS				
SPEED	RPMS	AIRFLOW	WATTS	EFFICIENCY
1	80	3,653 CMH	4 W	913 CMH/W
2	109	6,808 CMH	8 W	851 CMH/W
3	134	8,303 CMH	12 W	692 CMH/W
4	166	10,130 CMH	19 W	533 CMH/W
5	188	12,620 CMH	28 W	451 CMH/W
6	212	14,447 CMH	40 W	361 CMH/W

DOWNRODS	NON-LIGHT	WITH LIGHT
36 inch (90 cm) Downrod in Black	DR3-36BL	DR3L-36BL
36 inch (90 cm) Downrod in Matte White	DR3-36MW	DR3L-36MW
72 inch (180 cm) Downrod in Black	DR3-72BL	DR3L-72BL
72 inch (180 cm) Downrod in Matte White	DR3-72MW	DR3L-72MW

ACCESSORIES	BLACK	MATTE WHITE	OIL-RUBBED BRONZE
45° Sloped Ceiling Kit	SC45-BL	SC45-MW	SC45-OB



56" FlatJET DC

High-performance modern cooling with 3, 4 or 5 blades.

- With 5 blades included, FlatJET supports 3, 4 or 5 blade installation. So, you can freely choose the perfect configuration, style and aesthetic for your space.
- High performance cooling thanks to the powerful DC motor paired with aerodynamic fluted blades, providing high velocity airflow that is guaranteed to keep you cool.
- Moulded aerodynamic blades are crafted from polymer (a high-grade plastic) which are durable, easy to clean as well as being safer and quieter than metal blades.
- Highly efficient airflow made possible by the energy-efficient DC motor, using only 40W on high and as little as 4W on low.



MOTOR TECHNOLOGY



INCH BLADE SPAN



RPM'S ON HIGH



WATTS ON HIGH




REMOTE INCLUDED



LED LIGHT ADAPTABLE




FLJ56BK
56" (142cm) FlatJET DC, Black



FLJ56MW
56" (142cm) FlatJET DC, Matte White



FLJ56BKLED
56" (142cm) FlatJET DC, Black with 24W LED Light



FLJ56MWLED
56" (142cm) FlatJET DC, Matte White with 24W LED Light

LED Light Kit

Power: 24 W (Dimmable)

Colour Temperature(s):

3000K / 4000K / 6500K

Lumens (lm): 2,375 / 2,780 / 2,540



LF24BK-LED
24W LED Light,
Black



LF24MW-LED
24W LED Light,
Matte White

Remote Control

INCLUDED




- 6 Fan Speeds
- Light On/Off & Dimming
- Fan Reversing
- Fan Off Timers
- Natural Breeze Mode

DC Wall Control


DCW-FLJ



- 5 Fan Speeds
- Light On/Off & Dimming
- Fan Reversing
- Fan Off Timers
- Natural Breeze Mode
- Isolation Switch



DIMENSIONS	
A	30 CM
B	30 CM
C	142 CM
D	16.5 CM



SPECIFICATIONS				
SPEED	RPMS	AIRFLOW	WATTS	EFFICIENCY
1	55	3,788 CMH	4 W	934 CMH/W
2	99	6,966 CMH	8 W	871 CMH/W
3	123	8,495 CMH	12 W	708 CMH/W
4	149	10,364 CMH	19 W	545 CMH/W
5	169	12,912 CMH	28 W	461 CMH/W
6	188	14,781 CMH	40 W	370 CMH/W

DOWNRODS	NON-LIGHT	WITH LIGHT
36 inch (90 cm) Downrod in Black	DR3-36BL	DR3L-36BL
36 inch (90 cm) Downrod in Matte White	DR3-36MW	DR3L-36MW
72 inch (180 cm) Downrod in Black	DR3-72BL	DR3L-72BL
72 inch (180 cm) Downrod in Matte White	DR3-72MW	DR3L-72MW

ACCESSORIES	BLACK	MATTE WHITE	OIL-RUBBED BRONZE
45° Sloped Ceiling Kit	SC45-BL	SC45-MW	SC45-OB



48" Trinity DC

Powerful & quiet cooling for smaller spaces.

- Modern and sleek design, the Trinity ceiling fan blends a modern design with aerodynamic performance for an elegant cooling solution in contemporary spaces.
- High performance cooling thanks to the powerful DC motor paired with aerodynamic fluted blades, providing high velocity airflow that is guaranteed to keep you cool.
- Optional 8W Uplight Models are available, providing soft ambient illumination that enhances the atmosphere of any room, so you can set the perfect mood.
- Enjoy whisper-quiet cooling, thanks to the combination of a silent DC motor and premium timber blades, so you stay cool with less wind and fan noise.



MOTOR TECHNOLOGY



48 INCH BLADE SPAN



240 RPM'S ON HIGH



39 WATTS ON HIGH



REMOTE INCLUDED



LED LIGHT ADAPTABLE

Motors



MTDCBK
Black



MTDCMW
Matte White




MTDCBK-UP
Black w/ 8W Uplight



MTDCMW-UP
Matte White w/ 8W Uplight

Blades



BT48BK-V4
48" Black



BT48DK-V4
48" Koa



BT48MW-V4
48" Matte White

LED Light Kit

Power: 24 W (Dimmable)

Colour Temperature(s):

3000K / 4500K / 6000K

Lumens (lm): 1,979 / 2,308 / 2,137



LT24BK
24W LED Light,
Black



LT24MW
24W LED Light,
Matte White

Remote Control

INCLUDED




6 Fan Speeds

Light On/Off & Dimming


Fan Reversing

Fan Off Timers

Natural Breeze Mode



DIMENSIONS	
A	30.5 CM
B	34.5 CM
C	122 CM
D	15.5 CM



SPECIFICATIONS				
SPEED	RPMS	AIRFLOW	WATTS	EFFICIENCY
1	113	3,755 CMH	7 W	536 CMH/W
2	138	6,171 CMH	10 W	617 CMH/W
3	165	8,228 CMH	14 W	588 CMH/W
4	193	10,807 CMH	22 W	491 CMH/W
5	222	12,687 CMH	30 W	423 CMH/W
6	240	14,015 CMH	39 W	359 CMH/W

DOWNRODS	NON-LIGHT	WITH LIGHT
36 inch (90 cm) Downrod in Black	DR3-36BL	DR3L-36BL
36 inch (90 cm) Downrod in Matte White	DR3-36MW	DR3L-36MW
72 inch (180 cm) Downrod in Black	DR3-72BL	DR3L-72BL
72 inch (180 cm) Downrod in Matte White	DR3-72MW	DR3L-72MW

IMPORTANT: UPLIGHT MOTOR'S REQUIRE WITH-LIGHT DOWNRODS.

ACCESSORIES	BLACK	MATTE WHITE	OIL-RUBBED BRONZE
45° Sloped Ceiling Kit	SC45-BL	SC45-MW	SC45-OB

48" Trinity DC - Kit Pack Order Codes



TRI48BKBK



TRI48BKBKLED




TRI48BKKO



TRI48BKKOLED

ORDER CODE	MOTOR	BLADES	LED LIGHT
TRI48BKBK	BLACK	BLACK	-
TRI48BKBKLED	BLACK	BLACK	24W LED
TRI48BKKO	BLACK	KOA	-
TRI48BKKOLED	BLACK	KOA	24W LED
TRI48UPBKBK	BLACK WITH UPLIGHT	BLACK	-
TRI48UPBKBKLED	BLACK WITH UPLIGHT	BLACK	24W LED
TRI48UPBKKO	BLACK WITH UPLIGHT	KOA	-
TRI48UPBKKOLED	BLACK WITH UPLIGHT	KOA	24W LED



Uplight Motors

FEATURE AVAILABLE ON SELECTED MODELS

BUILT-IN 8W UPLIGHT

Power: 8 W

Dimmable: Yes

Colour Temperature(s): 3000K

Lumens (lm): 744



TRI48MWKO



TRI48MWKOLED



TRI48MWMW



TRI48MWMWLED

ORDER CODE	MOTOR	BLADES	LED LIGHT
TRI48MWKO	MATTE WHITE	KOA	-
TRI48MWKOLED	MATTE WHITE	KOA	24W LED
TRI48MWMW	MATTE WHITE	MATTE WHITE	-
TRI48MWMWLED	MATTE WHITE	MATTE WHITE	24W LED
TRI48UPMWKO	MATTE WHITE WITH UPLIGHT	KOA	-
TRI48UPMWKOLED	MATTE WHITE WITH UPLIGHT	KOA	24W LED
TRI48UPMWMW	MATTE WHITE WITH UPLIGHT	MATTE WHITE	-
TRI48UPMWMWLED	MATTE WHITE WITH UPLIGHT	MATTE WHITE	24W LED



Uplight Motors

FEATURE AVAILABLE ON SELECTED MODELS

BUILT-IN 8W UPLIGHT

Power: 8 W

Dimmable: Yes

Colour Temperature(s): 3000K

Lumens (lm): 744



56" Trinity DC

Powerful & quiet cooling designed for Australian living.

- Modern and sleek design, the Trinity ceiling fan blends a modern design with aerodynamic performance for an elegant cooling solution in contemporary spaces.
- High performance cooling thanks to the powerful DC motor paired with aerodynamic fluted blades, providing high velocity airflow that is guaranteed to keep you cool.
- Optional 8W Uplight Models are available, providing soft ambient illumination that enhances the atmosphere of any room, so you can set the perfect mood.
- Enjoy whisper-quiet cooling, thanks to the combination of a silent DC motor and premium timber blades, so you stay cool with less wind and fan noise.



MOTOR TECHNOLOGY



INCH BLADE SPAN



RPM'S ON HIGH



WATTS ON HIGH



REMOTE INCLUDED



LED LIGHT ADAPTABLE


Motors



MTDCBK
Black



MTDCMW
Matte White




MTDCBK-UP
Black w/ 8W Uplight



MTDCMW-UP
Matte White w/ 8W Uplight

Blades



BT56BK-V4
56" Black



BT56DK-V4
56" Koa



BT56MW-V4
56" Matte White

LED Light Kit

Power: 24 W (Dimmable)

Colour Temperature(s):

3000K / 4500K / 6000K

Lumens (lm): 1,979 / 2,308 / 2,137



LT 24 BK
24W LED Light,
Black



LT 24 MW
24W LED Light,
Matte White

Remote Control

INCLUDED




6 Fan Speeds

Light On/Off & Dimming


Fan Reversing

Fan Off Timers

Natural Breeze Mode



DIMENSIONS	
A	30.5 CM
B	34.5 CM
C	142 CM
D	15.5 CM



SPECIFICATIONS				
SPEED	RPMS	AIRFLOW	WATTS	EFFICIENCY
1	99	5,272 CMH	7 W	753 CMH/W
2	122	7,908 CMH	10 W	791 CMH/W
3	147	9,418 CMH	15 W	628 CMH/W
4	177	11,261 CMH	22 W	512 CMH/W
5	200	13,005 CMH	30 W	434 CMH/W
6	217	14,374 CMH	39 W	369 CMH/W

DOWNRODS	NON-LIGHT	WITH LIGHT
36 inch (90 cm) Downrod in Black	DR3-36BL	DR3L-36BL
36 inch (90 cm) Downrod in Matte White	DR3-36MW	DR3L-36MW
72 inch (180 cm) Downrod in Black	DR3-72BL	DR3L-72BL
72 inch (180 cm) Downrod in Matte White	DR3-72MW	DR3L-72MW

IMPORTANT: UPLIGHT MOTOR'S REQUIRE WITH-LIGHT DOWNRODS.

ACCESSORIES	BLACK	MATTE WHITE	OIL-RUBBED BRONZE
45° Sloped Ceiling Kit	SC45-BL	SC45-MW	SC45-OB

56" Trinity DC - Kit Pack Order Codes



TRI56BKBK



TRI56BKBKLED




TRI56BKKO



TRI56BKKOLED

ORDER CODE	MOTOR	BLADES	LED LIGHT
TRI56BKBK	BLACK	BLACK	-
TRI56BKBKLED	BLACK	BLACK	24W LED
TRI56BKKO	BLACK	KOA	-
TRI56BKKOLED	BLACK	KOA	24W LED
TRI56UPBKBK	BLACK WITH UPLIGHT	BLACK	-
TRI56UPBKBKLED	BLACK WITH UPLIGHT	BLACK	24W LED
TRI56UPBKKO	BLACK WITH UPLIGHT	KOA	-
TRI56UPBKKOLED	BLACK WITH UPLIGHT	KOA	24W LED



Uplight Motors

FEATURE AVAILABLE ON SELECTED MODELS

BUILT-IN 8W UPLIGHT

Power: 8 W

Dimmable: Yes

Colour Temperature(s): 3000K

Lumens (lm): 744



TRI56MWKO



TRI56MWKOLED



TRI56MWMW



TRI56MWMWLED

ORDER CODE	MOTOR	BLADES	LED LIGHT
TRI56MWKO	MATTE WHITE	KOA	-
TRI56MWKOLED	MATTE WHITE	KOA	24W LED
TRI56MWMW	MATTE WHITE	MATTE WHITE	-
TRI56MWMWLED	MATTE WHITE	MATTE WHITE	24W LED
TRI56UPMWKO	MATTE WHITE WITH UPLIGHT	KOA	-
TRI56UPMWKOLED	MATTE WHITE WITH UPLIGHT	KOA	24W LED
TRI56UPMWMW	MATTE WHITE WITH UPLIGHT	MATTE WHITE	-
TRI56UPMWMWLED	MATTE WHITE WITH UPLIGHT	MATTE WHITE	24W LED



Uplight Motors

FEATURE AVAILABLE ON SELECTED MODELS

BUILT-IN 8W UPLIGHT

Power: 8 W

Dimmable: Yes

Colour Temperature(s): 3000K







Lumens (lm): 744



60" Kirra DC

Stunning timber blades offer whisper-quiet cooling.

- Make an elegant statement in any space thanks to the Kirra's stunningly crafted Paulownia timber blades – carefully designed and engineered to impress.
- Hand-finished timber blades accentuate the unique natural character of the timber grain and are carved from Paulownia – a light-weight, moisture-resistant and highly renewable plantation timber.
- Highly efficient airflow made possible by the energy-efficient DC motor, using only 39W on high and as little as 5W on low, so you can stay cool for less.
- Enjoy whisper-quiet cooling, thanks to the combination of a silent DC motor and premium timber blades, so you stay cool with less wind and fan noise.

	
MOTOR TECHNOLOGY	INCH BLADE SPAN
	
RPM'S ON HIGH	WATTS ON HIGH
	
REMOTE INCLUDED	INTEGRATED LED LIGHT

Motors



MK60-72BK
Black



MK60-72MW
Matte White



MK60-72BK-LT
Black w/ 17W LED



MK60-72MW-LT
Matte White w/ 17W LED

Blades



BK60NA
60" Natural



BK60WA
60" Walnut



BK60WO
60" Weathered
Oak



BK60NA-LT
60" Natural
(Light)



BK60WA-LT
60" Walnut
(Light)



BK60WO-LT
60" Weathered
Oak (Light)

Integrated LED Light

Power: 17 W (Dimmable)

Colour Temperature(s):

3000K / 4200K / 6000K

Lumens (lm): 985 / 1,150 / 1,050

Remote Control

INCLUDED




6 Fan Speeds

Light On/Off & Dimming


Fan Reversing

Fan Off Timers

Natural Breeze Mode



DIMENSIONS	
A	30 CM
B	30 CM
C	152 CM
D	15 CM



SPECIFICATIONS				
SPEED	RPMS	AIRFLOW	WATTS	EFFICIENCY
1	86	5,530 CMH	5 W	1,106 CMH/W
2	107	8,211 CMH	8 W	1,026 CMH/W
3	129	10,744 CMH	12 W	895 CMH/W
4	149	12,260 CMH	18 W	681 CMH/W
5	170	14,348 CMH	30 W	478 CMH/W
6	193	16,184 CMH	39 W	415 CMH/W

DOWNRODS	NON-LIGHT	WITH LIGHT
36 inch (90 cm) Downrod in Black	DR3-36BL	DR3L-36BL
36 inch (90 cm) Downrod in Matte White	DR3-36MW	DR3L-36MW
72 inch (180 cm) Downrod in Black	DR3-72BL	DR3L-72BL
72 inch (180 cm) Downrod in Matte White	DR3-72MW	DR3L-72MW

ACCESSORIES	BLACK	MATTE WHITE	OIL-RUBBED BRONZE
45° Sloped Ceiling Kit	SC45-BL	SC45-MW	SC45-OB

60" Kirra DC - Kit Pack Order Codes



KIR60BKNA



KIR60BKNALED



KIR60BKWA



KIR60BKWALED



KIR60BKWO



KIR60BKWOLED

ORDER CODE	MOTOR	BLADES	LED LIGHT
KIR60BKNA	BLACK	NATURAL	-
KIR60BKNALED	BLACK	NATURAL	17W LED
KIR60BKWA	BLACK	WALNUT	-
KIR60BKWALED	BLACK	WALNUT	17W LED
KIR60BKWO	BLACK	WEATHERED OAK	-
KIR60BKWOLED	BLACK	WEATHERED OAK	17W LED



KIR60MWNA



KIR60MWNALED



KIR60MWWA



KIR60MWWALED



KIR60MWWO



KIR60MWWOLED

ORDER CODE	MOTOR	BLADES	LED LIGHT
KIR60MWNA	MATTE WHITE	NATURAL	-
KIR60MWNALED	MATTE WHITE	NATURAL	17W LED
KIR60MWWA	MATTE WHITE	WALNUT	-
KIR60MWWALED	MATTE WHITE	WALNUT	17W LED
KIR60MWWO	MATTE WHITE	WEATHERED OAK	-
KIR60MWWOLED	MATTE WHITE	WEATHERED OAK	17W LED



72" Kirra DC

Sweeping timber blades for efficient cooling in large spaces.

- Make an elegant statement in any space thanks to the Kirra's stunningly crafted Paulownia timber blades – carefully designed and engineered to impress.
- Hand-finished timber blades accentuate the unique natural character of the timber grain and are carved from Paulownia – a light-weight, moisture-resistant and highly renewable plantation timber.
- Moves large volumes of air thanks to the large blade span and aerodynamic blade design, ensuring sweeping airflow ideal for large enclosed spaces.
- Enjoy whisper-quiet cooling, thanks to the combination of a silent DC motor and premium timber blades, so you stay cool with less wind and fan noise.



MOTOR TECHNOLOGY



72 INCH BLADE SPAN



142 RPM'S ON HIGH



39 WATTS ON HIGH



REMOTE INCLUDED



INTEGRATED LED LIGHT

Motors



MK60-72BK
Black



MK60-72MW
Matte White



MK60-72BK-LT
Black w/ 17W LED



MK60-72MW-LT
Matte White w/ 17W LED

Blades



BK72NA
72" Natural



BK72WA
72" Walnut



BK72WO
72" Weathered Oak



BK72NA-LT
72" Natural (Light)



BK72WA-LT
72" Walnut (Light)



BK72WO-LT
72" Weathered Oak (Light)

Integrated LED Light

Power: 17 W (Dimmable)

Colour Temperature(s):

3000K / 4200K / 6000K

Lumens (lm): 985 / 1,150 / 1,050

Remote Control

INCLUDED




6 Fan Speeds

Light On/Off & Dimming


Fan Reversing

Fan Off Timers

Natural Breeze Mode



DIMENSIONS	
A	30 CM
B	30 CM
C	182 CM
D	15 CM



SPECIFICATIONS				
SPEED	RPMS	AIRFLOW	WATTS	EFFICIENCY
1	64	5,744 CMH	5 W	1,149 CMH/W
2	80	8,237 CMH	8 W	1,030 CMH/W
3	95	10,931 CMH	12 W	911 CMH/W
4	108	12,725 CMH	18 W	707 CMH/W
5	124	14,712 CMH	26 W	566 CMH/W
6	142	16,786 CMH	39 W	442 CMH/W

DOWNRODS	NON-LIGHT	WITH LIGHT
36 inch (90 cm) Downrod in Black	DR3-36BL	DR3L-36BL
36 inch (90 cm) Downrod in Matte White	DR3-36MW	DR3L-36MW
72 inch (180 cm) Downrod in Black	DR3-72BL	DR3L-72BL
72 inch (180 cm) Downrod in Matte White	DR3-72MW	DR3L-72MW

ACCESSORIES	BLACK	MATTE WHITE	OIL-RUBBED BRONZE
45° Sloped Ceiling Kit	SC45-BL	SC45-MW	SC45-OB

72" Kirra DC - Kit Pack Order Codes



KIR72BKNA



KIR72BKNALED



KIR72BKWA



KIR72BKWALED



KIR72BKWO



KIR72BKWOLED

ORDER CODE	MOTOR	BLADES	LED LIGHT
KIR72BKNA	BLACK	NATURAL	-
KIR72BKNALED	BLACK	NATURAL	17W LED
KIR72BKWA	BLACK	WALNUT	-
KIR72BKWALED	BLACK	WALNUT	17W LED
KIR72BKWO	BLACK	WEATHERED OAK	-
KIR72BKWOLED	BLACK	WEATHERED OAK	17W LED



KIR72MWNA



KIR72MWNALED



KIR72MWWA



KIR72MWWALED



KIR72MWWO



KIR72MWWOLED

ORDER CODE	MOTOR	BLADES	LED LIGHT
KIR72MWNA	MATTE WHITE	NATURAL	-
KIR72MWNALED	MATTE WHITE	NATURAL	17W LED
KIR72MWWA	MATTE WHITE	WALNUT	-
KIR72MWWALED	MATTE WHITE	WALNUT	17W LED
KIR72MWWO	MATTE WHITE	WEATHERED OAK	-
KIR72MWWOLED	MATTE WHITE	WEATHERED OAK	17W LED



100" Kirra DC

The ultimate statement piece for large spaces.

- Make an elegant statement in any space thanks to the Kirra's stunningly crafted Paulownia timber blades – carefully designed and engineered to impress.
- Hand-finished timber blades accentuate the unique natural character of the timber grain and are carved from Paulownia – a light-weight, moisture-resistant and highly renewable plantation timber.
- Moves large volumes of air thanks to the large blade span and aerodynamic blade design, ensuring sweeping airflow ideal for large enclosed spaces.
- Enjoy whisper-quiet cooling, thanks to the combination of a silent DC motor and premium timber blades, so you stay cool with less wind and fan noise.



MOTOR
TECHNOLOGY



100
INCH BLADE
SPAN



90
RPM'S ON
HIGH



50
WATTS ON
HIGH



REMOTE
INCLUDED



LED LIGHT
ADAPTABLE

Motors



MK100BK-V3
Black



MK100MW-V3
Matte White

Blades



BK100NA-V3
100" Natural



BK100WA-V3
100" Walnut



BK100WO-V3
100" Weathered Oak

LED Light Kit

Power: 17 W (Dimmable)

Colour Temperature(s):

3000K / 4200K / 6000K

Lumens (lm): 985 / 1,150 / 1,050




AS17 LED
17W LED Light

Remote Control


INCLUDED



- 6 Fan Speeds
- Light On/Off & Dimming
- Fan Reversing
- Fan Off Timers
- Natural Breeze Mode



DIMENSIONS	
A	48 CM
B	49 CM
C	254 CM
D	15 CM



SPECIFICATIONS				
SPEED	RPMS	AIRFLOW	WATTS	EFFICIENCY
1	40	5,989 CMH	7 W	856 CMH/W
2	50	8,857 CMH	11 W	805 CMH/W
3	60	10,934 CMH	16 W	683 CMH/W
4	70	13,515 CMH	24 W	563 CMH/W
5	80	16,813 CMH	36 W	467 CMH/W
6	90	19,647 CMH	50 W	393 CMH/W

DOWNRODS	NON-LIGHT	WITH LIGHT
36 inch (90 cm) Downrod in Black	DR3-36BL	DR3L-36BL
36 inch (90 cm) Downrod in Matte White	DR3-36MW	DR3L-36MW
72 inch (180 cm) Downrod in Black	DR3-72BL	DR3L-72BL
72 inch (180 cm) Downrod in Matte White	DR3-72MW	DR3L-72MW

ACCESSORIES	BLACK	MATTE WHITE	OIL-RUBBED BRONZE
45° Sloped Ceiling Kit	SC45-BL	SC45-MW	SC45-OB

100" Kirra DC - Kit Pack Order Codes



KIR100BKNA



KIR100BKNALED



KIR100BKWA



KIR100BKWALED



KIR100BKWO



KIR100BKWOLED

ORDER CODE	MOTOR	BLADES	LED LIGHT
KIR100BKNA	BLACK	NATURAL	-
KIR100BKNALED	BLACK	NATURAL	17W LED
KIR100BKWA	BLACK	WALNUT	-
KIR100BKWALED	BLACK	WALNUT	17W LED
KIR100BKWO	BLACK	WEATHERED OAK	-
KIR100BKWOLED	BLACK	WEATHERED OAK	17W LED



ORDER CODE	MOTOR	BLADES	LED LIGHT
KIR100MWWA	MATTE WHITE	NATURAL	-
KIR100MWWALED	MATTE WHITE	NATURAL	17W LED
KIR100MWWA	MATTE WHITE	WALNUT	-
KIR100MWWALED	MATTE WHITE	WALNUT	17W LED
KIR100MWWO	MATTE WHITE	WEATHERED OAK	-
KIR100MWWOLED	MATTE WHITE	WEATHERED OAK	17W LED



56" Tropicana DC

Inspired by palm leaves and cool breezes, stay cool in style.

- Reversible Palm/Bamboo blades offer added choice for your tropical oasis, providing elegant cooling while capturing the essence of the tropics.
- Moulded tropical blades are crafted from polymer (a high-grade plastic) which are durable, easy to clean as well as being safer and quieter than metal blades.
- Optional 8W Uplight Models are available, providing soft ambient illumination that enhances the atmosphere of any room, so you can set the perfect mood.
- Enjoy whisper-quiet cooling, thanks to the combination of a silent DC motor and premium polymer blades, so you stay cool with less wind and fan noise.



MOTOR TECHNOLOGY



56 INCH BLADE SPAN



179 RPM'S ON HIGH



39 WATTS ON HIGH



REMOTE INCLUDED



LED LIGHT ADAPTABLE


Motors



MTDCBK
Black



MTDCMW
Matte White



MTDCBK-UP
Black w/ 8W Uplight



MTDCMW-UP
Matte White w/ 8W Uplight

Blades



BTRO56BK
56" Black
(Bamboo)



BTRO56BK
56" Black
(Palm)



BTRO56MW
56" Matte
White
(Bamboo)



BTRO56MW
56" Matte
White (Palm)

LED Light Kit

Power: 24 W (Dimmable)

Colour Temperature(s):

3000K / 4500K / 6000K

Lumens (lm): 1,979 / 2,308 / 2,137



LT 24 BK
24W LED Light,
Black



LT 24 MW
24W LED Light,
Matte White

Remote Control

INCLUDED




6 Fan Speeds

Light On/Off & Dimming


Fan Reversing

Fan Off Timers

Natural Breeze Mode



DIMENSIONS	
A	30.5 CM
B	31 CM
C	142 CM
D	15.5 CM



SPECIFICATIONS				
SPEED	RPMS	AIRFLOW	WATTS	EFFICIENCY
1	78	5,292 CMH	7 W	756 CMH/W
2	103	6,593 CMH	10 W	659 CMH/W
3	124	8,617 CMH	15 W	574 CMH/W
4	139	10,285 CMH	23 W	447 CMH/W
5	155	11,467 CMH	30 W	382 CMH/W
6	179	12,896 CMH	39 W	331 CMH/W

DOWNRODS	NON-LIGHT	WITH LIGHT
36 inch (90 cm) Downrod in Black	DR3-36BL	DR3L-36BL
36 inch (90 cm) Downrod in Matte White	DR3-36MW	DR3L-36MW
72 inch (180 cm) Downrod in Black	DR3-72BL	DR3L-72BL
72 inch (180 cm) Downrod in Matte White	DR3-72MW	DR3L-72MW

IMPORTANT: UPLIGHT MOTOR'S REQUIRE WITH-LIGHT DOWNRODS.

ACCESSORIES	BLACK	MATTE WHITE	OIL-RUBBED BRONZE
45° Sloped Ceiling Kit	SC45-BL	SC45-MW	SC45-OB

56" Tropicana DC - Kit Pack Order Codes



TRO56BKBK



TRO56BKBK



TRO56BKBKLED




TRO56BKBKLED

ORDER CODE	MOTOR	BLADES	LED LIGHT
TRO56BKBK	BLACK	BLACK	-
TRO56BKBKLED	BLACK	BLACK	24W LED
TRO56UPBKBK	BLACK WITH UPLIGHT	BLACK	-
TRO56UPBKBKLED	BLACK WITH UPLIGHT	BLACK	24W LED

Uplight Motors

FEATURE AVAILABLE ON SELECTED MODELS



BUILT-IN 8W UPLIGHT

Power: 8 W


Dimmable: Yes

Colour Temperature(s): 3000K

Lumens (lm): 744

Reversible Blades

BLADES ARE REVERSIBLE ON ALL MODELS



PALM OR BAMBOO



TRO56MWMW



TRO56MWMW



TRO56MWMWLED



TRO56MWMWLED

ORDER CODE	MOTOR	BLADES	LED LIGHT
TRO56MWMW	MATTE WHITE	MATTE WHITE	-
TRO56MWMWLED	MATTE WHITE	MATTE WHITE	24W LED
TRO56UPMWMW	MATTE WHITE WITH UPLIGHT	MATTE WHITE	-
TRO56UPMWMWLED	MATTE WHITE WITH UPLIGHT	MATTE WHITE	24W LED

Uplight Motors

FEATURE AVAILABLE ON SELECTED MODELS



BUILT-IN 8W UPLIGHT

Power: 8 W


Dimmable: Yes

Colour Temperature(s): 3000K

Lumens (lm): 744

Reversible Blades

BLADES ARE REVERSIBLE ON ALL MODELS



PALM OR BAMBOO

DC Wall Controller with a Companion Handset

Experience the perfect blend of reliability and convenience with our DC Wall Control. This innovative solution pairs the dependability of a fixed wall control with the flexibility of a feature-rich remote control handset.

- Easily switch your fan on and off from either the wall control or the companion handset for seamless operation.
- Choose from five fan speed settings to find the perfect airflow for any situation.
- Effortlessly toggle between summer and winter modes to maximise comfort in every season.
- Switch your ceiling fan light on and off from the wall or handset, and enjoy dimming functions for the perfect ambience.
- Save wall space with a convenient isolation switch integrated into the wall control, eliminating the need for additional panels.
- Take advantage of Natural Breeze mode and Fan Off timers with the companion handset for added comfort and energy efficiency.

Each DC Wall Controller must be model-matched to the correct ceiling fan, in some cases based on fan size. Please refer to the below table for available models.

SUITS MODEL	SKU
Ambience DC	DCW - AMB
Delta DC	DCW - DEL
FlatJET DC	DCW - FLJ
Simplicity DC 45"	DCW - SIM45
Simplicity DC 52"	DCW - SIM52
Spitfire DC 52"	DCW - SPD52
Spitfire DC 60"	DCW - SPD60



Specifications

Each DC Wall Controller can only control a single ceiling fan. Multiple ceiling fans can not be wired to a single wall control unit.

Electrical Specifications of Receiver:

Fan DC Motor: 230-250V, ~50 Hz, 50W

LED Light: Max 60W

What's included:

- DC Wall Control Unit
- DC Wall Control Receiver
- Bracket for mounting to wall
- Companion Remote Control (Handset)





TABLE OF CONTENTS

AC Ceiling Fans

Choose an AC ceiling fan for reliable performance, cost-effective durability, and timeless simplicity that fits any budget.



SPITFIFRE AC RANGE

60" Spitfire AC

P. 74-77



ASPIRE AC RANGE

52" Aspire AC

P. 78-79



ARUMI AC RANGE

52" Arumi AC

P. 80-81



60" Spitfire AC

Reliable AC motor paired with polymer timber-finish blades.

- Sleek and elegant, the Spitfire AC ceiling fan blends modern styling with aerodynamic efficiency to create the perfect cooling solution for your contemporary decor.
- Tried and true AC motor technology with an AC silicone steel motor to provide the high torque and power needed to spin the aerodynamic aerofoil blades, for effective cooling when you need it.
- Superbly finished in a choice of beautiful timber styles the Spitfire AC's blades are durable, easy to clean, weather resistant, as well as being safer and quieter than metal blades.
- 17W Dimmable LED Light Kit is available to add to the Spitfire AC ceiling fan, for those times you need your ceiling fan to also be a light source.



MOTOR TECHNOLOGY



INCH BLADE SPAN



RPM'S ON HIGH



WATTS ON HIGH



WALL CONTROL



LED LIGHT ADAPTABLE

Motors



MS21BL
Black



MS21BN
Brushed Nickel



MS21MW
Matte White



MS21OB
Oil-rubbed Bronze

Blades



BS21BL
60" Black



BS21KA
60" Koa



BS21NA
60" Natural



BS21WA
60" Walnut



BS21WW
60" White Wash

LED Light Kit

Power: 17 W (Dimmable)

Colour Temperature(s):

3000K / 4200K / 6000K

Lumens (lm): 985 / 1,150 / 1,050



AS17LED

17W LED Light

Wall Control

INCLUDED



3 Fan Speeds

Rotary Knob & Capacitor included

Fan Reversing available from motor

Fits most standard wall plates (not included)

Remote Control


RC1




3 Fan Speeds

Light On/Off

Light Dimming



DIMENSIONS	
A	31 CM
B	31 CM
C	152 CM
D	18 CM



SPECIFICATIONS				
SPEED	RPMS	AIRFLOW	WATTS	EFFICIENCY
1	44	5,944 CMH	14 W	425 CMH/W
2	100	9,767 CMH	38 W	257 CMH/W
3	166	13,972 CMH	80 W	175 CMH/W

DOWNRODS	90 CM (36IN)	180 CM (72IN)
Downrod in Black, suits AC fans	DR1-36BL	DR1-72BL
Downrod in Brushed Nickel, suits AC fans	DR1-36BN	DR1-72BN
Downrod in Matte White, suits AC fans	DR1-36MW	DR1-72MW
Downrod in Oil-rubbed Bronze, suits AC fans	DR1-36OB	DR1-72OB

ACCESSORIES	BLACK	MATTE WHITE	OIL-RUBBED BRONZE
45° Sloped Ceiling Kit	SC45-BL	SC45-MW	SC45-OB

60" Spitfire AC - Kit Pack Order Codes



SPI60LBL



SPI60BLNA



SPI60BLWALED

ORDER CODE	MOTOR	BLADES	LED LIGHT
SPI60LBL	BLACK	BLACK	-
SPI60LBLLED	BLACK	BLACK	17W LED
SPI60BLKA	BLACK	KOA	-
SPI60BLKALED	BLACK	KOA	17W LED
SPI60BLNA	BLACK	NATURAL	-
SPI60BLNALED	BLACK	NATURAL	17W LED
SPI60BLWA	BLACK	WALNUT	-
SPI60BLWALED	BLACK	WALNUT	17W LED
SPI60BLWW	BLACK	WHITE WASH	-
SPI60BLWWLED	BLACK	WHITE WASH	17W LED



SPI60BNALED



SPI60BNWA



SPI60BNWW

ORDER CODE	MOTOR	BLADES	LED LIGHT
SPI60BNBL	BRUSHED NICKEL	BLACK	-
SPI60BNBLED	BRUSHED NICKEL	BLACK	17W LED
SPI60BNKA	BRUSHED NICKEL	KOA	-
SPI60BNKALED	BRUSHED NICKEL	KOA	17W LED
SPI60BNNA	BRUSHED NICKEL	NATURAL	-
SPI60BNNALED	BRUSHED NICKEL	NATURAL	17W LED
SPI60BNWA	BRUSHED NICKEL	WALNUT	-
SPI60BNWALED	BRUSHED NICKEL	WALNUT	17W LED
SPI60BNWW	BRUSHED NICKEL	WHITE WASH	-
SPI60BNWWLED	BRUSHED NICKEL	WHITE WASH	17W LED



SPI60MWNA



SPI60MWWALED



SPI60MWWWLED

ORDER CODE	MOTOR	BLADES	LED LIGHT
SPI60MWBL	MATTE WHITE	BLACK	-
SPI60MWBLLLED	MATTE WHITE	BLACK	17W LED
SPI60MWKA	MATTE WHITE	KOA	-
SPI60MWKALED	MATTE WHITE	KOA	17W LED
SPI60MWNA	MATTE WHITE	NATURAL	-
SPI60MWNAALED	MATTE WHITE	NATURAL	17W LED
SPI60MWWA	MATTE WHITE	WALNUT	-
SPI60MWWALED	MATTE WHITE	WALNUT	17W LED
SPI60MWWW	MATTE WHITE	WHITE WASH	-
SPI60MWWWLED	MATTE WHITE	WHITE WASH	17W LED



SPI60OBKA



SPI60OBNALED



SPI60OBWA

ORDER CODE	MOTOR	BLADES	LED LIGHT
SPI60OBBL	OIL-RUBBED BRONZE	BLACK	-
SPI60OBBLLLED	OIL-RUBBED BRONZE	BLACK	17W LED
SPI60OBKA	OIL-RUBBED BRONZE	KOA	-
SPI60OBKALED	OIL-RUBBED BRONZE	KOA	17W LED
SPI60OBNA	OIL-RUBBED BRONZE	NATURAL	-
SPI60OBNALED	OIL-RUBBED BRONZE	NATURAL	17W LED
SPI60OBWA	OIL-RUBBED BRONZE	WALNUT	-
SPI60OBWALED	OIL-RUBBED BRONZE	WALNUT	17W LED
SPI60OBWW	OIL-RUBBED BRONZE	WHITE WASH	-
SPI60OBWWLED	OIL-RUBBED BRONZE	WHITE WASH	17W LED



52" Aspire AC

Modern cooling powered by a tried and true AC motor.

- Powered by an efficient AC motor, the Aspire's aluminium motor has been dip plated to ensure complete surface coverage (inside and out) with a clear lacquer applied for added longevity.
- Tried and true AC motor technology with an AC silicone steel motor to provide the high torque and power needed to spin the aerodynamic aerofoil blades, for effective cooling when you need it.
- Moulded aerodynamic blades are crafted from polymer (a high-grade plastic) which are durable, easy to clean as well as being safer and quieter than metal blades.
- 18W Dimmable LED Light Kit is available to add to the Aspire ceiling fan, for those times you need your ceiling fan to also be a light source.



MOTOR TECHNOLOGY



INCH BLADE SPAN



RPM'S ON HIGH



WATTS ON HIGH



WALL CONTROL



LED LIGHT ADAPTABLE



FA12BL
52" (132cm) Aspire AC Black



FA12WH
52" (132cm) Aspire AC, White



FA12BLED
52" (132cm) Aspire AC, Black with 18W LED Light



FA12WHLED
52" (132cm) Aspire AC, White with 18W LED Light

LED Light Kit

Power: 18 W (Dimmable)

Colour Temperature(s):

3000K / 4000K / 6000K

Lumens (lm): 1,510 / 1,718 / 1,642



LA12BL
18W LED Light,
Black



LA12WH
18W LED Light,
White

Wall Control

INCLUDED




3 Fan Speeds
Rotary Knob & Capacitor included
Fan Reversing available from motor
Fits most standard wall plates (not included)

Remote Control


RC1



3 Fan Speeds
Light On/Off
Light Dimming



DIMENSIONS	
A	34 CM
B	32 CM
C	132 CM
D	15 CM



SPECIFICATIONS				
SPEED	RPMS	AIRFLOW	WATTS	EFFICIENCY
1	55	3,300 CMH	7 W	417 CMH/W
2	110	7,500 CMH	22 W	281 CMH/W
3	190	11,200 CMH	58 W	165 CMH/W

DOWNRODS	90 CM (36IN)	180 CM (72IN)
Downrod in Black, suits AC fans	DR1-36BL	DR1-72BL
Downrod in Matte White, suits AC fans	DR1-36MW	DR1-72MW

ACCESSORIES	BLACK	MATTE WHITE	OIL-RUBBED BRONZE
45° Sloped Ceiling Kit	SC45-BL	SC45-MW	SC45-OB



52" Arumi AC

High-velocity airflow powered by a reliable AC motor.

- High performance cooling in stylish designer finishes means you can enjoy powerful, high-velocity cooling without sacrificing on style. Stay cool in style with the Arumi designer range.
- Tried and true AC motor technology with an AC silicone steel motor to provide the high torque and power needed to spin the aerodynamic aerofoil blades, for effective cooling when you need it.
- Moulded aerodynamic blades are crafted from polymer (a high-grade plastic) which are durable, easy to clean as well as being safer and quieter than metal blades.
- 17W Dimmable LED Light Kit is available to add to the Arumi ceiling fan, for those times you need your ceiling fan to also be a light source.



MOTOR TECHNOLOGY



INCH BLADE SPAN



RPM'S ON HIGH



WATTS ON HIGH



WALL CONTROL



LED LIGHT ADAPTABLE



ARU52BKKA
52" (132cm) Arumi AC, Black / Koa



ARU52MWWO
52" (132cm) Arumi AC, Matte White / Washed Oak



ARU52PWKA
52" (132cm) Arumi AC, Pewter / Koa



ARU52BKKALED
52" (132cm) Arumi AC, Black / Koa with 17W LED Light



ARU52MWWOLED
52" (132cm) Arumi AC, Matte White / Washed Oak with 17W LED Light



ARU52PWKALED
52" (132cm) Arumi AC, Pewter / Koa with 17W LED Light

LED Light Kit

Power: 17 W (Dimmable)

Colour Temperature(s):

3000K / 4200K / 6000K

Lumens (lm): 985 / 1,150 / 1,050



AS17 LED
17W LED Light

Wall Control

INCLUDED




3 Fan Speeds
Rotary Knob & Capacitor included
Fan Reversing available from motor
Fits most standard wall plates (not included)

Remote Control


RC1



3 Fan Speeds
Light On/Off
Light Dimming



DIMENSIONS	
A	33 CM
B	30 CM
C	132 CM
D	15 CM



SPECIFICATIONS				
SPEED	RPMS	AIRFLOW	WATTS	EFFICIENCY
1	75	5,820 CMH	14 W	415 CMH/W
2	127	9,860 CMH	35 W	281 CMH/W
3	197	15,300 CMH	77 W	198 CMH/W

DOWNRODS	90 CM (36IN)	180 CM (72IN)
Downrod in Black with wiring loom for Arumi AC fans	DRA-36BL	N/A
Downrod in Matte White with wiring loom for Arumi AC fans	DRA-36MW	N/A
Downrod in Pewter with wiring loom for Arumi AC fans	DRA-36PW	N/A

ACCESSORIES	BLACK	MATTE WHITE	OIL-RUBBED BRONZE
45° Sloped Ceiling Kit	SC45-BL	SC45-MW	SC45-OB

Ceiling Fan Performance

The Fan Performance Indicator is designed to help you understand the type of breeze you can expect under the fan, along with the total airflow volume.

AIRFLOW – VOLUME (PURPLE)

The Airflow Volume rating (purple bar) takes the ceiling fan's Cubic Metre per Hour (CM/H) measurement to provide an indication of how much airflow the fan moves in a space.

AIRFLOW – BREEZE (BLUE)



The Airflow Breeze rating (blue bar) goes from Gentle to Fast. The higher the Breeze rating, the stronger the windchill and cooling will be directly below the ceiling fan.

Using the Volume and Breeze ratings together helps paint a clearer picture of the overall performance provided by the ceiling fan.


High Volume / Low Breeze: Moves large volumes of air at a lower velocity, ideal for circulating air over large spaces without excessive windchill. Recommended for large indoor spaces or bedrooms where gentle air circulation is desired.

Low Volume / High Breeze: Moves less overall air, but at high velocity directly below the fan, providing strong windchill and cooling. Ideal for small to medium sized spaces where strong airflow is desired.


High Volume / High Breeze: A mix of widespread air circulation and powerful airflow, making it ideal for hot and humid climates, outdoor spaces, and those seeking maximum windchill.




52 INCH SPITFIRE DC
- P.18




60 INCH SPITFIRE
DC - P.22




52 INCH DELTA DC
- P.26




56 INCH DELTA DC
- P.28




48 INCH AMBIENCE DC - P.30




52 INCH AMBIENCE DC - P.32




45 INCH SIMPLICITY DC - P.34




52 INCH SIMPLICITY DC - P.38




52 INCH FLATJET DC - P.42




56 INCH FLATJET DC - P.44




48 INCH TRINITY DC - P.46




56 INCH TRINITY DC - P.50




60 INCH KIRRA DC - P.54




72 INCH KIRRA DC - P.58




100 INCH KIRRA DC - P.62




56 INCH TROPICANA DC - P.66



60 INCH SPITFIRE AC - P.74



52 INCH ASPIRE AC - P.78



52 INCH ARUMI AC - P.80



Ceiling fans designed for
Australians, by Australians.

POSTAL ADDRESS

PO BOX 574
South Morang VIC 3752

T: 1300 469 326
E: info@360fans.com.au

BUSINESS HOURS

Monday to Friday
8:00 am – 5:00 pm

Instagram [@360fans_au](https://www.instagram.com/360fans_au)
Facebook [@360fans](https://www.facebook.com/360fans)

www.360fans.com.au