

🚺 Sound 🗹 Simple 🔞 Fast

DEAL FOR PROJECTS 609a

AVAILABLE IN FIVE STYLES AND TWO NEW COLOURS:



BLOCKADE



STYLELINE

Two Pre-Primed Ready To Paint Options



*Flax matches Dulux flaxpod Powdercoat.

New Zealand's most adaptable fencing system

SECTOR Fencing is a simple, modular, easy-to-build fencing system, which can also be customised to add a stylish look to complement the features of any home.



Anyone with basic handyman skills could construct an attractive and durable fence which will add value and privacy to your property. Simply install the posts, slide in your choice of panels and with a few finishing touches, you're done.



The system is totally flexible and adaptable. All panels are compatible and can be combined in whichever configuration you require to protect and complement your property.

COLOURED STEEL GATE

BORDERLINE

FRONTIER

Why choose SECTOR?

Strong, versatile, easy to install and built to last. With great sound barrier qualities and a choice of options to add value to your investment.

Sound

The composite wall panels laminated with fibre cement board in the **Blockade** range have highly effective noise reduction properties. With a 20+dB audible reduction in traffic and general neighbourhood noise, this fencing system is ideal if minimising roadside noise is a priority.

Reduces noise by more than 20dB*





*Applies to Blockade only

Simple

Featuring simple DIY installation methods, the entire SECTOR Fencing range is popular with homeowners wishing to install their own fence. Measure the length of fencing required and a simple calculation will allow you to order the correct number of panels and posts. Once the postholes have been dug and posts inserted, the standard length panels can be quickly slotted into place.

Of course, we are here to help with any questions you have, or if you need an accredited installer. Just call us on

0800 235 2473

Fast

For most residential properties, the entire fence can be installed within a day. Utilising the cleverly designed modular system and simple installation method, you too can have that designer 'wow' look overnight and make your neighbours jealous.



Stunning and adaptable

SECTOR Blockade panel sections are designed to be painted using standard exterior acrylic paint finishes or textured coatings, allowing you to match your fence to the colour of your home.

By including decorative slats, the **Styleline** panel system creates a stylish and customised look to complement the features of any home. Opt for slats with **Borderline** sheeting sections for a cost-effective solution, or use **Breezeline** to enclose and protect private areas. Any combination will add the finishing touch to your new boundary investment.

Made in New Zealand

Made in New Zealand from high quality components, the system offers a strong and durable boundary solution in any climate.



Satisfaction guaranteed!

If any component of the supplied fence fails – we will replace it! Ensure your fence is built and secured to our supplied instructions as a minimum. The Warranty does not cover damage or loss through act of God.





Each FRONTIER panel includes:











Assembly required all fixings are supplied.

2 x half posts 2 x support brackets External flush fit post cap

Anti-rattle top rail

Anti-rattle bottom rail



BORDERLINE

Durable coloured steel sections with rail trim



Each BORDERLINE panel includes:













Assembly required – all fixings are supplied.

sheet panel 3 or 6 of 3 sheets) aluminium slats

2 x half posts 2 x support brackets

ets Externa

External flush A fit post cap





12, 15 or 18 slats

2 x Slat mounting channel

1 x 60mm x 60mm in-ground post

60mm x 60mm post cap

60mm x 60mm flanged post

90mm x 90mm in-ground post

90mm x 90mm flanged post

required all fixings are supplied.



BLOCKADE Brilliant acoustic sound blocking



SBL 1.2 - 1200mm high x 2420mm wide





Ready to be painted with any good-quality, exterior, self-priming paint system.

Each BLOCKADE panel includes:









Capping channel bottom

Capping channel top

Assembly required all fixings are supplied.

2 x support brackets 2 x half posts

1 x joining profile (for 1.8 and 1.5 sizes)



STYLELINE

Privacy and sound blocking with some airflow





including 300mm high slat infill



Ready to be painted with any good-quality, exterior, self-priming paint system.

Each STYLELINE panel includes:









brackets



1 x joining profile 2 x Slat (for 1.8 with 300mm mounting channel infill)

External flush fit post cap

Capping channel bottom

Assembly required all fixings are supplied.

1 or 2 composite panels

3 or 6 aluminium slats

2 x half posts



Code: ECSG **O SLAT GATE**]

Introducing our new, economical, cut-to-size, kitset slat gate (maximum size 1800mm high x 1000mm wide).

Supplied in kit form as two 1800mm high channels, 18 x 1000mm wide slats (85mm x 25mm), high quality stainless steel hinges and a lockable latch.



Colours: Gate kit and post colours can be combined. Colours must be specified on ordering.



You can cut down the channels and the slats to create your desired size. Then simply assemble your gate and the sliding plate covers will cover the screws to provide a professional finish.



GATE POST - 90mm x 90mm in-ground or flanged + flush fit post cap



GATE POST - 60mm x 60mm in-ground or flanged + post cap

Gate posts, if required, should be ordered separately.

Photo:

Double Eco Slat Gate Kits shown, cut down in height to 1500mm (15 slats)

Requires assembly

POST CONFIGURATIONS

Below are the different configurations for the sector posts.

Each panel comes with two 90mm x 45mm half posts or one 60mm x 60mm post (Breezeline), so you only need to order the additional elements in red to achieve your desired configurations.



SECTOR FEATURES

Our 0.3mm high tensile sheet steel (0.95mm for posts and rails) is thicker than that of many of our competitors, and receives three generous coatings, on both sides, to ensure maximum protection from corrosion.



Ordering information





Sample sketch

5





Continued over...

Order form



YOUR DETAILS

R	٢A	IL.	ÐR	D	Di	FA	ILS

Name	Retailer name
Address	Store signature
Phone	
Email	

Example

Signature

	PANELS							
2	Code	Length (m)		Panel width (m)		Panels required (round up to nearest full panel)	Panel colour	Post colour (2 half posts per panel)
5	SFR 1.8	5	• •	2.3	=	3	Ebony	Gull Grey
	SST 1.5/300	9	+	2.42	=	4	-	Ironsand

Code	Length (m)	Panel width (m)		Panels required (round up to nearest full panel)	Panel colour	Post colour (2 half posts per panel)
	-	÷	=			
	-	÷	=			
	-	÷	=			
	-	÷	=			
	-	÷	=			
	-	÷	=			

GATES & ECO SLAT GATE KITS

Code	No. required	Colour

EXTRA POSTS & GATE POSTS

Post type	No. req.	No. of caps	Colour



PO Box 3030, Hawke's Bay Mail Centre, Napier, New Zealand 4142 Tel: 0800 235 2473 info@sectorfencing.co.nz www.sectorfencing.co.nz



