

## Decordive Perforated Screens

41



warehouse



Take This Brochure to the Special Orders Desk or order online at bunnings.com.au

## **AVAILABLE DESIGNS**




After Rain Mix Solid & Perforated



Butterfly Mix Solid & Perforated



Mallow Mix Solid & Perforated



Material

Aluminium

Material

Aluminium

grade 5005

Material

Aluminium

Material

Aluminium

grade 5005

grade 5005

grade 5005

**Pre-Painted Metal** 

Pre-Painted Metal

**Pre-Painted Metal** 

**Pre-Painted Metal** 

Snowflakes Mix Solid & Perforated



Splash Mix Solid & Perforated

Material	Thickness	Flat sheet size	Treatment	Basalt	White Satin	Magnolia	Woodland Grey	Hamersley Brown	Charcoal
Pre-Painted Metal	0.95mm	900 x 1800mm	Painted 2 sides	0503533					
	2.0mm	900 x 1800mm	Powdercoated -1sd		0503941	0503903	0503926	0503963	0503965
Aluminium grade 5005	2.5mm	900 x 1800mm	Powdercoated -1sd		0506092	0506102	0506108	0506103	0506096
grade 5005	3.0mm	1200 x 2400mm	Powdercoated - 2 sd		0506017	0506051	0506049	0506052	0506031
Material	Thickness	Folded sheet size	Treatment	Basalt	White Satin	Magnolia	Woodland Grey	Hamersley Brown	Charcoal
Pre-Painted Metal	0.95mm	875 x 1775mm	Painted 2 sides	0503567					
Aluminium grade 5005	2.0mm	875 x 1775mm	Powdercoated -1sd		0504151	0504120	0504109	0504112	0504128

Material	Thickness	Flat sheet size	Treatment	Basalt	White Satin	Magnolia	Woodland Grey	Hamersley Brown	Charcoal
Pre-Painted Metal	0.95mm	900 x 1800mm	Painted 2 sides	0503530					
AL	2.0mm	900 x 1800mm	Powdercoated -1sd		0503909	0503931	0503943	0503948	0503897
Aluminium grade 5005	2.5mm	900 x 1800mm	Powdercoated -1sd		0506084	0506120	0506114	0506076	0506085
grade 5005	3.0mm	1200 x 2400mm	Powdercoated - 2 sd		0506035	0506044	0506046	0506021	0506011
Material	Thickness	Folded sheet size	Treatment	Basalt	White Satin	Magnolia	Woodland Grey	Hamersley Brown	Charcoal
Pre-Painted Metal	0.95mm	875 x 1775mm	Painted 2 sides	0503565					
Aluminium grade 5005	2.0mm	875 x 1775mm	Powdercoated - 1 sd		0504150	0504108	0504117	0504130	0504135

Material	Thickness	Flat sheet size	Treatment	Basalt	Satin	Magnolia	woodland Grey	Hamersley Brown	Charcoal
Pre-Painted Metal	0.95mm	900 x 1800mm	Painted 2 sides	0503532					
Aluminium	2.0mm	900 x 1800mm	Powdercoated -1sd		0503916	0503967	0503972	0503983	0503925
grade 5005	2.5mm	900 x 1800mm	Powdercoated - 1sd		0506104	0506107	0506109	0506093	0506072
grade 0000	3.0mm	1200 x 2400mm	Powdercoated - 2 sd		0506055	0506058	0506055	0506012	0506029
Material	Thickness	Folded sheet size	Treatment	Basalt	White Satin	Magnolia	Woodland Grey	Hamersley Brown	Charcoal
Material Pre-Painted Metal	Thickness 0.95mm		Treatment Painted 2 sides	Basalt 0503566		Magnolia	Woodland Grey	Hamersley Brown	Charcoal

Basalt

0503531

Basalt

0503569

Basalt

0503536

Basalt

0503568

White

White

Satin

0503959

0506110

0506050

White

Satin

0504123

White

Satin

0503982

0506113

0506018

White

Satin

0504106

Magnolia

0503951

0506121

0506027

Magnolia

0504107

Magnolia

0503979

0506089

Magnolia

0504125

0506019

Woodland Grey

0503957

0506117

0506030

Woodland Grey

0504110

Woodland Grev

0503981

0506082

0506025

Woodland Grey

0504119

Mag

. . .

Hamersley Brown

0503920

0506079

0506022

Hamersley Brown

0504137

Hamersley Brown

0503935

0506098

0506020

Hamersley Brown

0504149

Charcoal

0503902

0506090

0506043

Charcoal

0504140

Charcoal

0503906

0506100

0506053

Charcoal

0504102

Mix Solid & Perforated\* refers to the open area and is the ratio that reflects how much of the sheet is occupied by holes, normally expressed by percent. For example, if the open area of the perforated sheet is 30%, it means that 30% of the sheet is holes and 70% of the sheet is material.

Flat sheet

size

900 x 1800mm

900 x 1800mm

900 x 1800mm

1200 x 2400mm

Folded sheet

size

875 x 1775mm

875 x 1775mm

Flat sheet

size

900 x 1800mm

900 x 1800mm

900 x 1800mm

1200 x 2400mm

Folded sheet

size

875 x 1775mm

875 x 1775mm

Treatment

Treatment

Treatment

Treatment

Painted 2 sides

Painted 2 sides

Powdercoated -1sd

Powdercoated - 1sd

Powdercoated - 2 sd

Powdercoated -1sd

Painted 2 sides

Painted 2 sides

Powdercoated -1sd

Powdercoated - 1sd

Powdercoated - 2 sd

Powdercoated - 1 sd

Thickness

0.95mm

2.0mm

2.5mm

3.0mm

Thickness

0.95mm

2.0mm

Thickness

0.95mm

2.0mm

2.5mm

3.0mm

Thickness

0.95mm

2.0mm


For example, if the open area of the perforated sheet is 30%, it means that 30% of the sheet is holes and 70% of the sheet is material. The holes in a perforated sheet metal form are also known as the open area of that form. The open area of a piece of sheet metal allows for the passage of air & light.

Open area is most desirable for applications that require heat dissipation, acoustic absorption, privacy and reduced weight.


## **AVAILABLE DESIGNS**



Sunset Mix Solid & Perforated



Vision Mix Solid & Perforated



Tropical Mix Solid & Perforated



Tropical Full Perforated



Spring	
ull Perforated	

Flat sheet size White Magnolia Woodland Grev Hamersley Brown Charcoal Material Thickness Treatment Basalt Satin Pre-Painted Metal 0.95mm 900 x 1800mm Painted 2 sides 0503534 2.0mm 900 x 1800mm Powdercoated -1sd 0503969 0503904 0503914 0503917 0503937 Aluminium 2.5mm 900 x 1800mm Powdercoated -1sd 0506119 0506077 0506099 0506078 0506118 arade 5005 3.0mm 1200 x 2400mm Powdercoated - 2 sd 0506036 0506034 0506014 0506038 0506042 Folded sheet White Magnolia Woodland Grey Hamersley Brown Charcoal Material Thickness Treatment Basalt size Satin Pre-Painted Metal 0.95mm 875 x 1775mm Painted 2 sides 0503564 Aluminium 2.0mm 875 x 1775mm Powdercoated -1sd 0504124 0504145 0504141 0504142 0504129 arade 5005

Flat sheet Woodland Grey White Magnolia Hamersley Brown Charcoal Material Thickness Treatment Basalt size Satin **Pre-Painted Metal** 0.95mm 900 x 1800mm Painted 2 sides 0503539 2.0mm 900 x 1800mm 0503930 0503928 0503923 0503960 Powdercoated -1sd 0503921 Aluminium 2.5mm 900 x 1800mm Powdercoated -1sd 0506073 0506081 0506075 0506105 0506074 arade 5005 3.0mm 1200 x 2400mm Powdercoated - 2 sd 0506024 0506037 0506039 0506045 0506048 Folded sheet White Magnolia Woodland Grey Hamersley Brown Charcoal Basalt Material Thickness Treatment size Satin Pre-Painted Metal 0.95mm 875 x 1775mm Painted 2 sides 0503570 Aluminium 2.0mm 875 x 1775mm Powdercoated -1sd 0504132 0504144 0504146 0504126 0504116 grade 5005

White Flat sheet Magnolia Woodland Grey Hamersley Brown Charcoal Material Thickness Treatment Basalt size Satin **Pre-Painted Metal** 0.95mm 900 x 1800mm Painted 2 sides 0503538 0503895 900 x 1800mm 0503900 0503898 0503899 0503976 2.0mm Powdercoated - 1sd Aluminium 2.5mm 900 x 1800mm Powdercoated -1sd 0506086 0506095 0506088 0506112 0506111 grade 5005 3.0mm 1200 x 2400mm 0506032 0506047 0506054 Powdercoated - 2 sd 0506016 0506026 Folded sheet White Magnolia Woodland Grey Hamersley Brown Charcoal Material Thickness Treatment Basalt size Satin Pre-Painted Metal 0.95mm Painted 2 sides 503571 875 x 1775mm Aluminium 2.0mm 875 x 1775mm Powdercoated -1sd 0504113 0504138 0504134 0504105 0504127 grade 5005

Material	Thickness	Flat sheet size	Treatment	Basalt	White Satin	Magnolia	Woodland Grey	Hamersley Brown	Charcoal
Pre-Painted Metal	0.95mm	900 x 1800mm	Painted 2 sides	0503537					
	2.0mm	900 x 1800mm	Powdercoated -1sd		0503939	0503896	0503950	0503980	0503907
Aluminium grade 5005	2.5mm	900 x 1800mm	Powdercoated -1sd		0506087	0506097	0506116	0506080	0506083
grade 5005	3.0mm	1200 x 2400mm	Powdercoated - 2 sd		0506041	0506010	0506040	0506033	0506028
Material	Thickness	Folded sheet size	Treatment	Basalt	White Satin	Magnolia	Woodland Grey	Hamersley Brown	Charcoal
Pre-Painted Metal	0.95mm	875 x 1775mm	Painted 2 sides	0503572					
Aluminium grade 5005	2.0mm	875 x 1775mm	Powdercoated -1sd		0504136	0504153	0504103	0504104	0504143

Material	Thickness	Flat sheet size	Treatment	Basalt	White Satin	Magnolia	Woodland Grey	Hamersley Brown	Charcoal
Pre-Painted Metal	0.95mm	900 x 1800mm	Painted 2 sides	0503535					
	2.0mm	900 x 1800mm	Powdercoated -1sd		0503905	0503933	0503908	0503953	0503974
Aluminium	2.5mm	900 x 1800mm	Powdercoated -1sd		0506101	0506094	0506106	0506115	0506091
grade 5005	3.0mm	1200 x 2400mm	Powdercoated - 2 sd		0506023	0506013	0506057	0506015	0506009
Material	Thickness	Folded sheet size	Treatment	Basalt	White Satin	Magnolia	Woodland Grey	Hamersley Brown	Charcoal
Pre-Painted Metal	0.95mm	875 x 1775mm	Painted 2 sides	0503573					
Aluminium grade 5005	2.0mm	875 x 1775mm	Powdercoated - 1 sd		0504139	0504148	0504114	0504115	0504133

Mix Solid & Perforated\* refers to the open area and is the ratio that reflects how much of the sheet is occupied by holes, normally expressed by percent. For example, if the open area of the perforated sheet is 30%, it means that 30% of the sheet is holes and 70% of the sheet is material.

For example, if the open area of the perforated sheet is 30%, it means that 30% of the sheet is holes and 70% of the sheet is material. The holes in a perforated sheet metal form are also known as the open area of that form. The open area of a piece of sheet metal allows for the passage of air & light.

# Thankyou

### For choosing Walpix Decorative Perforated Screens.

Do you want something different to what you see in the Special Orders brochure and on the Bunnings website?

Walpix can custom make and/or turn your images, graphics, photos or logos into perforated metal screens & panels. We can replicate photographs, drawings & illustrations, using combinations of hole sizes to successfully recreate every detail, including shadows, tones, and even facial features.

We typically recommend aluminium for exterior applications which is known for its corrosion resistance and durability. With the right finish, the material has an extremely long lifespan. Stainless steel can also be used for exterior applications.

Non-standard sheet sizes & thicknesses can be provided on request for quote & are subject to price & availability at time of order. Powder coating can be arranged using standard Dulux colours, pricing available on request – with or without warranty.

Custom orders are all priced individually so to enquire about a custom-made order talk to the staff at your local Bunnings Special Orders desk.

## Easy to Order...

Step1 Measure site

- Step 2 Choose profile, material and colour
- Step 3 Complete order form and take to Special Orders desk
- Step 4 Order is sent to Walpix for custom manufacture
- Step 5 Order is delivered to store within 4 to 6 wks.\* \*Metro stores only. Regional stores may take longer.

## **Customer Order Form:**

Name:

Address:


		Phone:						
Size	Item Number	Material	Thickness	Colour	Qty			
H x W n	nm							
H x W n	nm							
H x W n	nm							
H x W n	nm							
H x W n	nm							
H x W n	nm							
H x W n	nm							
H x W n	nm							
H x W n	nm							
H x W n	nm							
H x W n	nm							
H x W n	nm							

## **How It Works**

It's as simple as 1,2,3! Follow the steps shown to purchase or order your product. If you need further advice, speak to a team member at the Special Orders Desk in-store.

## 1. Select The Product You Want

View the extensive range available in this brochure or online. Use the number shown below to order your product online or in-store.



## 2. Order Online or at the Special Orders Desk

After you have selected the product you want, take this brochure to the Special Orders Desk or order online at bunnings.com.au

## 3. Get It Home

## We Will Deliver

Delivery to your home or site can be arranged online or in-store when purchasing your products.

## **Pick-Up In-Store**

If you decide to pick-up in-store and need help to get it home, you can:

- borrow a courtesy trailer
- hire a vehicle

Check with your local Bunnings store for availability.

## c: walpix

Digital Brochure Only V 09/23