

**Product Name: Multicrop EcoPest[®] Oil
Insect Spray RTU**

This revision issued: February 2013

Section 1 – Product and Company Identification

Multicrop (Aust) Pty Ltd

Phone: +61 3 8720 2100

6-10 Koornang Rd

Fax: +61 3 9720 5051

Scoresby, Vic 3179

Chemical Family: Water emulsifiable petroleum oil, based on severely hydro-treated paraffinic mineral oil with aliphatic emulsifiers/surfactants.

Trade Names: Multicrop EcoPest[®] Oil Insect Spray RTU

Product Code: 91130 (750mL), 91132 (1L) & 91145(3L)

UN Number: Not Applicable

Dangerous Goods Class: Not Applicable

Hazchem Code: Not Applicable

Poisons Schedule Number: Not Applicable

Section 2 – Composition/Information on Ingredients

Generic composition: Severely hydro-treated paraffinic mineral oils and aliphatic non-ionic emulsification additives.

Ingredients determined hazardous to health	R Phrase	CAS No	%w/w
Natural alcohol ethoxylate (Mixture)	R38	68526-94-3	<7%
Severely Hydrotreated. Heavy Paraffinic Distillates	-	64742-54-7	to 100%

This product is not hazardous to health as defined by the Worksafe Australia criteria.
See Section 15 for regulatory information.

Section 3 – Hazards Identification

Effects of overexposure: No significant effects expected. Ingestion in large quantities may cause nausea, sickness and diarrhoea.

Special Hazards of product after use: The risk of skin disorders may be increased if product becomes contaminated.

Section 4 – First Aid Measures

Eye contact: Hold eyes open under running clean water for at least 15 minutes until any irritation subsides. If irritation persists, obtain medical attention.

Skin contact: Remove any contaminated clothing including shoes. Wash contact areas with soap and water at intervals dictated by good standards of industrial hygiene.

MATERIAL SAFETY DATA SHEET

Issued by: Multicrop (Aust) Pty Ltd

Phone: +61 3 8720 2100 (business hours)

Poisons Information Centre: 13 1126 from any where in Australia (0800 764 766 in New Zealand)



Inhalation:	Not expected to be a problem. Remove to fresh air. If effects persist, seek prompt medical attention.
Ingestion:	DO NOT INDUCE VOMITING. Wash mouth out with water. Give 1 to 2 glasses of water and obtain immediate medical attention showing this sheet.
Pressure Injection:	ALWAYS OBTAIN IMMEDIATE MEDICAL ATTENTION EVEN THOUGH THE INJURY MAY APPEAR MINOR.
Note to physicians:	Treat symptoms with reference to specific health effects identified above and outlined in Section 11.

Section 5 – Fire Fighting Measures

Flash Point °C,(PM Closed Cup):	>160.0
Flammability:	Not classified as flammable, but is inherently combustible.
Extinguishing media:	Use foam, dry chemical powder or CO ₂ . Never use water.
Special fire fighting procedures:	Water may cause boil over danger. Foam may cause frothing. Only use water to cool outsides of fire-exposed containers. Prevent run-off from entering drains, sewers waterways etc.
Special protective equipment:	For fires in enclosed areas, firefighters must wear self-contained breathing apparatus and eye protection.
Unusual fire and explosion hazards:	None.
Flammability limits (%v/v in air):	LEL: 1.5 UEL: 6.0
Products of combustion:	Oxides of carbon, water vapor, unidentified organic compounds and dense irritating smoke.

Section 6 – Accidental Release Measures

Notification procedures:	Report spills as required to appropriate authorities such as the local Environmental Health Officer or Fire Brigade. If spills are likely to enter any drain, waterway or groundwater, contact the Area Water Authority. In case of accident or road spill, contact the Police and Fire Brigade, and if appropriate the Area Water Authority.
Environmental precautions:	Prevent spills from entering sewers, drains etc and contact with soil areas.
Decontamination procedures:	Contain spill and absorb in earth, sand or other suitable inert absorbent material. Collect solids into a suitably labeled sealable container for disposal. Dispose of at an appropriate licensed waste disposal site in accordance with current applicable laws and regulations and product characteristics at time of disposal.
Personal precautions:	Good standards of industrial and personal hygiene are recommended. See Section 8.

MATERIAL SAFETY DATA SHEET

Issued by: Multicrop (Aust) Pty Ltd

Phone: +61 3 8720 2100 (business hours)

Poisons Information Centre: 13 1126 from any where in Australia (0800 764 766 in New Zealand)

THIS MSDS SUMMARISES TO OUR BEST KNOWLEDGE AS AT THE ISSUE DATE THE CHEMICAL HEALTH AND SAFETY HAZARD OF MATERIAL AND GENERAL GUIDANCE ON HOW TO SAFELY HANDLE THE MATERIAL. MULTICROP(AUST) PTY LTD CANNOT CONTROL OR ANTICIPATE THE CONDITION AND ENVIRONMENT UNDER WHICH THE PRODUCT IS USED OR STORED, EACH USER MUST, PRIOR TO USE, UNDERSTAND ANY RISK ARISING FROM USE OF THE MATERIAL IN THE COMPOSITION OF THIS PRODUCT.

Section 7 – Handling & Storage

Handling:	Provide suitable mechanical equipment for handling drums and packaging. No special precautions are necessary beyond normal good hygiene practices. See Section 8 for additional personal protection advice when handling this product.
Storage:	Do not store in open or in unlabelled containers. Store undercover away from ignition sources, strong oxidising agents or flammable materials. Keep away from food and drink. Compatible with most common metals of construction; may soften certain rubbers – use resistant seals. A bunded storage area may be required.
Storage temperature:	-10°C to 60°C.

Section 8 – Exposure Controls/Personal Protection

Occupational Exposure Limits	Substance	8-hour TWA	STEL	Source/other information
	Severely refined mineral oil mist	5 mg/m ³	10 mg/m ³	Occupational Exposure Limits (EH40)
Ventilation:	No special requirements under ordinary conditions of use and with adequate ventilation.			
Respiratory protection:	No special requirements under ordinary conditions of use and with adequate ventilation.			
Eye protection:	Normal industrial eye protection practices should be employed.			
Skin protection:	No special equipment required. However, good personal hygiene practices should always be followed. Suitable barrier creams may be helpful when prolonged and repeated skin contact with product is likely.			
Engineering controls:	Local exhaust ventilation is recommended when excessive product misting occurs.			

Section 9 – Physical and Chemical Properties

Physical state:	Liquid.
Colour:	Bright and clear colourless to pale yellow.
Odour:	Mild.
Density at 15°C (kg/L):	0.835
pH at 20°C (3%vol in tap water):	7.0 to 8.5
Vapour pressure at 20°C (mm Hg):	<0.01
Vapour density (air=1):	>2.0
Boiling point (°C):	Approx. 300

MATERIAL SAFETY DATA SHEET

Issued by: Multicrop (Aust) Pty Ltd Phone: +61 3 8720 2100 (business hours)
Poisons Information Centre: 13 1126 from any where in Australia (0800 764 766 in New Zealand)

THIS MSDS SUMMARISES TO OUR BEST KNOWLEDGE AS AT THE ISSUE DATE THE CHEMICAL HEALTH AND SAFETY HAZARD OF MATERIAL AND GENERAL GUIDANCE ON HOW TO SAFELY HANDLE THE MATERIAL. MULTICROP(AUST) PTY LTD CANNOT CONTROL OR ANTICIPATE THE CONDITION AND ENVIRONMENT UNDER WHICH THE PRODUCT IS USED OR STORED, EACH USER MUST, PRIOR TO USE, UNDERSTAND ANY RISK ARISING FROM USE OF THE MATERIAL IN THE COMPOSITION OF THIS PRODUCT.



Pour point (°C):	-21
Flash point (closed cup) (°C):	>160.0
Autoignition temperature (°C):	>200.0
Flammability limits (%v/v in air):	LEL: 1.5 UEL: 6.0
Kinematic viscosity at 40°C (mm²/s):	12.5
Solubility in water:	Emulsifies in water to form a milky white emulsion.

PLEASE NOTE THAT THE ABOVE TYPICAL PROPERTIES DO NOT CONSTITUTE A SPECIFICATION

Section 10 – Stability & Reactivity

Stability (thermal, light, etc):	The product is stable and not subject to polymerisation.
Conditions to avoid:	Avoid exposure to extreme heat.
Materials to avoid:	Incompatible with strong oxidising agents.
Hazardous decomposition products:	Oxides of carbon, water vapour and unidentified organic compounds with dense irritating smoke, when involved in a fire.

Section 11 – Toxicological Information

The following toxicological assessment is based on knowledge of the product's components.

Acute Toxicology

Estimated oral LD₅₀ (rat) >2000mg/kg:

Health Effects

On eyes:	Practically non-irritating. May cause temporary irritation and discomfort.
On skin:	Generally non-irritant on incidental contact. Excessive or prolonged skin contact may give rise to slight irritation. HIGH PRESSURE INJECTION INJURIES REQUIRE IMMEDIATE MEDICAL ATTENTION.
By inhalation:	Harmful concentrations of mists and/or vapors do not normally arise except where high temperatures or atomising systems are involved. High concentrations of mist may give rise to respiratory irritation.
By ingestion:	Practically non-toxic. Ingestion of large quantities may cause nausea, sickness and diarrhoea.

Chronic Toxicology

Summary:	No hazard anticipated, since the base oils used in this product are severely hydro-treated. No data is available to indicate the product or components present a greater than 1% are chronic health hazards.
Other:	Products, which have become contaminated, might present more serious health effects.

MATERIAL SAFETY DATA SHEET

Issued by: Multicrop (Aust) Pty Ltd

Phone: +61 3 8720 2100 (business hours)

Poisons Information Centre: 13 1126 from any where in Australia (0800 764 766 in New Zealand)

THIS MSDS SUMMARISES TO OUR BEST KNOWLEDGE AS AT THE ISSUE DATE THE CHEMICAL HEALTH AND SAFETY HAZARD OF MATERIAL AND GENERAL GUIDANCE ON HOW TO SAFELY HANDLE THE MATERIAL. MULTICROP(AUST) PTY LTD CANNOT CONTROL OR ANTICIPATE THE CONDITION AND ENVIRONMENT UNDER WHICH THE PRODUCT IS USED OR STORED, EACH USER MUST, PRIOR TO USE, UNDERSTAND ANY RISK ARISING FROM USE OF THE MATERIAL IN THE COMPOSITION OF THIS PRODUCT.

Section 12 – Ecological Information

Biodegradability: <50% (CEC L-33-T-82) **Chemical oxygen demand (mgO₂/L):** Not determined

Not readily biodegradable but inherently biodegradable.

Leaching and penetration through surface soils is generally regarded as resulting in long-term persistence.

Fresh or used product may be harmful to aquatic life.

Section 13 – Disposal Considerations

The product is suitable for burning in an enclosed, controlled burner for fuel value or disposal by supervised incineration. The local authority may limit such burning. In addition, the product is suitable for processing by an approved recycling facility or can be disposed of at any licensed waste disposal site or can be removed by approved waste contractors. Use of these methods is subject to user compliance with applicable laws and regulations and consideration of product characteristics at time of disposal.

Section 14 – Transport Information

Classification for transport:	Not classified as hazardous for transport		
Shipping name:	Not applicable.		
UN number:	None allocated	Packing group:	Not applicable.
UN class:	None allocated	Marine pollutant:	No
ADR/RID:	Not regulated by ADR/RID.		
ICAO/IATA class:	Not regulated by ICAO/IATA.		
ACTDG class:	Not regulated by ACTDG.		
IMO class:	Not regulated by IMO.		

Section 15 – Regulatory

Hazard label data:	Not classified.
R & S Phrases:	Not Applicable.
AS 1940 Classification:	Class C2 combustible liquid.

Section 16 – Other Information

Occupational Exposure Limits: - When a time weighted average (TWA) concentration for an 8 hour day, 5 day week has not been established by Worksafe Australia for any product or material, a blanket recommendation 5 mg/m³ for respirable vapours, dusts and mists is to be used.

The information given herein relates only to the specific material designated and is offered in good faith as being accurate and reliable as of the date indicated, but without guarantee. Conditions of use and suitability of the product for particular uses are beyond our control; all risks of use of the product are therefore assumed by the user and WE EXPRESSLY DISCLAIM ALL WARRANTIES OF EVERY KIND AND NATURE, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE IN RESPECT TO THE USE OR SUITABILITY OF THE PRODUCT. None of the information given is intended as a recommendation for uses, which infringe valid patents, or as extending license under valid patents.

If you have purchased the product for supply to a third party for use at work, it is your duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet.

If you are an employer, it is your duty to tell your employees and others that may be affected, of any hazards described in this sheet and of any precautions, which should be taken.

MATERIAL SAFETY DATA SHEET

Issued by: Multicrop (Aust) Pty Ltd

Phone: +61 3 8720 2100 (business hours)

Poisons Information Centre: 13 1126 from any where in Australia (0800 764 766 in New Zealand)

THIS MSDS SUMMARISES TO OUR BEST KNOWLEDGE AS AT THE ISSUE DATE THE CHEMICAL HEALTH AND SAFETY HAZARD OF MATERIAL AND GENERAL GUIDANCE ON HOW TO SAFELY HANDLE THE MATERIAL. MULTICROP(AUST) PTY LTD CANNOT CONTROL OR ANTICIPATE THE CONDITION AND ENVIRONMENT UNDER WHICH THE PRODUCT IS USED OR STORED, EACH USER MUST, PRIOR TO USE, UNDERSTAND ANY RISK ARISING FROM USE OF THE MATERIAL IN THE COMPOSITION OF THIS PRODUCT.