

Specialist Disability
Accommodation (SDA)
**Robust Design
Product Solutions**



Your partner for Specialist Disability Accommodation (SDA) solutions

The Bunnings Commercial team is here to service you from the front gate to the back fence. We are committed to bringing you the most trusted brands that specialise in products tailored specifically for individuals living with a disability and supportive of Specialist Disability Accommodation (SDA). Across all building stages we've got you covered for your SDA Robust projects.

With over 130 years of supplying building and hardware solutions, Bunnings can supply everything from timber frames and trusses, to flooring, joinery, kitchens, appliances, commercial grade windows, façades, plumbing, lighting and more to cover all elements of an SDA Robust design. We're much more than a supplier, we're your partner. In addition to all the specialist products required for an SDA build we can supply:

- ✓ Foundations and Footings
- ✓ Windows
- ✓ External Cladding
- ✓ Roofing
- ✓ Insulation
- ✓ Heating, Cooling and Ventilation
- ✓ Hot Water solutions
- ✓ Outdoor Timber
- ✓ Fencing
- ✓ Fasteners and Fixings

© Bunnings Group Limited August 2024

The information contained in this publication is intended for qualified and experienced building professionals, is of a general nature, and draws information from the NDIS Specialist Disability Accommodation Design Standard (Edition 1.1 Issue Date 25 October 2019) as a guide only. See below for details. It does not take into account individual circumstances, objectives or applicable requirements at law or otherwise. You should not act on the basis of or rely on this information without checking that the information is still current, satisfying yourself the solutions and products proposed meet your or your client's specific needs and where applicable, obtaining advice from a suitably qualified professional. Any claims of product compliance, including with respect to the applicable Australian Standards or suitability in terms of meeting the NDIS Specialist Disability Accommodation Design Standard have been provided by our product suppliers and have not been independently verified by Bunnings. Installation is your responsibility unless Bunnings agrees to supply and manage installation for applicable products, such as joinery and flooring. Photos used in this publication are for illustrative purposes only and products that are available for sale may vary. Some products listed may not be available for immediate purchase.

The NDIS Specialist Disability Accommodation Design Standard (Edition 1.1 Issue Date 25 October 2019 www.ndis.gov.au/sda) licensed by the National Disability Insurance Agency (NDIA) under a Creative Commons Attribution 4.0 International Licence CC BY 4.0 has been used in the creation of this publication. The information in this publication is considered accurate at the time of publishing.



Leading Brands



3monkeez supply commercial stainless steel plumbing products that have become the trusted choice for plumbers and builders nationwide. Known for their durability and premium quality, their products are designed with the needs of high-use environments in mind. Equipped with all necessary certifications and backed by ISO9001 certification, you can install 3monkeez products with confidence, knowing they'll meet the rigorous demands of assisted living projects.



Galvin Engineering is a 4th generation, family owned and operated, Australian manufacturing company and master distributor. They have assisted in the design and delivery of hundreds of Mental Health and Robust Housing projects of all types over the last 90 years and have extensive experience in providing specialised tapware and bathroom solutions.



For the past 60 years, Bradley Australia have manufactured and supplied a comprehensive range of high-quality, competitively priced accessible washroom accessories across a variety of industries. Their products all comply with the relevant codes including AS1428. Durability, design and attention to detail, combined with easy installation, make choosing Bradley not just the right choice for your project but for your business and bottom line.





ENVIRONMENTAL, SOCIAL AND GOVERNANCE AT BUNNINGS

Responsible sourcing

At Bunnings, we're committed to ensuring the products we sell, come from legal and sustainable operations, with good working conditions and fair treatment of people. As such, we continue to pursue sustainability by striving to make them socially responsible, environmentally aware and economically viable.

Sustainability

We are also committed to helping customers live more sustainably, and we are proud of the role we play in supporting local communities to make a positive difference. We recognise that our business plays an important role in reducing carbon emissions and addressing climate change. We have a comprehensive roadmap in place to reduce our energy consumption and to transition towards using more renewable energy sources.

In our Community

Bunnings is committed to participating in the communities in which we operate by contributing to local, regional and national causes, charities and organisations throughout Australia and New Zealand. We provide ongoing assistance to a wide range of local community groups including schools, sporting clubs and service clubs.



For full details on our responsible sourcing, sustainability or community commitments click [here](#)

Robust Design Standard

Specialist Disability Accommodation (SDA) with the design category of **Robust** is specifically designed to cater for people who require an environment resilient to high impact behaviours, and provides a safe space for both the residents, and the community.

These accommodations are constructed using resilient, but inconspicuous materials to reduce the risk of injury, minimise neighbourhood disturbances, and cope with heavy use. They will also include features such as secure windows, doors, walls and soundproofing. The design also takes into consideration the need for reduced stimuli, which is beneficial for people who may have behavioural concerns.

Robust SDA homes are not only durable, but they also incorporate elements that are easy to clean and maintain, ensuring longevity and a consistent living environment. The goal of Robust SDA is to provide a living space that supports independence while ensuring the safety and well-being of its occupants.

It's a thoughtful convergence of durability, functionality, and design, intended to create a harmonious environment that respects the needs of individuals, ultimately contributing to their quality of life and community integration.

When building to the SDA Robust standards, additional consideration will need to be given to the selection of many materials and products, including:

- Flooring and wall coverings
- Lighting and soundproofing
- Door and window furniture and locks
- Front-of-wall plumbing, tapware and bathroom accessories
- Anti-Ligature and vandal-proof fixtures and fittings
- Safety glass and window coverings
- Joinery and benchtops
- Appliances



Apollo SDA



PRODUCT CATEGORIES

BATHROOM

KITCHEN AND LAUNDRY

**DOORS AND
DOOR HARDWARE**

ASSISTIVE TECHNOLOGY

FLOORING AND WALLING

ELECTRICAL

**BATHROOM ADD-ON
ACCESSORIES**

*The NDIS SDA Design Standard (SDA) must be consulted with respect to design and compliance requirements. The products presented in this catalogue also rely on correct installation to meet the requirements of AS1428.

BATHROOM

INTRODUCTION

TOILETS

BASINS

TAPWARE

**BATHROOM
ACCESSORIES**

 [Home](#)

INTRODUCTION

The SDA Design Standard specifies the following requirements for Bathrooms in Robust builds*:

- Use of high impact/vandal proof fittings and fixtures
- Inclusion of a toilet, a shower and a hand wash basin

*The NDIS SDA Design Standard (SDA) must be consulted with respect to design and compliance requirements. The products presented in this catalogue also rely on correct installation to meet the requirements of AS1428.

TOILETS

Anti-ligature Solid Surface Floor Mount Toilet White, Black Seat




I/No: N/A Supplier Code: CWC-155W-AST-AUS

Product Dimensions: 405mm W x 446mm H x 702mm D Warranty: 5-year



Product Features:

- Anti-ligature design to reduce the potential for self-harm (except when used with hinged seat)
- Highly robust which prevents breakages
- Shrouded waste (S and P trap compatible)
- Concealed through-wall services and fixings
- WC pan made as one piece without joins
- Highly polished finish for ease of cleaning
- Easily renewable surface without a gel coat layer



TOILETS

Stainless Steel Close Coupled Toilet Suite




I/No: N/A **Supplier Code:** SPPL.TP.CC1.S

Product Dimensions: 367mm L x 650mm D x 980mm H **Warranty:** 1-year



Product Features:

- Smooth hydraulically formed radius to outer and inner edges provide safety and user comfort
- Formed stainless seat provides superior comfort, hygiene and strength
- Secure flushing device access cover fastened with Torx security screws
- Engineered flushing rim prevents hiding of contraband while allowing free flow of flush water
- Stainless steel construction provides superior strength, superior hygiene and long service life



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

TOILETS

Safe Ensuite Anti-ligature/Anti-vandal Toilet - Standard Height Solid Surface




I/No: N/A **Supplier Code:** SPPL.SE.TP.F.010

Product Dimensions: 465mm W x 210mm H x 305mm D **Warranty:** 1-year



Product Features:

- Constructed from GRP moulded High Performance impact resistant material with polyester gel coat formulated to resist chemicals and ultra violet rays
- Water efficient 4 litre flush
- Domestic aesthetics
- Vandal and ligature resistant
- Hygienic non-porous surface
- Concealed rear waste outlet
- Large trap to reduce blockages
- Warm to the touch surface, eliminates 'icy shock'
- Fixing kit for walls up to 150mm thick provided



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)


TOILETS

Stainless Steel Toilet Pan Standard Height



I/No: N/A **Supplier Code:** TP.3.S

Product Dimensions: 367mm W x 700mmD x 400mm H **Warranty:** 1-year



Product Features:

- 2mm heavy duty (1000kg) load carrying capacity
- Plumbing and fixing points are concealed for security and vandal resistance
- Access to plumbing is via side access panels
- Anti-contraband flushing rim

[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

TOILETS

Stainless Steel Close Coupled Extra Height toilet suite




I/No: 0676642 Supplier Code: SPPL.TP.CC2.D

Product Dimensions: 367mm W x 800mm D x 1067mm H Warranty: 1-year



Product Features:

- Smooth hydraulically formed radius to outer and inner edges provide safety and user comfort
- Formed stainless seat provides superior comfort, hygiene and strength
- Optional Thermoplastic seat can be added
- Access compliant back rest included
- Engineered flushing rim prevents hiding of contraband while allowing free flow of flush water
- Stainless steel construction provides superior strength, superior hygiene and long service life
- Powder coated to colour of choice optional




TOILETS

Stainless Steel Toilet Pan Extra Height



I/No: 0676641 **Supplier Code:** TP3.D

Product Dimensions: 367mm W x 800mm D x 460mm H **Warranty:** 1-year



Product Features:

- Concealed plumbing and fixing points for security and vandal resistance
- Access to plumbing is via side access panels
- Anti-contraband flushing rim
- Seat has smooth radius to both outer and inner edges for safety and comfort and has a self draining seat surface for improved hygiene
- Smooth radius corners for safety
- Compatible with either flush valve or in wall cistern (ordered separately)
- Powder coated to colour of choice optional
- Access compliant

TOILETS

Safe Ensuite Toilet Suite Accessible Height Solid Surface




I/No: 0676639 **Supplier Code:** SPPL.SE.TP.F.011

Product Dimensions: 400mm W x 510mm D x 480mm H **Warranty:** 1-year



Product Features:

- Constructed from GRP moulded High Performance impact resistant material with polyester gel coat formulated to resist chemicals and ultra violet rays
- Access Height model
- Water efficient 4 litre flush
- Domestic aesthetics
- Vandal and ligature resistant
- Hygienic non-porous surface
- Concealed rear waste outlet
- Large trap to reduce blockages



TOILETS

Pedestal Pan Toilet P Trap




I/No: 0650114 **Supplier Code:** WC-SSPP-D

Product Dimensions: 420mm H x 335mm W x 600mm D **Warranty:** 5-year

**Product Features:**

- Compatible with 3monkeeZ® Dual Flush Cistern - AB-CIS-DF-2 or 3monkeeZ® Pull Chain Cistern - AB-CIS-PC
- Easy to retrofit
- Simple installation
- Radius edges
- Satin finish
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery
- Solid Strong moulded seat
- 50mm height
- Locking stability buffers
- Supplied with 50mmH Seat Suit Height Required for AS1428



**Click here for more
product information**

*By clicking this link you are being taken to an external website.

[Home](#)

TOILETS

Pedestal Pan Toilet S Trap




I/No: 0650123 Supplier Code: WC-SSPS-D

Product Dimensions: 420mm H x 335mm W x 600mm D Warranty: 5-year



Product Features:

- Compatible with 3monkeez® Dual Flush Cistern - AB-CIS-DF-2 or 3monkeez® Pull Chain Cistern - AB-CIS-PC
- Easy to retrofit
- Simple installation
- Radius edges
- Satin finish
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery
- Solid strong moulded seat
- 50mm height
- Locking stability buffers
- Supplied with 50mmH Seat Suit Height Required for AS142



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

TOILETS

Ambulant Pan Toilet P Trap




I/No: 0650110 **Supplier Code:** WC-SSAP

Product Dimensions: 440mm H x 370mm W x 650mm D **Warranty:** 5-year

**Product Features:**

- Suitable for ambulant applications
- No ligature points
- Available in P trap or S trap
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel



TOILETS

Ambulant Pan Toilet S Trap




I/No: 0650119 **Supplier Code:** WC-SSAS

Product Dimensions: 440mm H x 370mm W x 650mm D **Warranty:** 5-year

**Product Features:**

- Suitable for ambulant applications
- No ligature points
- Available in P trap or S trap
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel



TOILETS

Disabled Pan Toilet P Trap




I/No: 0650120 **Supplier Code:** WC-SSDP

Product Dimensions: 420mm H x 370mm W x 600mm D **Warranty:** 5-year

**Product Features:**

- Suitable for disabled applications
- No ligature points
- Available in P trap or S trap
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel



**Click here for more
product information**

*By clicking this link you are being taken to an external website.

[Home](#)

TOILETS

Disabled Pan Toilet S Trap




I/No: 0650131 **Supplier Code:** WC-SSDS

Product Dimensions: 420mm H x 370mm W x 600mm D **Warranty:** 5-year

**Product Features:**

- Suitable for disabled applications
- No ligature points
- Available in P trap or S trap
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel



**Click here for more
product information**

*By clicking this link you are being taken to an external website.

[Home](#)

TOILETS

Close Coupled Ambulant Toilet Suite - P Trap




I/No: 0650156 **Supplier Code:** WC-SSACCP

Product Dimensions: 845mm H x 470mm W x 650mm D **Warranty:** 5-year

**Product Features:**

- Suitable for ambulant applications; AS1428 Compliant
- No ligature points and concealed fixings
- P trap
- Radius edges
- Inbuilt dual flush cistern
- Adjustable inlet and outlet valves for setting the required flush volume
- 2mm 304 grade satin finish stainless steel



**Click here for more
product information**

*By clicking this link you are being taken to an external website.

[Home](#)

TOILETS

Close Coupled Ambulant Suite - S Trap




I/No: 0650130 **Supplier Code:** WC-SSACCS

Product Dimensions: 845mm H x 470mm W x 650mm D **Warranty:** 5-year

**Product Features:**

- Suitable for ambulant applications; AS1428 Compliant
- No ligature points and concealed fixings
- S trap
- Radius edges
- Inbuilt dual flush cistern
- Adjustable inlet and outlet
- valves for setting the required flush volume
- 2mm 304 grade satin finish stainless steel



**Click here for more
product information**

*By clicking this link you are being taken to an external website.

[Home](#)

TOILETS

Close Coupled Disabled Toilet Suite P Trap




I/No: 0650143 **Supplier Code:** WC-SSDCCP

Product Dimensions: 845mm H x 480mm W x 800mm D **Warranty:** 5-year

**Product Features:**

- No ligature points and concealed fixings
- P trap
- AS1428 Compliant
- Inbuilt dual flush cistern
- Adjustable inlet and outlet valves for setting the required flush volume
- 2mm 304 grade satin finish stainless steel with radius edges



**Click here for more
product information**

*By clicking this link you are being taken to an external website.

[Home](#)

TOILETS

Close Coupled Disabled Toilet Suite S Trap




I/No: 0650099 **Supplier Code:** WC-SSDCCS

Product Dimensions: 845mm H x 480mm W x 800mm D **Warranty:** 5-year

**Product Features:**

- No ligature points and concealed fixings
- S trap
- AS1428 Compliant
- Inbuilt dual flush cistern
- Adjustable inlet and outlet valves for setting the required flush volume
- 2mm 304 grade satin finish stainless steel with radius edges



**Click here for more
product information**

*By clicking this link you are being taken to an external website.

[Home](#)

TOILETS

Disabled Compliant Dual Flush Cistern - Bottom Entry




I/No: 0650102 **Supplier Code:** AB-CIS-DCDF

Product Dimensions: 315mm H x 457mm W x 195mm D **Warranty:** 5-year



Product Features:

- AS1428 compliant
- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Constructed from high quality 1.2mm 304 grade stainless steel
- Reversible inlet valve - suits left or right
- 50mm BSP outlet



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

TOILETS

Disabled Compliant Dual Flush Cistern - Left Side Entry




I/No: 0650126 **Supplier Code:** AB-CIS-DCDF-SE-L

Product Dimensions: 316mm H x 457mm W x 195mm D **Warranty:** 5-year



Product Features:

- AS1428 compliant
- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Constructed from high quality 1.2mm 304 grade stainless steel
- Reversible inlet valve - suits left or right
- 50mm BSP outlet



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

TOILETS

Disabled Compliant Dual Flush Cistern - Right Side Entry



I/No: 0650100 **Supplier Code:** AB-CIS-DCDF-SE-R

Product Dimensions: 316mm H x 457mm W x 195mm D **Warranty:** 5-year



Product Features:

- AS1428 compliant
- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Constructed from high quality 1.2mm 304 grade stainless steel
- Reversible inlet valve - suits left or right
- 50mm BSP outlet

[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

TOILETS

Anti-vandal Wall Faced Toilet Pan




I/No: N/A **Supplier Code:** WC-SSWFP

Product Dimensions: 400mm H x 370mm W x 680mm L **Warranty:** 5-year

**Product Features:**

- No ligature points
- Suitable for use with an in wall cistern
- P trap
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel



**Click here for more
product information**

*By clicking this link you are being taken to an external website.

[Home](#)

TOILETS

In-wall Cistern




I/No: N/A **Supplier Code:** CIS-IWFA

Product Dimensions: N/A **Warranty:** 5-year

**Product Features:**

- Suits 3monkeez® pedestal and wall faced toilet pans
- One piece tank manufactured from HDPE
- 80mm depth
- Operating pressure 10-1000kPa
- 3 star WELS



**Click here for more
product information**

*By clicking this link you are being taken to an external website.

[Home](#)

TOILETS

Anti-vandal Inwall Cistern Flush Plate



I/No: N/A **Supplier Code:** 656504

Product Dimensions: 215mm L x 145mm H **Warranty:** 2-year



Product Features:

- Dual Flush
- Vandal Proof
- Anti-ligature
- Actuation force <20N
- 2mm thickness

TOILETS

Anti-vandal Inwall Pneumatic Dual Flush Cistern and Security Flush Plate




I/No: N/A Supplier Code: FD.CI.IW.PRF

Product Dimensions: N/A Warranty: 1-year



Product Features:

- Dual flush cistern has Watermark License and WELS 4 star rating for efficient 4.5L/3L or 6/3L dual flush
- Cistern has Watermark License in accordance with AS1172.2
- High vandal resistant flushing option
- Satin finish stainless steel back plate with stainless steel buttons
- Pairs with all WELS approved toilets



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

TOILETS

In Wall Cistern Dual Button Flush Plate




I/No: N/A **Supplier Code:** CIS-IWFA-BD

Product Dimensions: N/A **Warranty:** 5-year

**Product Features:**

- S-IWFA-BD
- AS1428 compliant
- Mechanical dual flush plate
- Round buttons
- Vandal resistant
- Metal construction
- Stainless steel and chrome finish



**Click here for more
product information**

*By clicking this link you are being taken to an external website.

[Home](#)

BASINS

Anti-ligature Solid Surface Wall Mount Basin




I/No: N/A **Supplier Code:** SHB-05W-NT

Product Dimensions: 470mm W x 380mm D **Warranty:** 5-year



Product Features:

- Robust single piece basin without joins
- Front fixed
- Shroud available to protect services with a wide range of activation and controls available
- Highly polished finish for ease of cleaning
- Easily renewable surface without a gel coat layer
- 0-tap hole



BASINS

Stainless Steel Security Wash Basin




I/No: 0676638 Supplier Code: SPPL.WB.SR2

Product Dimensions: 460mm W x 460mm H x 340mm D Warranty: 1-year



Product Features:

- Concealed plumbing and fixings for vandal resistance
- Front edge is rounded with a smooth radius for user safety
- Water conserving security bubbler controls water flow
- Low profile dome bubbler and wedge provides ligature resistant security
- Manual button options are positioned on the side of the unit
- Electronic button options are positioned on the side of the unit
- Electronic button can be interfaced with building water management control systems



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

BASINS

Safe Ensuite Basin Single Outlet Solid Surface




I/No: 0676640 **Supplier Code:** SPPL.SE.WB.IS.125

Product Dimensions: 450mm W x 300mm D x 374mm H **Warranty:** 1-year



Product Features:

- Constructed from GRP moulded High Performance impact resistant material with polyester gel coat formulated to resist chemicals and ultra violet rays
- Moulded impact resistant
- Moulded soap shelves
- Vandal and ligature resistant
- No sensor model



BASINS

Disabled Compliant Hand Basin - Round




I/No: 0650118 **Supplier Code:** HBD-R

Product Dimensions: 450mm W x 400mm H x 470mm D **Warranty:** 5-year

**Product Features:**

- AS1428 compliant
- 9 litre capacity
- Constructed from 1.2m 304 grade stainless steel
- Satin finish
- 40mm outlet – Suits PW40 & SSBW-40
- Access panel with vandal resistant screws
- Concealed plumbing and trap
- Suits compact P trap installation
- Left, right or centre tap holes on request



**Click here for more
product information**

*By clicking this link you are being taken to an external website.

[Home](#)

BASINS

Disabled Compliant Hand Basin - Square




I/No: 0650121 **Supplier Code:** HBD-S

Product Dimensions: 350mm H x 500mm W x 450mm D **Warranty:** 5-year

**Product Features:**

- AS1428 compliant
- 3.5 litre capacity
- Constructed from 1.2mm 304 grade stainless steel
- 300mm diameter bowl
- Satin finish
- 50mm splashback
- 40mm outlet – Suits PW40 & SSBW-40
- Vandal resistant screws
- Concealed plumbing and trap
- Suits compact P trap installation
- Left, right or centre tap holes on request



**Click here for more
product information**

*By clicking this link you are being taken to an external website.

[Home](#)

BASINS

Solid Surface Basin




I/No: N/A **Supplier Code:** 106.30.20.03

Product Dimensions: 500mm W x 170mm H x 420mm D **Warranty:** 3-year

**Product Features:**

- 1 Taphole
- No Overflow
- Vitreous China
- Note: Accessories not included



TAPWARE

Anti-ligature Shower Head Wall Mount Stainless Steel




I/No: N/A **Supplier Code:** 121.33.64.00

Product Dimensions: 63mm W x 84mm H **Warranty:** 5-year



Product Features:

- Anti-ligature (minimises hiding of contraband, suicide and self-harm risk)
- Designed for maximum protection against vandalism
- Constructed from heavy duty components and comes complete with special tamper resistant screws
- For use with high pressure plumbing systems between 150 & 500kPa
- Special consideration may be required when used with low water pressure systems and components
- Chrome plate finish



TAPWARE

Anti-ligature Shower Head Ceiling Mount Stainless steel




I/No: N/A **Supplier Code:** 121.70.10.00

Product Dimensions: 150mm W x 150mm H **Warranty:** 5-year



Product Features:

- Anti-ligature features
- Vandal Resistant
- 7LPM constant flow restrictor
- Front fixing
- Minimises hiding of contraband
- Minimises suicide risk
- Minimises self-harm risk
- Chrome plate finish for easy cleaning and added durability
- WELS: 4 Star Rating (7L/min)
- Nominal Flow Rate (LPM): 6.6
- WaterMark: AS/NZS 3662 Lic. WMK26191



TAPWARE

Anti-ligature Progressive Shower Mixer Wall Mount


I/No: N/A Supplier Code: 100.50.76.02

Product Dimensions: 188mm Diameter Warranty: 5-year



Product Features:

- Manufactured using Lead Safe™ DZR Brass with less than 0.25% lead content*
- Has a unique thermal disinfection bypass feature (kit sold separately)
- Reduces risk of Legionella growth by mixing water close to point of discharge and minimising stagnant warm water
- Minimises dirt build up and is fast and easy to clean due to its smoother internal and external design
- Can be set to a thermostatically controlled water temperature of 48°C
- All servicing and commissioning can be done without removing the device. Easy accessible isolators help to minimise the time for commissioning and maintenance
- Rapid shut down in event of cold or water supply failure



TAPWARE

Anti-ligature Shower Set




I/No: N/A **Supplier Code:** 121.51.13.03

Product Dimensions: 85mm H x 63mm D x 64.5mm L **Warranty:** 5-year

**Product Features:**

- Anti-ligature design
- Anti-rotation pin
- Easy to grip handle
- Machined identification button
- Vandal resistant design
- High quality chrome finish for easy cleaning and hygiene maintenance
- Australian Made
- WaterMark: AS/NZS 3718
Lic. WMKA0034



TAPWARE

Anti-vandal/Anti-ligature Basin Mixer




I/No: N/A **Supplier Code:** TM-BASX

Product Dimensions: 145mm H x 53.5mm Diameter **Warranty:** 5-year

**Product Features:**

- 304 stainless steel construction
- Ergonomic design
- WELS: 6 Star Rating (4.0L/min) or 5 Star Rating (6.0L/min)
- Nominal Flow Rate (LPM): 3.80 or 5.88
- WaterMark: AS/NZS 3718 Lic. WM-021226
- Inlet: 1/2" BSP - Female Flexi Tales
- Outlet: Aerator
- Headwork: 40mm Ceramic Cartridge
- Working Pressure Range (kPa): 50 Min - 500 Max
- Working Temperature Range (°C): 5 Min - 80 Max



TAPWARE

Basin Mixer Time Flow


paco jaansōn
stunning bathroom innovations

I/No: 0666110 **Supplier Code:** PJ-RBBM

Product Dimensions: 53mm W x 155mm D x 175mm H **Warranty:** 7-year

**Product Features:**

- Minimalist Basin Mixer Tap
- Heavyweight Solid Brass Construction
- Stylish Chrome Plated Finish
- Knurl handle for better grip
- 5 Star – Wels 5 Litres Per Minute
- Water Mark Approved



**Click here for more
product information**

*By clicking this link you are being taken to an external website.

[Home](#)

TAPWARE

Robust Anti-ligature Shower Outlet


paco jaansōn
stunning bathroom innovations

I/No: 0666119 **Supplier Code:** PJ-RBSH

Product Dimensions: 65mm W x 42.5mm D x 65mm H **Warranty:** 7-year

**Product Features:**

- Anti-ligature minimalist Shower Outlet
- Heavyweight Solid Brass Construction
- Stylish Chrome Plated Finish
- Water Mark Approved
- 15 Years Limited Manufacturers Warranty
- 3 Star – Wels 8 Litres Per Minute



**Click here for more
product information**

*By clicking this link you are being taken to an external website.

Home

TAPWARE

Wall Mixer Time Flow


paco jaansōn
stunning bathroom innovations

I/No: 0666114 **Supplier Code:** PJ-RBWM

Product Dimensions: 63mm W x 105mm D x 63mm H **Warranty:** 7-year

**Product Features:**

- Minimalist Wall Mixer Tap
- Heavyweight Solid Brass Construction
- Stylish Chrome Plated Finish
- Knurl Handle For Better Grip
- Water Mark Approved



**Click here for more
product information**

*By clicking this link you are being taken to an external website.

[Home](#)

TAPWARE

Anti-vandal Shower Chrome


JohnsonSuisse
Bathroom Solutions

I/No: N/A **Supplier Code:** JTV22CH

Product Dimensions: 60mm H x 158mm D **Warranty:** 20-year

**Product Features:**

- Durable chromed brass construction
- Simple, secure fixing system
- Anti-vandal construction
- WELS 3 Star, 8L/min. S15650



**Click here for more
product information**

*By clicking this link you are being taken to an external website.

 [Home](#)

BATHROOM ACCESSORIES

Anti-ligature Floor Grate Assembly 100mm x 100mm


I/No: N/A Supplier Code: 303070X

Product Dimensions: 100mm Diameter Warranty: 5-year



Product Features:

- Stainless steel construction
- Tamper resistant screws
- Complies with AS 3996 to Class A
- Unique dual ring design to maximise drainage
- WaterMark: WMTS 040
Lic. WMK02448



BATHROOM ACCESSORIES

Mirror Polished Stainless Steel

Bradley
AUSTRALIA.COM

I/No: 0674952 **Supplier Code:** 748-1840

Product Dimensions: 450mm W x 1000mm H x 6mm D **Warranty:** 1-year



Product Features:

- Surface mounted
- Stainless steel
- Unbreakable
- Architectural bright polished No. 8

[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

BATHROOM ACCESSORIES


Mirror Acrylic Flat Safety Mirror with Bevelled Edges

Bradley
AUSTRALIA.COM
I/No: 0674936 **Supplier Code:** 746-1840

Product Dimensions: 450mm W x 1000mm H x 3mm D **Warranty:** 1-year

Product Features:

- Surface mounted
- Lightweight 3mm Euromir Acrylic mirror
- Smooth corners and edges


[Click here for more product information](#)

*By clicking this link you are being taken to an external website.


[Home](#)

BATHROOM ACCESSORIES


Mirror 6mm Polycarbonate Frameless Smooth Round Corners

Bradley
AUSTRALIA.COM

I/No: N/A **Supplier Code:** 745-1840

Product Dimensions: 450mm W x 1000mm H x 6mm D **Warranty:** 1-year

Product Features:

- Surface mounted frameless mirror
- Strong, lightweight and shatter resistant
- Smooth corners and edges


[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

BATHROOM ACCESSORIES


Anti-ligature Surface Mounted Towel Hook Stainless Steel

Bradley
AUSTRALIA.COM
I/No: 0674904 **Supplier Code:** SA36

Product Dimensions: 110mm W x 110mm H **Warranty:** 1-year

Product Features:

- Anti-ligature Surface Mounted Towel Hook
- Hook releases with 9kgs of force
- Front fix
- Satin finish Stainless Steel


[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

BATHROOM ACCESSORIES

Antiligature Chase Mounted Towel Hook Stainless Steel

Bradley
AUSTRALIA.COM


I/No: 0674909 **Supplier Code:** SA35

Product Dimensions: 110mm W x 110mm H **Warranty:** 1-year



Product Features:

- Anti-ligature Chase Mounted Towel Hook
- Hook releases with 9kgs of force
- Rear Mounted
- Satin finish Stainless Steel



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

BATHROOM ACCESSORIES


Anti-ligature Recessed Toilet Tissue Holder Stainless Steel

Bradley
AUSTRALIA.COM
I/No: 0564043 **Supplier Code:** SA11

Product Dimensions: 185mm Diameter x 114mm D **Warranty:** 1-year

Product Features:

- Anti-ligature Washroom Solutions
- Recessed single toilet roll holder
- Colour: Satin
- Satin Finish Stainless Steel



**Click here for more
product information**

*By clicking this link you are being taken to an external website.

[Home](#)

BATHROOM ACCESSORIES


Anti-ligature Recessed Toilet Tissue Holder Stainless Steel

Bradley
AUSTRALIA.COM
I/No: 0662597 **Supplier Code:** SA12

Product Dimensions: 181mm W x 181mm H x 107mm D **Warranty:** 1-year

Product Features:

- Anti Ligature washroom solutions
- Recessed single toilet roll holder
- Front Mounted
- Colour: Satin
- Satin Finish Stainless Steel



**Click here for more
product information**

*By clicking this link you are being taken to an external website.

[Home](#)

BATHROOM ACCESSORIES

Anti-vandal Single Flap White Toilet Seat With Closed Front




I/No: 0650115 **Supplier Code:** WC-CSFSEAT

Product Dimensions: 24mm H x 365mm W x 465mm D **Warranty:** 5-year



Product Features:

- Single flap toilet seat
- White
- Features a closed front
- Disabled compliant



BATHROOM ACCESSORIES

Anti-vandal Single Flap Black Toilet Seat With Closed Front




I/No: 0650133 **Supplier Code:** WC-CSFSEAT-B

Product Dimensions: 24mm H x 365mm W x 465mm D **Warranty:** 5-year



Product Features:

- Single flap toilet seat
- Black
- Features a closed front
- Disabled compliant



BATHROOM ACCESSORIES

Anti-vandal Single Flap Blue Toilet Seat with Closed Front




I/No: N/A **Supplier Code:** WC-CSFSEAT-BL

Product Dimensions: 24mm H x 365mm W x 465mm D **Warranty:** 5-year



Product Features:

- Single flap toilet seat
- Blue
- Features a closed front
- Disabled compliant



KITCHEN AND LAUNDRY

INTRODUCTION

TAPWARE

SINKS

APPLIANCES

INTRODUCTION

The SDA Design Standard specifies the following requirements for Kitchens and Laundries in Robust builds*:

- Kitchen with a fixed cooktop with a rangehood, an in-built oven, a sink with tap and standard or drawer-style dishwasher
- D-pull cupboard handles located towards the top of below-bench cupboards and towards the bottom of overhead cupboards
- Kitchen benchtop and cabinetry to be made of robust materials
- Laundry with a sink or tub with taps

*The NDIS SDA Design Standard (SDA) must be consulted with respect to design and compliance requirements. The products presented in this catalogue also rely on correct installation to meet the requirements of AS1428.

TAPWARE

Sink Mixer Time Flow

paco jaansõn
stunning bathroom innovations


I/No: 0666114 **Supplier Code:** PJ-RBSM

Product Dimensions: 45mm W x 257mm D x 247mm H **Warranty:** 7-year



Product Features:

- Easy grip low-profile knurled handle
- Progressive Cartridge technology
- Accurate temperature and flow control in one simple rotation
- 4 Star-Wels 7.5 litres per minute



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

TAPWARE

Anti-vandal Sink Mixer




I/No: N/A **Supplier Code:** TM-SNKX

Product Dimensions: 145mm H x 53.5mm Diameter **Warranty:** 5-year



Product Features:

- 304 stainless steel construction
- Ergonomic design
- WELS: 6 Star Rating (3.0L/min) or 5 Star Rating (5.0L/min)
- Nominal Flow Rate (LPM): 3.00 or 4.71
- WaterMark: AS/NZS 3718
Lic. WM-021226
- Inlet: 1/2: BSP - Female Flexi Tail
- Outlet: Aerator
- Headworks: 40mm Ceramic Cartridge
- Working Pressure Range (kPa):
20 Min - 500 Max
- Working Temperature Range (°C):
5 Min - 80 Max



SINKS

Lirio Care Single Bowl Sink and Drainer

castano


I/No: 0508606 Supplier Code: SSLIRSBD800

Product Dimensions: 800mm L x 460mm D x 145mm H Warranty: 10-year



Product Features:

- Manufactured from 304 Stainless Steel
- 1.2mm Thickness
- 145mm deep
- Australian Watermark Strainer
- Australian Designed Product
- Reversible Top Mount Sink with 1 Taphole Side Landing
- Side tapware landing – tapware can be installed within 300mm of the front edge of the bench to increase accessibility
- Suitable for installations needing to comply with AS1428.2 Design for Access and Mobility



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)


SINKS

Lirio Care Single Bowl Sink

castano


I/No: 0508561 **Supplier Code:** SSLIRSB480

Product Dimensions: 480mm L x 460mm D x 145mm H **Warranty:** 10-year



Product Features:

- Manufactured from 304 Stainless Steel, 1.2mm Thick
- Reversible with Tap Landing On The Side
- R10 Internal Corners
- Brushed Stainless Finish
- 145mm Depth
- Suitable for installations that need to comply with AS1428.2.1992, Design for Access and Mobility
- Full Heat Pad On Underside Of Bowl For Protection From Heat Transfer



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

APPLIANCES

60cm Electric Side Opening Oven Reversible Door

euroappliances


I/No: 0267001 **Supplier Code:** E060SOSX

Product Dimensions: 595mm W x 595mm H x 546mm D **Warranty:** 3-year



Product Features:

- 8 multi functions
- 67Lt gross - 64Lt net capacity
- 120 minute cut-off timer
- Reversible door
- 1 set telescopic runners
- Cavity cooling system
- Triple glazed door
- Stylish black and stainless steel finish



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

APPLIANCES

60cm Ceran Electric Cooktop

euroappliances


I/No: 0378995 **Supplier Code:** ECT600CB

Product Dimensions: 590mm W x 520mm D **Warranty:** 3-year



Product Features:

- Smooth Ceran glass electric cooktop
- 4 rapid burner elements
- Side knob controls
- Total rated load: 6.0kW
- Variable temperature control
- Residual heat indicator
- Square edge design



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)


APPLIANCES

60cm Induction Cooktop

euroappliances


I/No: 0266943 **Supplier Code:** E60IDB

Product Dimensions: 580mm W x 510mm D **Warranty:** 3-year



Product Features:

- Easy clean Ceran glass
- 4 cooking zones including large central zone
- Front sensor touch operation control
- Total rated load: 7.4kW
- Over temperature safety device
- Overflow protection
- Flexi dual zone with bridge function
- Auto shutdown protection
- 9 heating levels with residual heat indicator
- Child lock function
- Square edge design



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

APPLIANCES

52cm Undermount Rangehood

euroappliances


I/No: 0349734 **Supplier Code:** EP52UMS2

Product Dimensions: 520mm W x 254mm H x 296mm D **Warranty:** 3-year



Product Features:

- Stainless steel finish
- 3 speed motor; 500m3/hr extraction capacity
- 2 x 1.5W LED lights
- Undermount non-visible rangehood
- Under push button control
- Dishwasher safe carbon filter: CF110 (requires 2)
- Decibel rating 48-59 dBA
- 150mm flue diameter



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

APPLIANCES

60cm Freestanding Dishwasher 12-place setting

euroappliances


I/No: 0132874 **Supplier Code:** EDV604SS

Product Dimensions: 598mm W x 845mm H x 600mm D **Warranty:** 3-year



Product Features:

- Stainless steel finish and slim panel design
- 12 place setting and height adjustable top basket
- 4 wash programs and extra dry function
- Concealed heating element
- Removable top cover
- Water consumption 10.2Lt
- Decibel rating 49 dBA
- 3 star energy rating
- 4.5 star water rating



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

APPLIANCES

Omega 60cm 5 Function Side-opening Oven - Right-hand side

omega


I/No: 0698993 **Supplier Code:** OBOS605MR

Product Dimensions: 594mm W x 569.5mm D x 594mm H **Warranty:** 5-year



Product Features:

- 5 Functions
- 75L Gross Oven capacity
- Plastic ergonomic easy grip knobs and fluted steel knobs
- 180° Side-opening door with right-hand side hinges
- Telescopic runners
- Minute Minder Timer
- Black Glass with Midnight Trim
- Black tinted triple glazed door
- Cavity cooling system



DIMENSIONS (MM)			MINIMUM INSIDE CAVITY (MM)	
A 594	B 594	C 569.5	W 595	D 560
D 26.5	E 567.5		H 595	

[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

APPLIANCES

Omega 60cm 5 Function Side-opening Oven - Left-hand side

omega


I/No: 0698988 Supplier Code: OBOS605ML

Product Dimensions: 594mm W x 569.5mm D x 594mm H Warranty: 5-year



Product Features:

- 5 Functions
- 75L Gross Oven capacity
- Plastic ergonomic easy grip knobs and fluted steel knobs
- 180° Side-opening door with left-hand side hinges
- Telescopic runners
- Minute Minder Timer
- Black Glass with Midnight Trim
- Black tinted triple glazed door
- Cavity cooling system



DIMENSIONS (MM)			MINIMUM INSIDE CAVITY (MM)	
A 594	B 594	C 569.5	W 595	D 560
D 26.5	E 567.5		H 595	

[Click here for more product information](#)


*By clicking this link you are being taken to an external website.

[Home](#)


APPLIANCES

Omega 60cm Induction Cooktop - Knob Controls

omega
I/No: 0698989 **Supplier Code:** OCI603KZCOM

Product Dimensions: 590mm W x 520mm D x 62mm H **Warranty:** 5-year

Product Features:

- 3 Cooking Zones; 9 Power Levels
- Durable EuroKera® Ceramic Glass - single piece
- Residual heat indicator
- 120 minute auto safety shut off
- Easy grip fluted steel control knobs
- 99 Minute Zone Timer
- Automatic Pan Detection


[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

APPLIANCES


Omega 60cm Ceramic Cooktop with Knob Controls

omega
I/No: 0698991 **Supplier Code:** OCC604KCOM

Product Dimensions: 590mm W x 520mm D x 55mm H **Warranty:** 5-year

Product Features:

- 4 Ceramic cooking zones
- 9 power levels
- Durable DiaCeram® Ceramic Glass
- Single piece of glass
- Automatic Safety Shut Off
- Child Safety Lock
- Midnight Fluted Steel Control Knobs


DIMENSIONS (MM)

A 590	B 520
C 55	

MINIMUM CUT-OUT (MM)

E 560	F 490
G 50	H 30

[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

APPLIANCES


Omega 52cm Undermount Rangehood (Button-less)

omega
I/No: 0638608 **Supplier Code:** ORU50PXL

Product Dimensions: 254mm H x 520mm W x 296mm D **Warranty:** 3-year

Product Features:

- Streamlined, Buttonless design
- 52cm undermount
- 3 × speed settings
- Stainless steel finish
- Aluminium mesh filter



DOORS AND DOOR HARDWARE

INTRODUCTION

INTERNAL DOORS

ENTRANCE DOORS

DOOR HARDWARE

AUTOMATED ACCESS

INTRODUCTION

The SDA Design Standard specifies the following door and door hardware requirements for Robust builds*:

- Doorways need to provide a minimum opening clearance of 820mm
- All internal doorways should have a level, step-free transition and threshold (maximum vertical tolerance of 3mm vertical or 5mm between abutting surfaces is allowable provided the lip is rounded or bevelled)
- Any Timber doors provided should be solid core.
- All glazed areas, glazed doors, and side lights should be laminated glass or polycarbonate resin thermoplastic material
- Doorways should have door handles installed at between 900mm to 1100mm above the finished floor level
- Products selected need to be durable and resilient with additional consideration required for resident's fixtures and fittings to be vandal-proof at minimum (low risk) or anti-ligature (med/high risk)

*The NDIS SDA Design Standard (SDA) must be consulted with respect to design and compliance requirements. The products presented in this catalogue also rely on correct installation to meet the requirements of AS1428.

INTERNAL DOORS

Flush Internal Door Primed MDF




I/No: 1973121 **Supplier Code:** H1

Product Dimensions: 2040mm H x 870mm W x 35mm D **Warranty:** 5-year



Product Features:

- Primecoat high-density honeycomb MDF core
- Pre-primed door ready to paint



**Click here for more
product information**

*By clicking this link you are being taken to an external website.

 [Home](#)

INTERNAL DOORS

Oakfield Internal Door




I/No: 1973155 **Supplier Code:** HC2

Product Dimensions: 2041mm H x 870mm W x 35mm D **Warranty:** 5-year



Product Features:

- High density honeycomb construction
- Moulded panel embossed MDF
- Woodgrain embossed pre-primed faces to both sides



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

ENTRANCE DOORS

Newington Door Entrance




I/No: 1973408 **Supplier Code:** XN5

Product Dimensions: 2040mm H x 870mm W x 40mm D **Warranty:** 5-year



Product Features:

- Solid core construction engineered for strength and stability
- Timeless design with laminated glass panel
- Duracote Tempered Hardboard
- Ready to paint



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

ENTRANCE DOORS

Urban Entrance Door



I/No: 2019248 **Supplier Code:** 045100

Product Dimensions: 2040mm H x 870mm W x 40mm D **Warranty:** 5-year



Product Features:

- Light weight, feature entry door
- Features CoriTech core construction
- External primed skin ready for painting

[Click here for more
product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

ENTRANCE DOORS

Door EXT Flush Solicore




I/No: 2010216 **Supplier Code:** SCX1

Product Dimensions: 2040mm H x 870mm W x 40mm D **Warranty:** 5-year



Product Features:

- Solid construction
- Pre Primed ready for paint
- Timber Stiles and rails
- Unique high density honeycomb core construction



**Click here for more
product information**

*By clicking this link you are being taken to an external website.

[Home](#)

DOOR HARDWARE

Gainsborough Neue Telo Passage Lever Set in Matt Black



I/No: 0501058 **Supplier Code:** 1905TELAMB

Product Dimensions: 50mm D x 65mm H x 148mm L **Warranty:** 10-year



Product Features:

- Return to face lever design
- Designed for access and mobility and meets DDA requirements
- Uses a standard 50-54mm cut-out
- Easy to install, with concealed fixing for a clean look

[Click here for more
product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

DOOR HARDWARE

Gainsborough Neue Telo Privacy Lever Set in Matt Black



I/No: 0501030 **Supplier Code:** 1915TELAMB

Product Dimensions: 50mm D x 65mm H x 148mm L **Warranty:** 10-year



Product Features:

- Return to face lever design
- Designed for access and mobility
- Privacy lever with an internal locking pin ensuring privacy where needed and an external emergency release for peace of mind
- Easy to install

[Click here for more
product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

DOOR HARDWARE

Gainsborough Neue Telo Passage Lever Set in Brushed Satin Chrome



I/No: 0501044 **Supplier Code:** 1905TELBSC

Product Dimensions: 50mm D x 65mm H x 148mm L **Warranty:** 10-year



Product Features:

- Return to face lever design
- Designed for access and mobility and meets DDA requirements
- Uses a standard 50-54mm cut-out
- Easy to install, with concealed fixing for a clean look

[Click here for more
product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

DOOR HARDWARE

Gainsborough Neue Telo Privacy Lever Set in Brushed Satin Chrome



I/No: 0501048 **Supplier Code:** 1915TELBSC

Product Dimensions: 50mm D x 65mm H x 148mm L **Warranty:** 10-year



Product Features:

- Return to face lever design
- Designed for access and mobility
- Privacy lever with an internal locking pin ensuring privacy where needed and an external emergency release for peace of mind
- Easy to install

[Click here for more
product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

DOOR HARDWARE

Schlage S7000 Series Alpha Lever #715 SSS




I/No: 4020828 Supplier Code: S7000/715SSS

Product Dimensions: 140mm L x 64mm D x 54mm H Warranty: 10-year



Product Features:

- Durable design
- Solid stainless steel handles and outer ring, die cast inner roses
- Faster, easier installation
- Built-in privacy push-button for quick installation and ease of use
- Sleek design
- Through bolts provide secure fixing, concealed by a classic round rose design
- Square outer rings available to suit all lever profiles



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

DOOR HARDWARE

Haro Passage Lever Stainless Steel

LEMAAR


I/No: 0555318 **Supplier Code:** 27001SSS

Product Dimensions: 75mm W x 65mm H x 135mm L **Warranty:** 12-year



Product Features:

- Passage latch: both levers are always unlocked
- Modern style
- Heavy duty functionality
- Suitable for Commercial and Domestic applications
- Stainless steel 316 grade
- 70mm backset
- Concealed fixings
- Fire-rated
- DDA Compliant AS1428.1
- Economical and Easy to install 54mm Face hole and 25mm latch bolt



DOOR HARDWARE

Haro Privacy Lever Stainless Steel

LEMAAR


I/No: 0555316 **Supplier Code:** 27002SSS

Product Dimensions: 75mm W x 65mm H x 135mm L **Warranty:** 12-year



Product Features:

- Left or right-handed
- Spacers included
- 54mm face hole
- 70mm backset from surface of door
- DDA compliant
- 316 marine grade stainless steel satin finish
- Fire-rated



DOOR HARDWARE

Gala Black Passage Set

LEMAAR

I/No: 0247093 **Supplier Code:** 28301BLK

Product Dimensions: 65mm W x 52mm H x 134mm L **Warranty:** 12-year



Product Features:

- DDA Compliant
- Fixed 60mm latch distance, not adjustable
- Black Satin chrome finish

DOOR HARDWARE

Gala Chrome Passage Set

LEMAAR

I/No: 0247094 **Supplier Code:** 28301SC

Product Dimensions: 65mm W x 52mm H x 134mm L **Warranty:** 12-year



Product Features:

- DDA Compliant
- Fixed 60mm latch distance, not adjustable
- Satin chrome finish



AUTOMATED ACCESS

2615 Series CAM Action Door Closer



I/No: 0318242 **Supplier Code:** 2615DASIL

Product Dimensions: 500mm L x 63mm D **Warranty:** 25-year



Product Features:

- Lockwood 2615 Series is a non-handed CAM Action Door Closer
- Light to open but still strong enough to close a door
- Can be adjusted to meet the requirements of a light door opening resistance and is ideal for both interior and exterior doors
- Adjustable closing force is high enough for heavy duty applications.
- Meets Design for Access and Mobility Standard (AS1428.1-2009)
- Covers right and left hand, pull side/ push side applications and also features an adjustable arm height

NB: Only required at participant request

[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

AUTOMATED ACCESS

5831 Low Energy Door Operator



I/No: 0696870 Supplier Code: 5831AUxNPB


Product Dimensions: 458mm L x 241mm D Warranty: 25-year



Product Features:

- Mounts on door
- No voltage / low voltage power to opening
- Includes stainless steel, weatherized RF push buttons
- Patented Auto-Tune ensures safety and compliance
- Non-handed
- Push and pull side mounting
- Adjustable open/closing force
- Controls doors up to 1200mm wide and weighing 110kg
- Functions like ordinary door closer when used manually
- Grade 1 - heavy-duty, commercial design

NB: Only required at participant request



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

AUTOMATED ACCESS

5831 Pull Side Conversion Kit

I/No: 0696869 Supplier Code: ADA1021

Product Dimensions: 368mm L x 216mm D Warranty: 25-year



Product Features:

- For doors requiring compliance to meet DDA
- To suit 5831 Low Energy Door Operator

NB: Only required at participant request



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

AUTOMATED ACCESS

5831 Touchless Wave-to-open Switch



ASSA ABLOY

I/No: N/A **Supplier Code:** ADA700

Product Dimensions: 75mm W x 120mm H (single) **Warranty:** 3-year



Product Features:

- To suit 5831 Low Energy Door Operator
- Wave-to-Open switch allows touch-free door opening
- Picks-up hand gestures within 100mm
- Can be installed to be AS1428.1 compliant

NB: Only required at participant request

[Click here for more
product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

ASSISTIVE TECHNOLOGY

INTRODUCTION

HOME AUTOMATION AND EMERGENCY POWER SOLUTIONS

INTRODUCTION

While not a requirement for Robust builds, assistive technology provides added safety and security for all occupants.*

*The NDIS SDA Design Standard (SDA) must be consulted with respect to design and compliance requirements. The products presented in this catalogue also rely on correct installation to meet the requirements of AS1428.

HOME AUTOMATION AND EMERGENCY POWER SOLUTIONS

Livigy Smart Home Assistive Technology Onsite Overnight Kit



I/No: 0676209 **Supplier Code:** SDA-OOA-KIT

Product Dimensions: N/A **Warranty:** 10-years Design Life, 5-year Battery

Image coming soon

Product Features:

- Wall-mount rack-to-house equipment
- Cloud managed networking (router, POE switch, Wi-Fi 6 access point)
- Patch cables and accessories
- Desktop phone
- Calling plan
- 24/7 phone / email support

FLOORING AND WALLING

INTRODUCTION

FLOOR TILES

VINYL FLOORING

INTRODUCTION

The Specialist Disability Accommodation (SDA) Design Standard specifies the following requirements for Robust builds*:

- All flooring for bathrooms, kitchens and laundries must be tested to a minimum slip resistance rating of P3 or R10
- Carpeting must meet a requirement of a maximum total height of 15mm

*The NDIS SDA Design Standard (SDA) must be consulted with respect to design and compliance requirements. The products presented in this catalogue also rely on correct installation to meet the requirements of AS1428.


FLOOR TILES

Cemento 400 x 400mm White Matte Ceramic Floor Tile

JohnsonTILES 

I/No: 0012634 **Supplier Code:** 714139

Product Dimensions: 400mm W x 400mm H x 8.4mm D **Warranty:** 10-year



Product Features:

- Ceramic indoor floor tile
- P4 slip rating
- Suitable for Bathroom, Entry, Kitchen, Laundry and Living floors

[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

 [Home](#)


FLOOR TILES

Cemento 400 x 400 Taupe Matte P4 Slip Rating

JohnsonTILES 

I/No: 0012635 **Supplier Code:** 714140

Product Dimensions: 400mm W x 400mm H x 8.4mm D **Warranty:** 10-year



Product Features:

- Ceramic indoor floor tile
- P4 slip rating
- Suitable for Bathroom, Entry, Kitchen, Laundry and Living floors

[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

 [Home](#)


FLOOR TILES

Cemento 400 x 400 Cement Matte P4 Slip Rating

JohnsonTILES 

I/No: 0012636 **Supplier Code:** 714141

Product Dimensions: 400mm W x 400mm H x 8.4mm D **Warranty:** 10-year



Product Features:

- Ceramic indoor floor tile
- P4 slip rating
- Suitable for Bathroom, Entry, Kitchen, Laundry and Living floors

[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

 [Home](#)


FLOOR TILES

Cemento 400 x 400mm Charcoal Matte Ceramic Floor Tile

JohnsonTILES 

I/No: 0122633 **Supplier Code:** 714142

Product Dimensions: 400mm W x 400mm H x 8.4mm D **Warranty:** 10-year



Product Features:

- Ceramic indoor floor tile
- P4 slip rating
- Suitable for Bathroom, Entry, Kitchen, Laundry and Living floors

[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

 [Home](#)

VINYL FLOORING

Virtuo Classic 55 XL Vinyl Plank Empire Blond

Gerflor

I/No: N/A **Supplier Code:** 1011

Product Dimensions: 230mm W x 1500mm L x 25mm D **Warranty:** 15-year



Product Features:

- Virtuo Classic 55 planks are designed for permanent, glued installation
- Dryback
- Realistic appearance
- Easy to Install
- R10 Slip Rating

[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

VINYL FLOORING

Virtuo Classic 55 XL Vinyl Plank Empire Clear

Gerflor

I/No: N/A **Supplier Code:** 1012

Product Dimensions: 230mm W x 1500mm L x 25mm D **Warranty:** 15-year



Product Features:

- Virtuo Classic 55 planks are designed for permanent, glued installation
- Dryback
- Realistic appearance
- Easy to Install

[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

VINYL FLOORING

Virtuo Classic 55 XL Vinyl Plank Astir Spotted Gum

Gerflor

I/No: N/A **Supplier Code:** 3003

Product Dimensions: 230mm W x 1500mm L x 25mm D **Warranty:** 15-year



Product Features:

- Virtuo Classic 55 planks are designed for permanent, glued installation
- Dryback
- Realistic appearance
- Easy to Install
- R10 Slip Rating

[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

ELECTRICAL

INTRODUCTION

SWITCHES

LIGHTING

INLINE EXHAUST FANS

INTRODUCTION

The SDA Design Standard specifies the following Electrical requirements for Robust builds*:

- Light and power outlet switches should be rocker action, toggle or push pad in design with a minimum width of 35mm
- Dimmable lighting switches should be provided in living areas and bedrooms
- Task lighting should be provided above workspaces. A minimum level of 300lux should be achieved when tested at maximum intervals of 1500mm, directly over the surface of the benchtops
- Recessed lighting fixtures should be provided

*The NDIS SDA Design Standard (SDA) must be consulted with respect to design and compliance requirements. The products presented in this catalogue also rely on correct installation to meet the requirements of AS1428.

SWITCHES

HPM Como Double Power Point White Square




I/No: 4332201 **Supplier Code:** CM777WE

Product Dimensions: 117.0mm W x 117.0mm H x 9.0mm D **Warranty:** 1-year



Product Features:

- Double powerpoint
- 10A 240V a.c.
- Plate Size: 114mm x 70mm
- Mounting Centres 84mm
- Colour: White
- Horizontal format
- Cut-out size: 95 x 90 mm
- Plate dimensions: 116 x 116mm
- Plate thickness: 8mm



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

SWITCHES

HPM Como Single Power Point White Square




I/No: 4332202 **Supplier Code:** CM787WE

Product Dimensions: 116.0mm W x 72.0mm H x 8.0mm D **Warranty:** 1-year



Product Features:

- Single powerpoint
- 10A 240V a.c.
- Mounting Centres 84mm
- Colour: Matt White
- Horizontal format
- Cut-out size: 95 x 50mm
- Plate dimensions: 116 x 72mm
- Plate thickness: 8mm



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

SWITCHES

HPM Como Single Gang Switch White




I/No: 4332199 **Supplier Code:** CM910/1HWE

Product Dimensions: 116.0mm W x 72.0mm H x 8.0mm D **Warranty:** 1-year

**Product Features:**

- Como Range - Switch
- Easy to see and use
- Customisable options available on this range
- Smooth switching action
- More fixing options - 4 corners
- Marked with red indicator line
- Cut-out size: 95 x 50mm
- Plate dimensions: 116 x 72mm
- Plate thickness: 8mm
- Horizontal format



**Click here for more
product information**

*By clicking this link you are being taken to an external website.

[Home](#)

SWITCHES

HPM Como Double Gang Switch White




I/No: 4332200 **Supplier Code:** CM920/2HWE

Product Dimensions: 116.0mm W x 72.0mm H x 8.0mm D **Warranty:** 1-year

**Product Features:**

- Como Range - Switch
- Easy to see and use
- Customisable options available on this range
- Smooth switching action
- More fixing options - 4 corners
- Marked with red indicator line
- Cut-out size: 95 x 50mm
- Plate dimensions: 116 x 72mm
- Plate thickness: 8mm
- Horizontal format



Click here for more product information

*By clicking this link you are being taken to an external website.

Home

LIGHTING

HPM Alina Recessed 90mm Downlight LED Tricolour




I/No: 0465345 **Supplier Code:** DLIE90TRIWE

Product Dimensions: 90mm Diameter **Warranty:** 5-year



Product Features:

- Light colour selector: Easily switch between Warm (3,000K), Cool (4,000K) and Natural (5,000K) light colour temperatures
- Suitable for low ceiling cavities
- High quality flame retardant plastic construction
- Integral dimmable driver compatible with most quality dimmers
- For optimum dimming performance we recommend HPM or Legrand dimmers
- IP44 rating suitable for outdoor undercover areas
- 2,500 V electrical surge protection
- IC-4 & IC-F insulation rating: This downlight can be fully covered and abutted by insulation material



Click here for more product information

*By clicking this link you are being taken to an external website.

[Home](#)

INLINE EXHAUST FANS

DETA Inline Exhaust Fan Kit




I/No: 0246590 **Supplier Code:** DIEF150

Product Dimensions: 150mm Diameter **Warranty:** 5-year

**Product Features:**

- 2 speed switch
- Ideal use for air extraction and air transfer
- Easy plug-in connection
- Strong air extraction up to 555m³ /h
- Fan includes flex and plugs



**Click here for more
product information**

*By clicking this link you are being taken to an external website.

Home

INLINE EXHAUST FANS

HPM Inline Exhaust Fan Kit



I/No: 4420560 **Supplier Code:** EFIL150SQWE

Product Dimensions: 150mm Diameter **Warranty:** 5-year

**Product Features:**

- 150mm Inline Exhaust Fan Kits
- Ideal use for air extraction and air transfer
- Plug-in connection with 2 speed switch
- Voltage: 230-240V a.c. 50Hz
- Power rating: 60W
- IP rating: IP55
- Draught stopper: Yes (PET Sheet)
- Air extraction: 555m³/h max
- Duct diameter: 150mm

[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

The background of the entire page is a terrazzo pattern, featuring a light cream or off-white base with numerous small, irregular chips of grey, blue, and orange stone or glass embedded throughout.

BATHROOM ADD-ON ACCESSORIES

INTRODUCTION

GRAB RAILS

SHOWER SEATS

**SHELVING
AND STORAGE**

The background of the entire page is a terrazzo pattern, featuring a light cream-colored base with numerous small, irregular chips of grey, blue, and orange stone or glass embedded throughout.

BATHROOM ADD-ON ACCESSORIES

INTRODUCTION

While not a requirement for Robust builds, add-on bathroom accessories such as shower seats and grab rails may be required, specific to the participants needs*.

*The NDIS SDA Design Standard (SDA) must be consulted with respect to design and compliance requirements. The products presented in this catalogue also rely on correct installation to meet the requirements of AS1428.

 [Home](#)

GRAB RAILS

Straight Anti-ligature Security Fixings Straight 600mm Stainless Steel

Bradley
AUSTRALIA.COM


I/No: 0662629 **Supplier Code:** SA72BP-001-24

Product Dimensions: 600mm W x 78mm H x 79mm D **Warranty:** 1-year



Product Features:

- Heavy duty satin finish stainless steel
- For places where ligature points are of concern



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

GRAB RAILS

Straight Anti-ligature Security Fixings Straight 900mm Stainless Steel

Bradley
AUSTRALIA.COM


I/No: 0662566 **Supplier Code:** SA72BP-001-36

Product Dimensions: 978.1mm W (900mm centres) x 78.1mm H x 79.1mm D **Warranty:** 1-year



Product Features:

- Heavy duty satin finish stainless steel
- For places where ligature points are of concern



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

GRAB RAILS

Straight Anti-ligature Security Fixings Straight 300mm Stainless Steel

Bradley
AUSTRALIA.COM


I/No: 4822865 Supplier Code: SA72BP-001-12

Product Dimensions: 300mm W x 78mm H x 79mm D Warranty: 1-year



Product Features:

- Heavy duty satin finish stainless steel
- For places where ligature points are of concern



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

GRAB RAILS

Angled Anti-ligature Security Fixings Stainless Steel

Bradley
AUSTRALIA.COM


I/No: 0674912 **Supplier Code:** SA72BP-006-AMB

Product Dimensions: 450mm L x 450mm H **Warranty:** 1-year



Product Features:

- Heavy duty satin finish stainless steel
- For places where ligature points are of concern



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

GRAB RAILS

Angled Anti-ligature Security Fixings Left-hand Stainless Steel

Bradley
AUSTRALIA.COM


I/No: 0674915 Supplier Code: SA72BP-006

Product Dimensions: 950mm L x 600mm H Warranty: 1-year



Product Features:

- Heavy duty satin finish stainless steel
- For places where ligature points are of concern



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

GRAB RAILS

Angled Anti-ligature Security Fixings Right-hand Stainless Steel

Bradley
AUSTRALIA.COM


I/No: 0674938 **Supplier Code:** SA72BP-005

Product Dimensions: 950mm L x 600mm H **Warranty:** 1-year



Product Features:

- Heavy duty satin finish stainless steel
- For places where ligature points are of concern



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

SHOWER SEATS

Anti-ligature Shower Seat

Bradley
AUSTRALIA.COM


I/No: 0662570 **Supplier Code:** SA96

Product Dimensions: 1060mm W x 400mm H x 395mm D **Warranty:** 1-year



Product Features:

- Stainless steel tubing
- Satin finish stainless steel
- Surface mounted
- Free of ligature points
- Seat surface area is 960 mm to suit accessible requirements



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

SHELVING AND STORAGE

Anti-ligature Recessed Shelf Stainless Steel

Bradley
AUSTRALIA.COM


I/No: 0662590 **Supplier Code:** SA46

Product Dimensions: 200mm W x 300mm H x 75mm D **Warranty:** 1-year



Product Features:

- Anti-ligature Recessed Shelf
- Heavy Duty design
- Satin Glass blasted stainless Steel finish



SHELVING AND STORAGE

Anti-ligature Security Shelf

Bradley
AUSTRALIA.COM


I/No: 0662572 **Supplier Code:** SA49

Product Dimensions: 406mm W x 65mm H x 102mm D **Warranty:** 1-year



Product Features:

- Surface mounted security shelf
- Satin Finish 304 grade Stainless Steel



[Click here for more product information](#)

*By clicking this link you are being taken to an external website.

[Home](#)

Contact us for all your business needs

Phone

134 Trade

Email

sda@bunnings.com.au

Visit

trade.bunnings.com.au/products/assisted-living

trade.bunnings.com.au/about-us/sda-solutions