



Surfmist model shown

Add-A-Line

2.4m

A full family sized clothes line with two folding frames.

100% Australian made using Australian materials and labour

Cords are easily tightened using Patented Tension Lock

Large double folding frame suitable for a large family

Frames may be used independently and both frames fold down

Pre-assembled side arms allow for easy DIY

Front bar length may be reduced during installation to fit smaller space

Graduated line spacing allows for a variety of washing:
wide spaces 130mm, narrow spaces 65mm

Assembled dimensions: 2490mm x 1500mm x 240mm

Carton dimensions: 1550mm x 250mm x 105mm

Add-A-Line


Colour	Fineline	APN	VPN
Surfmist	0074747	9315384000753	ADDSM
Classic Cream	4510523	9315384000012	ADDCC
Dune	0225210	9315384001415	ADDDUN
Woodland Grey	4510522	9315384000005	ADDWG
Monument	0225209	9315384001392	ADDMON

Compatible Products

Mounting Options	See page
Ground Mount Kit – 2.4m (for soil installations)	15
Ground Mount Kit Plated – 2.4m (for hard surface installations)	16



Number of People



Line Space



Area Required




Dimensions



Weight




Number of Lines



Easily Folds Down



Available Separately



Fold Down Clothes Lines



A large range to suit any requirement

Austral's Fold Downs have more line space for greater drying flexibility. The range offers a variety of lengths and depths and when closed, have 6-8cm side profiles. Fold Downs have bent tubular steel front corners for strength and reliability.

Features and Benefits

Pre-assembled side arms

BlueScope® Galvabond® Steel

9 models to choose from

Easy DIY installation

Length easily reduced

Patented Tension Lock

Colours

- Surfmist
- Classic Cream
- Dune
- Woodland Grey
- Monument

COLORBOND® steel and colour names and™ colour names are trademarks of BlueScope® Steel Limited. Not all products are available in all colours (see individual product information for colours available).

Mounting Options

Fold Down Wall Mounts

Patented Tension Lock.

No structural plastic components.

Masonry and timber fixings supplied:

4x 14g (Ø6.3mm) x 50mm screws and 4 x 8mm wall plugs.

Required for masonry:

Safety glasses, hammer drill and 8mm masonry bit.

For timber: Drill and 4mm bit.

Materials required:

Phillips screwdriver or bit, spirit level, tape measure, knife and pencil.

Reduce Fold Down length:

Grinder or hacksaw and safety glasses.

Fold Downs may be reduced in length to fit a smaller space. Please refer to Installation Instructions.

Please seek advice if fixing to alternative surfaces.

Fold Down Ground Mount Kits

Available in 3.3m, 2.4m and 1.3m lengths in standard and plated post options (for hard surface fixing).

The posts are multi punched to allow flexible height adjustment for Fold Downs.

Ground Mount Kits (for soil installations):

Standard Ground Mount Kits include 2 posts, back bar and post fittings.

Ground Mount Kits Plated (for hard surface installations):

Plated Ground Mount Kits include 2 plated posts, back bar and upper post fittings.

6mm Plates are welded onto base of Posts prior to powder coating.

Please refer to pages 15-16 for included and required fixings, tools and materials.



Ground Mount Kit Options

Ground Mount Kits are available as standard Ground Mount Kits for soil installations, or as Plated Ground Mount Kits for hard surface fixing i.e. cement slab, decking etc. if structurally sound.

Each Post Kit contains 2 Posts, a supporting Back Bar and Fasteners to secure Austral Fold Down

Plated Ground Mount Kits are suitable for hard surface fixing

Multi-punched Posts allow for flexible height adjustment

Ideal for DIY installations

Perfect for retirement and tenanted facilities

Builder installations – where resident's height is unknown

3.3m Ground Mount Kits

For use with:

Compact 39 (see page 5)

Slenderline 20 (see page 6)

2.4m Ground Mount Kits

For use with:

Add-A-Line (see page 7)

Standard (see page 8)

Compact (see page 9)


Slenderline 16 (see page 10)

1.3m Ground Mount Kits

For use with:

Unit Line (see page 11)

Please note: Ground Mount Kits may be reduced in length to fit a smaller space. Please refer to the Installation Instructions for further information.



Ground Mount Kit



Plated Ground Mount Kit

Ground Mount Kits: In-ground installations

Post Dimension: 2370mm x 50mm x 25mm

Fittings Supplied:

2x M6x90mm bolts, 2x M6x60mm bolts, 8x M6x16mm washers, 4x M6 nuts.

You will require:

For In-Ground Posts: Concrete mix, shovel, bucket, 2x 10mm spanners/sockets, spirit level, tape measure, knife, pencil.

To reduce length: Grinder or hacksaw and safety glasses

Ground Mount Kit – 3.3m (for soil installations)

Carton dimensions: 2450mm x 165mm x 35mm

For use with: Compact 39, Slenderline 20

Colour	Fineline	APN	VPN
Surfmist	0074759	9315384000869	GMKSL20SM
Classic Cream	4510547	9315384000210	GMKSL20CC
Dune	0225240	9315384001521	GMKSL20DUN
Woodland Grey	4510546	9315384000203	GMKSL20WG
Monument	0225234	9315384001347	GMKSL20MON



Ground Mount Kit – 2.4m (for soil installations)

Carton dimensions: 2450mm x 140mm x 35mm

For use with: Add-A-Line, Standard, Compact, Slenderline 16

Colour	Fineline	APN	VPN
Surfmist	0074755	9315384000821	GMKSM
Classic Cream	4510538	9315384000135	GMKCC
Dune	0225238	9315384001484	GMKDUN
Woodland Grey	4510537	9315384000128	GMKKG
Monument	0225231	9315384001323	GMKMON



Ground Mount Kit – 1.3m (for soil installations)

Carton dimensions: 2450mm x 140mm x 35mm

For use with: Unit Line

Colour	Fineline	APN	VPN
Surfmist	0074757	9315384000845	GMKUNSM
Classic Cream	4510542	9315384000173	GMKUNCC
Dune	0225236	9315384001507	GMKUNDUN
Woodland Grey	4510541	9315384000166	GMKUNWG
Monument	0225229	9315384001545	GMKUNMON



Ground Mount Kits – Plated: Hard surface installations

Plated Post Dimension:

Post: 1860mm x 50mm x 25mm Plate: 100mm x 150mm x 6mm

Fittings Supplied:

2x M6x90mm bolts, 2x M6x60mm bolts, 8x M6x16mm washers, 4x M6 nuts.

You will require:

For Plated Posts: 8x M6 galvanised masonry screws/screw bolts (min. embedment 45mm), 8x M6 galvanised washers, safety glasses, hammer drill, 6mm masonry bit, packers (if sloped ground), 2x 10mm spanners/sockets, spirit level, tape measure, knife, pencil.

Note: For larger M8 fixings use 8mm masonry bit & 13mm spanners. Refer to Manufacturer's TDS (Technical Data Specifications) for further information.

To reduce length: Grinder or hacksaw and safety glasses

Ground Mount Kit Plated – 3.3m (for hard surface installations)

Carton dimensions: 2500mm x 170mm x 120mm

For use with: Compact 39, Slenderline 20

Colour	Fineline	APN	VPN
Surfmist	0074760	9315384000876	GMKSL20PLSM
Classic Cream	4510549	9315384000234	GMKSL20PLCC
Dune	0225241	9315384001538	GMKSL20PLDUN
Woodland Grey	4510548	9315384000227	GMKSL20PLWG
Monument	0225235	9315384001408	GMKSL20PLMON




Ground Mount Kit Plated – 2.4m (for hard surface installations)

Carton dimensions: 2500mm x 170mm x 120mm

For use with: Add-A-Line, Standard, Compact, Slenderline 16

Colour	Fineline	APN	VPN
Surfmist	0074756	9315384000838	GMKPLSM
Classic Cream	4510540	9315384000159	GMKPLCC
Dune	0225239	9315384001491	GMKPLDUN
Woodland Grey	4510539	9315384000142	GMKPLWG
Monument	0225232	9315384001330	GMKPLMON



Ground Mount Kit Plated – 1.3m (for hard surface installations)

Carton dimensions: 2500mm x 170mm x 120mm

For use with: Unit Line

Colour	Fineline	APN	VPN
Surfmist	0074758	9315384000852	GMKUNPLSM
Classic Cream	4510545	9315384000197	GMKUNPLCC
Dune	0225237	9315384001514	GMKUNPLDUN
Woodland Grey	4510543	9315384000180	GMKUNPLWG
Monument	0225230	9315384001552	GMKUNPLMON

