

### **Product Statement**




The DUH606 is a compact, lightweight hedge trimmer designed for precision hedge trimming. The Brushless motor provides runtime up to 70 minutes on a single charge and weighing only 3.1kg, its ideal for long periods of use with minimal fatigue.

With a 20mm max cutting diameter and 600mm blade length it is versatile for a wide range of hedging applications and the dual handed safety switch reduces the risk of injury by keeping hands away from the blades.



## **Product Overview**





## **Product Specification Sheet**





Strokes per minute	4,000spm	
Blade length	600mm	
Max. branch diameter	20mm	
Noise	77dB	
Overall length	1,015mm	
Skin Weight	2.5kg	
Weight (with Battery)	3.1kg (BL1860B)	
Voltage	18V	

- **Lightweight Design** Only 3.1kg with battery allows for use for long periods of time without fatigue.
- **Brushless Motor** Efficient motor provides approx. 70 minutes with BL1860B.
- **Angled Teeth** Provides a 20mm maximum cutting diameter and effective branch introduction into cutting area.
- **Safety Switch** Allows for a comfortable grip in any position to maintain two hands on the unit.
- **Electric Brake** Stops the blade quickly after releasing trigger for added safety.
- Constant Speed Control Maintains speed of cutting under load for smooth controlled cutting.
- Aluminium Guide Bar Reduces overall weight of blade assembly to improve balance.

# Advantages



#### **Power**



4,000 strokes per minute for fast, smooth cutting

#### **Safety**



Front handle safety switch can be gripped from multiple angles

#### **Efficiency**



Angled teeth for effective branch entry into cutting area

#### **Ergonomic**



Lightweight design allows for long periods of use with minimal fatigue

# **Our Range**



	DUH523	DUH606 - NEW	DUH602	DUH751	DUH752
		J. J	S. Robert B. Commission of the	No. of the last of	Servent and the servent and th
Strokes per minute	2,700	4,000	0 -2,000 0-3,600 0-4,400	0 -2,000 0-3,600 0-4,400	0 -2,000 0-3,600 0-4,400
Blade length	520mm	600mm	600mm	750mm	750mm
Max. branch diameter	15mm	20mm	21.5mm	23.5mm	21.5mm
Continuous runtime BL1860B	150 minutes	70 minutes	45 minutes	40 minutes	40 minutes
Overall length	938mm	1,015mm	1,121mm	1,261mm	1,261mm
Skin Weight	2.3kg	2.5kg	3.9kg	3.9kg	3.9kg
Weight (with Battery)	3.3kg (BL1860B)	3.1kg (BL1860B)	4.5kg (BL1860B)	4.5kg (BL1860B)	4.5kg (BL1860B)
Voltage	18V	18V	18V	18V	18V

# Accessories



Standard Accessories		
TERPTONIL	Blade Cover	412911-1