

HEATSTRIP® 



SPECIAL
ORDERS

Outdoor Heating



Available at
BUNNINGS
warehouse

Take This Brochure to the Special Orders Desk to place an order



HEATSTRIP® Classic

Premium quality, stylish & slimline electric radiant heaters perfect for protected outdoor and indoor applications.

FEATURES

- Electric radiant heater ideal for your protected alfresco area, pergola, verandah, cafe or difficult to heat indoor area
- Stylish, sleek, unobtrusive design with black front profile
- Corrosion protected for even the toughest environment
- Easy DIY installation for 2 models and multiple mounting options
- 2 year residential warranty and 1 year commercial warranty
- Efficient, cost-effective heating providing gentle warmth

TABLE LAYOUT



RH180 THH2400A THH3200A 2 x RH180 THH2400A THH3200A

Materials of Construction

High temperature ceramic coated extruded alloy. IP55 Rated.
RH180 rated IPX4 with 1 Year warranty

MODEL	Bunnings Item No.	RUNNING COSTS	POWER (watts)	CURRENT (amps)	DIMENSIONS (LxWxD)mm	WEIGHT (kgs)	LEAD LENGTH (mm)	PLUG	HEATING AREA (m ²)	Status
RH180	3171295	45c/hr	1800	7.5	1104x165x48	6	1000	Yes	3-4	Stocked
THH2400A	3170733	60c/hr	2400	10	1364x165x48	7	1000	Yes	4-5	Stocked
THH3200A	3170734	80c/hr	3200	13.3	1774x165x48	9	1000	No	5-6	Stocked

*Running costs based on \$0.25/kWh. Heating area is for a protected outdoor site.



Not actual size

HEATSTRIP® Elegance with remote

With superior technology & style, world-leading design and unique "off-white" colour, the new HEATSTRIP Elegance with remote will blend in with the white ceiling in your alfresco area.

FEATURES

- Electric radiant outdoor heater
- Slimline design and "off-white" colour
- Electric radiant outdoor heater, ceiling or wall mounted
- Corrosion-resistant for most environments
- Ideal for your protected outdoor alfresco area or indoor area
- 2 year residential warranty and 1 year commercial
- 3200W, must be installed by licensed electrician

TABLE LAYOUT



THE3200R THE3200R 2 x THE3200R THE3200R THE3200R

Materials of Construction

High temperature off-white ceramic coated extruded alloy. IP55 Rated.

MODEL	Bunnings Item No.	RUNNING COSTS	POWER (watts)	CURRENT (amps)	DIMENSIONS (LxWxD)mm	WEIGHT (kgs)	LEAD LENGTH (mm)	PLUG	HEATING AREA (m ²)	Status
THE3200R	0098297	80c/Hr	3200	13	1710x170x42.7	9	1000	No	5-6	Special Order

*Running costs based on \$0.25/kWh. Heating area is for a protected outdoor site.



Remote control included

Not actual size

HEATSTRIP® Intense

The new HEATSTRIP Intense Wall/Ceiling mounted electric infra-red heaters are a modern and attractive outdoor heating solution. The high temperature output of the HEATSTRIP Intense is perfect for outdoor sites, high ceilings and hard to heat indoor and outdoor applications. With black and off-white models available, these heaters can blend into a white ceiling, or be a feature to any outdoor area.



FEATURES

- Ideal for undercover protected and semi-exposed outdoor locations
- Easy DIY installation for 2200W unit
- High quality construction with a new hexagonal grille
- Carbon filament infra-red heating element provides high performance instant heat
- 2 year residential and 1 year commercial warranty.

Materials of Construction

High temperature ceramic coated extruded alloy. IPX5 Rated.

MODEL	Bunnings Item No.	RUNNING COSTS	POWER (watts)	CURRENT (amps)	DIMENSIONS (LxWxD)mm	WEIGHT (kgs)	COLOUR	LEAD LENGTH (mm)	PLUG	HEATING* AREA (m²)	Status
THY2200	0027423	55c/hr	2200	9.2	1068x120x90	6	Black	1000	Yes	5-9	Special order
THY2200W	0098298	55c/hr	2200	9.2	1068x120x90	6	Off-white	1000	Yes	5-9	Special order

*Running costs based on \$0.25/kWh. Heating area for an enclosed outdoor area/semi protected area.



HEATSTRIP® Intense Portable

The HEATSTRIP Intense electric heater is the classy and redefined solution for when a portable, easy DIY electric heating is required. Incorporating a sleek and robust stand with a 2200W HEATSTRIP Intense heater, it is ideal for spot heating of tables, lounges, entertaining areas and workstations, suitable for both indoor and outdoor applications.

FEATURES

- Ideal for indoor and outdoor use. In-built wheels for easy portability and storage.
- Heater includes a high performance carbon filament electric infra-red element, providing instant heat.
- Components are sub-assembled for easy final DIY installation, with a fully concealed power cable
- High quality, robust, all black construction, with new hexagonal heater grille
- 2 year residential and 1 year commercial warranty

Materials of Construction

Heater: High temperature ceramic coated extruded alloy. IPX5 rated
Stand: E-coated mild steel with powder coat finish

MODEL	Bunnings Item No.	RUNNING COSTS	POWER (watts)	CURRENT (amps)	DIMENSIONS (LxWxD)mm	WEIGHT (kgs)	HEATING* AREA (m²)	INSTALLATION	Status
THY2200P	0027424	55c/hr	2200	9.2	1068x2050x500	20	5-9	Supplied with lead & plug DIY	Special order

*Running costs based on \$0.25/kWh. Heating area for a semi protected and enclosed outdoor area.



Mounting Options - Electric Heaters




	<p>Ceiling Mounts</p> <p>Wall Mount</p>	<p>Chain/Wire Suspension*</p>	<p>Flush Mount Enclosure</p>	<p>Extension Mount Bracket</p>
	Using Standard Bracket (*Chain not included)		Flush Mount Enclosure Optional Accessories	Extension Mount Bracket Optional Accessories
CLASSIC	3171584 (Included with heater)		3170740 (for RH180) 3170741 (for THH2400A) 3170742 (for THH3200A)	3170745 (300mm) 3170748 (900mm) 3170746 (600mm) 3170749 (1200mm)

Mounting accessories are available for other Heatstrip heater models, please contact the Special Order Desk for more information

Which product do I need?

APPLICATION	ELEGANCE (THE-R)	CLASSIC (THH-A)	INTENSE (THY)
Outdoor Heating – undercover, well protected area with ceiling height less than 2.7m (alfresco, verandah, café)	✓	✓	✓
Outdoor Heating – undercover, well protected area with ceiling height from 2.7m to 3.0m (alfresco, verandah, café)			✓
Outdoor Heating – exposed area (alfresco, café, verandah, balcony)			✓
Indoor Insulated areas – commercial (classrooms, offices, nursing homes, hospitals) residential (shed, garage etc)	✓	✓	
Indoor Open Insulated areas requiring spot heating - factory, halls, warehouse, workshop, shed, garage, sports facility	✓	✓	✓

Mounting Heights



Mounted directly overhead is preferred and provides maximum coverage



Angled mounting from the wall or ceiling is possible with the standard bracket, however the heating area is reduced

Optional Controllers

DIY (TT-MTR-PLUG)

TT-MTR-PLUG timer switch provides an easy DIY installation and remote control of plug-in heaters.

- Plug-in DIY timer switch
- On/Off function with LED indicators
- Automatic timer – 1 / 2 / 4 hour options
- Remote control included
- Max. 10 amps, can be used with all heaters 2400W or less



Product No.	Bunnings Item No.	Status
TT-MTR-PLUG	3171309	Special Order

HARDWIRED (TT-MTM)

TT-MTM wall mounted controller and remote control provides ON/OFF control, 3 heat options and timer settings.

- On/Off function with LED indicators
- Suitable for operation of single or multiple heaters
- 3 Heat settings - High / Medium / Low
- Automatic timer control - 1/2/4 hour options
- Must be hard-wired. Maximum 16 amps direct wired capacity
- Suitable for use with HEATSTRIP Classic range.



Product No.	Bunnings Item No.	Status
TT-MTM	3170737	Stocked



Thermofilm Australia Pty Ltd. 17 Johnston Court, Dandenong South, Victoria 3175, Australia.
p: (613) 9562 3455 | e: sales@thermofilm.com.au | www.heatstrip.com.au



9 334038 002899

BUNNINGS 02/2017/RV1