Green Care Floor Cleaner Pascoe's Pty. Ltd.

Chemwatch: **5441-73** Version No: **2.1.1.1** Safety Data Sheet according to WHS and ADG requirements Chemwatch Hazard Alert Code: 2

Issue Date: 10/12/2020 Print Date: 10/12/2020 S.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	Green Care Floor Cleaner
Chemical Name	Not Applicable
Synonyms	1L+5L
Chemical formula	Not Applicable
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Floor Cleaner.
Relevant identified uses	Use according to manufacturer's directions.

Details of the supplier of the safety data sheet

Registered company name	Pascoe's Pty. Ltd.
Address	40-46 Fairfield St Fairfield East NSW 2165 Australia
Telephone	+61 1800 065 326
Fax	Not Available
Website	http://www.pascoes.com.au/
Email	info@pascoes.com.au

Emergency telephone number

Association / Organisation	CHEMWATCH EMERGENCY RESPONSE
Emergency telephone numbers	+61 2 9186 1132
Other emergency telephone numbers	+61 1800 951 288

Once connected and if the message is not in your prefered language then please dial 01

SECTION 2 Hazards identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	Not Applicable	
Classification ^[1]	Irritation Category 2A	
Legend:	1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	

Label elements

Hazard pictogram(s)	
Signal word	Warning
Hazard statement(s)	
nazaru statement(s)	
Hazard etatomont(e)	
H319 Supplementary statement(s)	Causes serious eye irritation.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
Not Available	5-7	enzyme blend.
68439-46-3	1-1.5	alcohols C9-11 ethoxylated
5324-84-5	0.5-1	1-octanesulfonic acid sodium salt
Not Available	>90	Ingredients determined not to be hazardous

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	 If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	 If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances. In such an event consider:

foam.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.	
Advice for firefighters		
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. 	
	 The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers. 	
Fire/Explosion Hazard	Decomposes on heating and produces toxic fumes of: carbon dioxide (CO2) sulfur oxides (SOx) other pyrolysis products typical of burning organic material. May emit poisonous fumes. May emit corrosive fumes.	
HAZCHEM	Not Applicable	

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite.
Major Spills	Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling	
Safe handling	 DO NOT allow clothing wet with material to stay in contact with skin Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

Suitable container	 Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	None known

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

Emergency Limits

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
Green Care Floor Cleaner	Not Available	Not Available	Not Available	Not Available
Ingredient	Original IDLH		Revised IDLH	
alcohols C9-11 ethoxylated	Not Available		Not Available	
1-octanesulfonic acid sodium salt	Not Available		Not Available	

Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
alcohols C9-11 ethoxylated	E	≤ 0.1 ppm
1-octanesulfonic acid sodium salt	E	≤ 0.01 mg/m³
Notes:	Occupational exposure banding is a process of assigning chemicals into s adverse health outcomes associated with exposure. The output of this pro range of exposure concentrations that are expected to protect worker hea	ocess is an occupational exposure band (OEB), which corresponds to a

Exposure controls

	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.
Appropriate engineering	The basic types of engineering controls are:
controls	Process controls which involve changing the way a job activity or process is done to reduce the risk.
	Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically
	"adds" and "removes" air in the work environment.

Personal protection	
Eye and face protection	 Safety glasses with side shields. Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.
Skin protection	See Hand protection below
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber NOTE: The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact. Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care.
Body protection	See Other protection below
Other protection	 Overalls. P.V.C apron. Barrier cream. Skin cleansing cream.

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

Green Care Floor Cleaner

Material	CPI
BUTYL	A
NEOPRENE	A
VITON	А
NATURAL RUBBER	С
PVA	С

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Required minimum protection factor	Maximum gas/vapour concentration present in air p.p.m. (by volume)	Half-face Respirator	Full-Face Respirator
up to 10	1000	A-AUS / Class1 P2	-
up to 50	1000	-	A-AUS / Class 1 P2
up to 50	5000	Airline *	-
up to 100	5000	-	A-2 P2
up to 100	10000	-	A-3 P2
100+			Airline**

* - Continuous Flow ** - Continuous-flow or positive pressure demand A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

- Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Clear, Green, water-thin liquid with characteristic odou	r; miscible with water.	
Physical state	Liquid	Relative density (Water = 1)	0.95-1.05
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	5-7	Decomposition temperature	Not Available

Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

ALCOHOLS C9-11

ETHOXYLATED

oxidization products also cause irritation.

has ever been reported.

Information on toxicological effects The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an Inhaled occupational setting. Not normally a hazard due to non-volatile nature of product The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of Ingestion corroborating animal or human evidence There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons. Open cuts, abraded or irritated skin should not be exposed to this material Skin Contact Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. Eye This material can cause eye irritation and damage in some persons. Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal Chronic models); nevertheless exposure by all routes should be minimised as a matter of course. TOXICITY IRRITATION Green Care Floor Cleaner Not Available Not Available TOXICITY IRRITATION Dermal (rabbit) LD50: >2000 mg/kg^[2] Eye (human): SEVERE Dermal (rabbit) LD50: >5000 mg/kg^[2] Eye: adverse effect observed (irritating)^[1] alcohols C9-11 ethoxylated Skin: no adverse effect observed (not irritating)^[1] Oral (rat) LD50: 1378 mg/kg^[2] Oral (rat) LD50: 2700 mg/kg^[2] Skin: SEVERE IRRITATION TOXICITY 1-octanesulfonic acid sodium Not Available Eye: adverse effect observed (irreversible damage)^[1] salt Skin: adverse effect observed (corrosive)^[1] Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances Somnolence, ataxia, diarrhoea recorded. Polyethers (such as ethoxylated surfactants and polyethylene glycols) are highly susceptible to being oxidized in the air. They then form complex mixtures of oxidation products.

Animal testing reveals that whole the pure, non-oxidised surfactant is non-sensitizing, many of the oxidation products are sensitisers. The

Humans have regular contact with alcohol ethoxylates through a variety of industrial and consumer products such as soaps, detergents and other cleaning products. Exposure to these chemicals can occur through swallowing, inhalation, or contact with the skin or eyes. Studies of acute toxicity show that relatively high volumes would have to occur to produce any toxic response. No death due to poisoning with alcohol ethoxylates

Continued...

Chemwatch: 5441-73
Version No: 2.1.1.1

	Both laboratory and animal testing has shown that there cancer. No adverse reproductive or developmental effect Tri-ethylene glycol ethers undergo enzymatic oxidation cause depressed reflexes, flaccid muscle tone, breathir The material may produce severe irritation to the eye ca produce conjunctivitis. The material may cause severe skin irritation after prolo- production of vesicles, scaling and thickening of the skin	cts were observed. to toxic alkoxy acids. They may irritate ng difficulty and coma. Death may resi ausing pronounced inflammation. Rep ponged or repeated exposure and may	e the skin and the eyes. At high oral doses, they may ult in experimental animal. eated or prolonged exposure to irritants may produce on contact skin redness, swelling, the
1-OCTANESULFONIC ACID SODIUM SALT	Asthma-like symptoms may continue for months or ever known as reactive airways dysfunction syndrome (RAD criteria for diagnosing RADS include the absence of pre asthma-like symptoms within minutes to hours of a doci airflow pattern on lung function tests, moderate to sever lymphocytic inflammation, without eosinophilia. Secondary alkyl sulfonate anionic surfactants (SAS) are of causing serious damage to eyes. Sub-chronic exposi- oral ingestion. No significant acute toxicological data ide	S) which can occur after exposure to evious airways disease in a non-atopic umented exposure to the irritant. Other re bronchial hyperreactivity on methac e readily absorbed after oral administra- ure revealed no adverse effects. There entified in literature search.	high levels of highly irritating compound. Main c individual, with sudden onset of persistent er criteria for diagnosis of RADS include a reversible choline challenge testing, and the lack of minimal ation. They can cause skin irritation and are at risk
	For alkyl sulfates; alkane sulfonates and alpha-olefin su Most chemicals of this category are not defined substar biological pathways result in structurally similar breakdo environmental behavior and essentially identical hazaro Acute toxicity: These substances are well absorbed afte chemicals are distributed mainly to the liver. In animals, signs of poisoning by mouth include letharg from skin contact caused irritation, tremor, tonic-clonic of	nces, but mixtures of homologues with own products, and are, together with the d profiles with regard to human health. er ingestion; penetration through the si y, hair standing up, decreased motor a	he surfactant properties, responsible for similar kin is however, poor. After absorption, these activity and breathing rate, and diarrhea. Poisoning
Acute Toxicity	Most chemicals of this category are not defined substar biological pathways result in structurally similar breakdo environmental behavior and essentially identical hazaro Acute toxicity: These substances are well absorbed after chemicals are distributed mainly to the liver. In animals, signs of poisoning by mouth include letharg	nces, but mixtures of homologues with own products, and are, together with the d profiles with regard to human health. er ingestion; penetration through the si y, hair standing up, decreased motor a	he surfactant properties, responsible for similar kin is however, poor. After absorption, these activity and breathing rate, and diarrhea. Poisoning
Acute Toxicity Skin Irritation/Corrosion	Most chemicals of this category are not defined substar biological pathways result in structurally similar breakdo environmental behavior and essentially identical hazaro Acute toxicity: These substances are well absorbed after chemicals are distributed mainly to the liver. In animals, signs of poisoning by mouth include letharg from skin contact caused irritation, tremor, tonic-clonic of	nces, but mixtures of homologues with own products, and are, together with til d profiles with regard to human health. er ingestion; penetration through the s y, hair standing up, decreased motor a convulsions, breathing failure, and wei	he surfactant properties, responsible for similar kin is however, poor. After absorption, these activity and breathing rate, and diarrhea. Poisoning ight loss.
· · · · ·	Most chemicals of this category are not defined substar biological pathways result in structurally similar breakdo environmental behavior and essentially identical hazaro Acute toxicity: These substances are well absorbed after chemicals are distributed mainly to the liver. In animals, signs of poisoning by mouth include letharg from skin contact caused irritation, tremor, tonic-clonic of	nces, but mixtures of homologues with own products, and are, together with ti d profiles with regard to human health. er ingestion; penetration through the s y, hair standing up, decreased motor a convulsions, breathing failure, and wei Carcinogenicity	he surfactant properties, responsible for similar kin is however, poor. After absorption, these activity and breathing rate, and diarrhea. Poisoning ight loss.
Skin Irritation/Corrosion	Most chemicals of this category are not defined substar biological pathways result in structurally similar breakdo environmental behavior and essentially identical hazaro Acute toxicity: These substances are well absorbed after chemicals are distributed mainly to the liver. In animals, signs of poisoning by mouth include lethargy from skin contact caused irritation, tremor, tonic-clonic of X	nces, but mixtures of homologues with own products, and are, together with ti d profiles with regard to human health. er ingestion; penetration through the s y, hair standing up, decreased motor a convulsions, breathing failure, and wei Carcinogenicity Reproductivity	he surfactant properties, responsible for similar kin is however, poor. After absorption, these activity and breathing rate, and diarrhea. Poisoning ight loss.

Data entries not available to make classification

SECTION 12 Ecological information

Toxicity

Green Care Floor Cleaner	Endpoint	Test Duration (hr)	Species	V	alue	Source
	Not Available	Not Available	Not Available		ot vailable	Not Available
	Endpoint	Test Duration (hr)	Species	Value		Source
alcohols C9-11 ethoxylated	LC50	96	Fish	-6-12mg/	′L	4
	EC50	48	Crustacea	-2.217-3.523mg/L		4
	EC50	96	Algae or other aquatic plants	1.4mg/L		2
	NOEC	240	Fish	0.16mg/L		2
	Endpoint	Test Duration (hr)	Species	Valu	ue	Source
1-octanesulfonic acid sodium salt	LC50	96	Fish	>10	0mg/L	2
	EC50	48	Crustacea	421mg/L		2
	EC50	72	Algae or other aquatic plants	Algae or other aquatic plants >100mg/L		2
	NOEC	1	Not Available	21.6	628-mg/L	4

V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
1-octanesulfonic acid sodium salt	HIGH	HIGH

Bioaccumulative potential

Ingredient	Bioaccumulation
1-octanesulfonic acid sodium salt	LOW (LogKOW = 1.056)

Mobility in soil

Ingredient	Mobility
1-octanesulfonic acid sodium	LOW (KOC = 38.04)

Ingredient	Mobility
salt	

SECTION 13 Disposal considerations

Waste treatment methods	
Product / Packaging disposal	Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. A Hierarchy of Controls seems to be common - the user should investigate:

SECTION 14 Transport information

Labels Required	
Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

alcohols C9-11 ethoxylated is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

1-octanesulfonic acid sodium salt is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

National Inventory Status

National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	Yes
Canada - DSL	Yes
Canada - NDSL	No (alcohols C9-11 ethoxylated; 1-octanesulfonic acid sodium salt)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	No (alcohols C9-11 ethoxylated)
Japan - ENCS	No (alcohols C9-11 ethoxylated)
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	Yes
Taiwan - TCSI	Yes
Mexico - INSQ	Yes
Vietnam - NCI	Yes
Russia - ARIPS	No (alcohols C9-11 ethoxylated)
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

Revision Date	10/12/2020
Initial Date	10/12/2020

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit。 IDLH: Immediately Dangerous to Life or Health Concentrations OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.