
Specialist Disability Accommodation (SDA) **Robust Design Product Solutions**





Helping business is our trade.

Your partner for Specialist Disability Accommodation (SDA) solutions

The Bunnings Commercial team is here to service you from the front gate to the back fence. We are committed to bringing you the most trusted brands that specialise in products tailored specifically for individuals living with a disability and supportive of Specialist Disability Accommodation (SDA). Across all building stages we've got you covered for your SDA Robust projects.

With over 130 years of supplying building and hardware solutions, Bunnings can supply everything from timber frames and trusses, to flooring, joinery, kitchens, appliances, commercial grade windows, façades, plumbing, lighting and more to cover all elements of an SDA Robust design. We're much more than a supplier, we're your partner. In addition to all the specialist products required for an SDA build we can supply:




Heating, Cooling and Ventilation
 Hot Water solutions
 Outdoor Timber
 Fencing
 Fasteners and Fixings

© Bunnings Group Limited August 2024

The information contained in this publication is intended for qualified and experienced building professionals, is of a general nature, and draws information from the NDIS Specialist Disability Accommodation Design Standard (Edition 1.1 Issue Date 25 October 2019) as a guide only. See below for details. It does not take into account individual circumstances, objectives or applicable requirements at law or otherwise. You should not act on the basis of or rely on this information without checking that the information is still current, satisfying yourself the solutions and products proposed meet your or your client's specific needs and where applicable, obtaining advice from a suitably qualified professional. Any claims of product compliance, including with respect to the applicable Australian Standards or suitability in terms of meeting the NDIS Specialist Disability Accommodation Design Standard have been provided by our product suppliers and have not been independently verified by Bunnings. Installation is your responsibility unless Bunnings agrees to supply and manage installation for applicable products, such as joinery and flooring. Photos used in this publication are for illustrative purposes only and products that are available for sale may vary. Some products listed may not be available for immediate purchase.

The NDIS Specialist Disability Accommodation Design Standard (Edition 1.1 Issue Date 25 October 2019 <u>www.ndis.gov.au/sda</u>) licensed by the National Disability Insurance Agency (NDIA) under a Creative Commons Attribution 4.0 International Licence CC BY 4.0 has been used in the creation of this publication. The information in this publication is considered accurate at the time of publishing.



Leading Brands

3monkeez®

3monkeez supply commercial stainless steel plumbing products that have become the trusted choice for plumbers and builders nationwide. Known for their durability and premium quality, their products are designed with the needs of high-use environments in mind. Equipped with all necessary certifications and backed by ISO9001 certification, you can install 3monkeez products with confidence, knowing they'll meet the rigorous demands of assisted living projects.



Galvin Engineering is a 4th generation, family owned and operated, Australian manufacturing company and master distributor. They have assisted in the design and delivery of hundreds of Mental Health and Robust Housing projects of all types over the last 90 years and have extensive experience in providing specialised tapware and bathroom solutions.

For the past 60 years, Bradley Australia have manufactured and supplied a comprehensive range of high-quality, competitively priced accessible washroom accessories across a variety of industries. Their products all comply with the relevant codes including AS1428. Durability, design and attention to detail, combined with easy installation, make choosing Bradley not just the right choice for your project but for your business and bottom line.





ENVIRONMENTAL, SOCIAL AND GOVERNANCE AT BUNNINGS

Responsible sourcing

At Bunnings, we're committed to ensuring the products we sell, come from legal and sustainable operations, with good working conditions and fair treatment of people. As such, we continue to pursue sustainability by striving to make them socially responsible, environmentally aware and economically viable.

Sustainability

We are also committed to helping customers live more sustainably, and we are proud of the role we play in supporting local communities to make a positive difference. We recognise that our business plays an important role in reducing carbon emissions and addressing climate change. We have a comprehensive roadmap in place to reduce our energy consumption and to transition towards using more renewable energy sources.

In our Community

Bunnings is committed to participating in the communities in which we operate by contributing to local, regional and national causes, charities and organisations throughout Australia and New Zealand. We provide ongoing assistance to a wide range of local community groups including schools, sporting clubs and service clubs.



For full details on our responsible sourcing, sustainability or community commitments click here

Robust Design Standard

Specialist Disability Accommodation (SDA) with the design category of **Robust** is specifically designed to cater for people who require an environment resilient to high impact behaviours, and provides a safe space for both the residents, and the community.

These accommodations are constructed using resilient, but inconspicuous materials to reduce the risk of injury, minimise neighbourhood disturbances, and cope with heavy use. They will also include features such as secure windows, doors, walls and soundproofing. The design also takes into consideration the need for reduced stimuli, which is beneficial for people who may have behavioural concerns.

Robust SDA homes are not only durable, but they also incorporate elements that are easy to clean and maintain, ensuring longevity and a consistent living environment. The goal of Robust SDA is to provide a living space that supports independence while ensuring the safety and well-being of its occupants. It's a thoughtful convergence of durability, functionality, and design, intended to create a harmonious environment that respects the needs of individuals, ultimately contributing to their quality of life and community integration.

When building to the SDA Robust standards, additional consideration will need to be given to the selection of many materials and products, including:

- Flooring and wall coverings
- Lighting and soundproofing
- Door and window furniture and locks
- Front-of-wall plumbing, tapware and bathroom accessories
- Anti-Ligature and vandal-proof fixtures and fittings
- · Safety glass and window coverings
- Joinery and benchtops
- Appliances



PRODUCT CATEGORIES

BATHROOM

KITCHEN AND LAUNDRY

DOORS AND DOOR HARDWARE


ASSISTIVE TECHNOLOGY

FLOORING AND WALLING

ELECTRICAL

BATHROOM ADD-ON ACCESSORIES

The NDIS SDA Design Standard (SDA) must be consulted with respect to design and compliance requirements. The products presented in this catalogue also rely on correct installation to meet the requirements of AS1428.





INTRODUCTION

The SDA Design Standard specifies the following requirements for Bathrooms in Robust builds^{*}:

- Use of high impact/vandal proof fittings and fixtures
- Inclusion of a toilet, a shower and a hand wash basin

The NDIS SDA Design Standard (SDA) must be consulted with respect to design and compliance requirements. The products presented in this catalogue also rely on correct installation to meet the requirements of AS1428.




TOILETS

Anti-ligature Solid Surface Floor Mount Toilet White, Black Seat



I/No: N/A Supplier Code: CWC-155W-AST-AUS Product Dimensions: 405mm W x 446mm H x 702mm D Warranty: 5-year





- Anti-ligature design to reduce the potential for self-harm (except when used with hinged seat)
- Highly robust which prevents breakages
- Shrouded waste (S and P trap compatible)
- Concealed through-wall services and fixings
- WC pan made as one piece without joins
- Highly polished finish for ease of cleaning
- Easily renewable surface without a gel coat layer




TOILETS

Stainless Steel Close Coupled Toilet Suite



I/No: N/A Supplier Code: SPPL.TP.CC1.S Product Dimensions: 367mm L x 650mm D x 980mm H Warranty: 1-year





Click here for more product information

'By clicking this link you are being taken to an external website.

- Smooth hydraulically formed radius to outer and inner edges provide safety and user comfort
- Formed stainless seat provides superior comfort, hygiene and strength
- Secure flushing device access cover fastened with Torx security screws
- Engineered flushing rim prevents hiding of contraband while allowing free flow of flush water
- Stainless steel construction provides superior strength, superior hygiene and long service life




TOILETS

Safe Ensuite Anti-ligature/Anti-vandal Toilet - Standard Height Solid Surface



I/No: N/A Supplier Code: SPPL.SE.TP.F.010 Product Dimensions: 465mm W x 210mm H x 305mm D Warranty: 1-year





Click here for more product information

By clicking this link you are being taken to an external website.

- Constructed from GRP moulded High Performance impact resistant material with polyester gel coat formulated to resist chemicals and ultra violet rays
- Water efficient 4 litre flush
- Domestic aesthetics
- Vandal and ligature resistant
- · Hygienic non-porous surface
- · Concealed rear waste outlet
- Large trap to reduce blockages
- Warm to the touch surface, eliminates 'icy shock'
- Fixing kit for walls up to 150mm thick provided



TOILETS

Stainless Steel Toilet Pan Standard Height



I/No: N/A Supplier Code: TP.3.S Product Dimensions: 367mm W x 700mmD x 400mm H Warranty: 1-year



Product Features:

- 2mm heavy duty (1000kg) load carrying capacity
- Plumbing and fixing points are concealed for security and vandal resistance
- Access to plumbing is via side access panels
- Anti-contraband flushing rim

Click here for more product information

'By clicking this link you are being taken to an external website.




TOILETS

Stainless Steel Close Coupled Extra Height toilet suite



I/No: 0676642 Supplier Code: SPPL.TP.CC2.D Product Dimensions: 367mm W x 800mm D x 1067mm H Warranty: 1-year





- Smooth hydraulically formed radius to outer and inner edges provide safety and user comfort
- Formed stainless seat provides superior comfort, hygiene and strength
- Optional Thermoplastic seat can be added
- Access compliant back rest included
- Engineered flushing rim prevents hiding of contraband while allowing free flow of flush water
- Stainless steel construction provides superior strength, superior hygiene and long service life
- Powder coated to colour of choice optional






TOILETS

Stainless Steel Toilet Pan Extra Height



I/No: 0676641 Supplier Code: TP3.D Product Dimensions: 367mm W x 800mm D x 460mm H Warranty: 1-year



- Concealed plumbing and fixing points for security and vandal resistance
- Access to plumbing is via side access panels
- Anti-contraband flushing rim
- Seat has smooth radius to both outer and inner edges for safety and comfort and has a self draining seat surface for improved hygiene
- · Smooth radius corners for safety
- Compatible with either flush valve or in wall cistern (ordered separately)
- Powder coated to colour of choice optional
- Access compliant




TOILETS

Safe Ensuite Toilet Suite Accessible Height Solid Surface



I/No: 0676639 Supplier Code: SPPL.SE.TP.F.011 Product Dimensions: 400mm W x 510mm D x 480mm H Warranty: 1-year





- Constructed from GRP moulded High Performance impact resistant material with polyester gel coat formulated to resist chemicals and ultra violet rays
- Access Height model
- Water efficient 4 litre flush
- Domestic aesthetics
- Vandal and ligature resistant
- Hygienic non-porous surface
- Concealed rear waste outlet
- Large trap to reduce blockages




TOILETS

Pedestal Pan Toilet P Trap



I/No: 0650114 Supplier Code: WC-SSPP-D Product Dimensions: 420mm H x 335mm W x600mm D Warranty: 5-year





Click here for more product information

By clicking this link you are being taken to an external website.

- Compatible with 3monkeez[®] Dual Flush Cistern - AB-CIS-DF-2 or 3monkeez[®] Pull Chain Cistern - AB-CIS-PC
- · Easy to retrofit
- · Simple installation
- Radius edges
- Satin finish
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery
- · Solid Strong moulded seat
- 50mm height
- Locking stability buffers
- Supplied with 50mmH Seat Suit Height Required for AS1428




TOILETS

Pedestal Pan Toilet S Trap



I/No: 0650123 Supplier Code: WC-SSPS-D Product Dimensions: 420mm H x 335mm W x 600mm D Warranty: 5-year





Click here for more product information

By clicking this link you are being taken to an external website.

- Compatible with 3monkeez[®] Dual Flush Cistern - AB-CIS-DF-2 or 3monkeez[®] Pull Chain Cistern - AB-CIS-PC
- · Easy to retrofit
- · Simple installation
- Radius edges
- Satin finish
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery
- · Solid strong moulded seat
- 50mm height
- Locking stability buffers
- Supplied with 50mmH Seat Suit Height Required for AS142



TOILETS


Ambulant Pan Toilet P Trap



I/No: 0650110 Supplier Code: WC-SSAP Product Dimensions: 440mm H x 370mm W x 650mm D Warranty: 5-year



- Suitable for ambulant applications
- No ligature points
- Available in P trap or S trap
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel







TOILETS


Ambulant Pan Toilet S Trap

3monkeez°

I/No: 0650119 Supplier Code: WC-SSAS Product Dimensions: 440mm H x 370mm W x 650mm D Warranty: 5-year



- Suitable for ambulant applications
- No ligature points
- Available in P trap or S trap
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel







TOILETS

Disabled Pan Toilet P Trap


3monkeez°

I/No: 0650120 Supplier Code: WC-SSDP Product Dimensions: 420mm H x 370mm W x 600mm D Warranty: 5-year



Product Features:

- Suitable for disabled applications
- No ligature points
- Available in P trap or S trap
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel



Click here for more product information

'By clicking this link you are being taken to an external website.



TOILETS

Disabled Pan Toilet S Trap




I/No: 0650131 Supplier Code: WC-SSDS Product Dimensions: 420mm H x 370mm W x 600mm D Warranty: 5-year



Product Features:

- Suitable for disabled applications
- No ligature points
- Available in P trap or S trap
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel



Click here for more product information

'By clicking this link you are being taken to an external website.




TOILETS

Close Coupled Ambulant Toilet Suite - P Trap



I/No: 0650156 Supplier Code: WC-SSACCP Product Dimensions: 845mm H x 470mm W x 650mm D Warranty: 5-year





Click here for more product information

'By clicking this link you are being taken to an external website.

- Suitable for ambulant applications; AS1428 Compliant
- No ligature points and concealed fixings
- P trap
- Radius edges
- Inbuilt dual flush cistern
- Adjustable inlet and outlet valves for setting the required flush volume
- 2mm 304 grade satin finish stainless steel




TOILETS

Close Coupled Ambulant Suite - S Trap



I/No: 0650130 Supplier Code: WC-SSACCS Product Dimensions: 845mm H x 470mm W x 650mm D Warranty: 5-year





Click here for more product information

'By clicking this link you are being taken to an external website.

- Suitable for ambulant applications; AS1428 Compliant
- No ligature points and concealed fixings
- S trap
- Radius edges
- · Inbuilt dual flush cistern
- · Adjustable inlet and outlet
- valves for setting the required flush volume
- 2mm 304 grade satin finish stainless steel



TOILETS

Close Coupled Disabled Toilet Suite P Trap



I/No: 0650143 Supplier Code: WC-SSDCCP Product Dimensions: 845mm H x 480mm W x 800mm D Warranty: 5-year



Front

Click here for more product information

'By clicking this link you are being taken to an external website.

- No ligature points and concealed fixings
- P trap
- AS1428 Compliant
- · Inbuilt dual flush cistern
- Adjustable inlet and outlet valves for setting the required flush volume
- 2mm 304 grade satin finish stainless steel with radius edges



TOILETS

Close Coupled Disabled Toilet Suite S Trap




I/No: 0650099 Supplier Code: WC-SSDCCS Product Dimensions: 845mm H x 480mm W x 800mm D Warranty: 5-year



Product Features:

- No ligature points and concealed fixings
- S trap
- AS1428 Compliant
- · Inbuilt dual flush cistern
- Adjustable inlet and outlet valves for setting the required flush volume
- 2mm 304 grade satin finish stainless steel with radius edges



Click here for more product information

'By clicking this link you are being taken to an external website.



TOILETS

Disabled Compliant Dual Flush Cistern - Bottom Entry




I/No: 0650102 Supplier Code: AB-CIS-DCDF Product Dimensions: 315mm H x 457mm W x 195mm D Warranty: 5-year



Product Features:

- AS1428 compliant
- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Constructed from high quality 1.2mm 304 grade stainless steel
- Reversible inlet valve suits left or right
- 50mm BSP outlet



Click here for more product information

By clicking this link you are being taken to an external website.



TOILETS

Disabled Compliant Dual Flush Cistern - Left Side Entry




I/No: 0650126 Supplier Code: AB-CIS-DCDF-SE-L Product Dimensions: 316mm H x 457mm W x 195mm D Warranty: 5-year



Product Features:

- AS1428 compliant
- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Constructed from high quality 1.2mm 304 grade stainless steel
- Reversible inlet valve suits left or right
- 50mm BSP outlet



Click here for more product information

By clicking this link you are being taken to an external website.



TOILETS

Disabled Compliant Dual Flush Cistern - Right Side Entry



I/No: 0650100 Supplier Code: AB-CIS-DCDF-SE-R Product Dimensions: 316mm H x 457mm W x 195mm D Warranty: 5-year



Product Features:

- AS1428 compliant
- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Constructed from high quality 1.2mm 304 grade stainless steel
- Reversible inlet valve suits left or right
- 50mm BSP outlet

Click here for more product information

'By clicking this link you are being taken to an external website.



TOILETS

Anti-vandal Wall Faced Toilet Pan




I/No: N/A Supplier Code: WC-SSWFP Product Dimensions: 400mm H x 370mm W x 680mm L Warranty: 5-year



Product Features:

- No ligature points
- Suitable for use with an in wall cistern
- P trap
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel



Click here for more product information

'By clicking this link you are being taken to an external website.




TOILETS

In-wall Cistern



I/No: N/A Supplier Code: CIS-IWFA Product Dimensions: N/A Warranty: 5-year





Click here for more product information

'By clicking this link you are being taken to an external website.

- Suits 3monkeez® pedestal and wall faced toilet pans
- One piece tank manufactured from HDPE
- 80mm depth
- Operating pressure 10-1000kPa
- 3 star WELS



TOILETS

Anti-vandal Inwall Cistern Flush Plate



I/No: N/A Supplier Code: 656504 Product Dimensions: 215mm L x 145mm H Warranty: 2-year



- Dual Flush
- Vandal Proof
- Anti-ligature
- Actuation force <20N
- 2mm thickness






TOILETS

Anti-vandal Inwall Pneumatic Dual Flush Cistern and Security Flush Plate



I/No: N/A Supplier Code: FD.CI.IW.PRF Product Dimensions: N/A Warranty: 1-year





Click here for more product information

'By clicking this link you are being taken to an external website.

- Dual flush cistern has Watermark License and WELS 4 star rating for efficient 4.5L/3L or 6/3L dual flush
- Cistern has Watermark License in accordance with AS1172.2
- High vandal resistant flushing option
- Satin finish stainless steel back plate with stainless steel buttons
- Pairs with all WELS approved toilets



TOILETS

In Wall Cistern Dual Button Flush Plate


3monkeez°

I/No: N/A Supplier Code: CIS-IWFA-BD Product Dimensions: N/A Warranty: 5-year



Product Features:

- S-IWFA-BD
- AS1428 compliant
- Mechanical dual flush plate
- Round buttons
- Vandal resistant
- Metal construction
- Stainless steel and chrome finish



Click here for more product information

'By clicking this link you are being taken to an external website.




BASINS

Anti-ligature Solid Surface Wall Mount Basin



I/No: N/A Supplier Code: SHB-05W-NT Product Dimensions: 470mm W x 380mm D Warranty: 5-year





- Robust single piece basin without joins
- Front fixed
- Shroud available to protect services with a wide range of activation and controls available
- Highly polished finish for ease of cleaning
- Easily renewable surface without a gel coat layer
- 0-tap hole






BASINS

Stainless Steel Security Wash Basin



I/No: 0676638 Supplier Code: SPPL.WB.SR2 Product Dimensions: 460mm W x 460mm H x 340mm D Warranty: 1-year





Click here for more product information

By clicking this link you are being taken to an external website.

- Concealed plumbing and fixings for vandal resistance
- Front edge is rounded with a smooth radius for user safety
- Water conserving security bubbler controls water flow
- Low profile dome bubbler and wedge provides ligature resistant security
- Manual button options are positioned on the side of the unit
- Electronic button options are positioned on the side of the unit
- Electronic button can be interfaced with building water management control systems



BASINS


Safe Ensuite Basin Single Outlet Solid Surface



I/No: 0676640 Supplier Code: SPPL.SE.WB.IS.125 Product Dimensions: 450mm W x 300mm D x 374mm H Warranty: 1-year



- Constructed from GRP moulded High Performance impact resistant material with polyester gel coat formulated to resist chemicals and ultra violet rays
- Moulded impact resistant
- · Moulded soap shelves
- Vandal and ligature resistant
- No sensor model








BASINS

Disabled Compliant Hand Basin - Round

3monkeez°

I/No: 0650118 Supplier Code: HBD-R Product Dimensions: 450mm W x 400mm H x 470mm D Warranty: 5-year





Click here for more product information

'By clicking this link you are being taken to an external website.

- AS1428 compliant
- 9 litre capacity
- Constructed from 1.2m 304 grade stainless steel
- Satin finish
- 40mm outlet Suits PW40 & SSBW-40
- Access panel with vandal resistant screws
- · Concealed plumbing and trap
- Suits compact P trap installation
- Left, right or centre tap holes on request




BASINS

Disabled Compliant Hand Basin - Square



I/No: 0650121 Supplier Code: HBD-S Product Dimensions: 350mm H x 500mm W x 450mm D Warranty: 5-year





Product Features:

- · AS1428 compliant
- 3.5 litre capacity
- Constructed from 1.2mm 304 grade stainless steel
- 300mm diameter bowl
- Satin finish
- 50mm splashback
- 40mm outlet Suits PW40 & SSBW-40
- Vandal resistant screws
- · Concealed plumbing and trap
- Suits compact P trap installation
- Left, right or centre tap holes on request





BASINS


Solid Surface Basin



I/No: N/A Supplier Code: 106.30.20.03 Product Dimensions: 500mm W x 170mm H x 420mm D Warranty: 3-year



- 1 Taphole
- No Overflow
- Vitreous China
- Note: Accessories not included








TAPWARE

Anti-ligature Shower Head Wall Mount Stainless Steel



I/No: N/A Supplier Code: 121.33.64.00 Product Dimensions: 63mm W x 84mm H Warranty: 5-year





- Anti-ligature (minimises hiding of contraband, suicide and self-harm risk)
- Designed for maximum protection against vandalism
- Constructed from heavy duty components and comes complete with special tamper resistant screws
- For use with high pressure plumbing systems between 150 & 500kPa
- Special consideration may be required when used with low water pressure systems and components
- Chrome plate finish




TAPWARE

Anti-ligature Shower Head Ceiling Mount Stainless steel



I/No: N/A Supplier Code: 121.70.10.00 Product Dimensions: 150mm W x 150mm H Warranty: 5-year





- Anti-ligature features
- Vandal Resistant
- 7LPM constant flow restrictor
- Front fixing
- Minimises hiding of contraband
- Minimises suicide risk
- Minimises self-harm risk
- Chrome plate finish for easy cleaning and added durability
- WELS: 4 Star Rating (7L/min)
- Nominal Flow Rate (LPM): 6.6
- WaterMark: AS/NZS 3662 Lic. WMK26191





TAPWARE

Anti-ligature Progressive Shower Mixer Wall Mount



I/No: N/A Supplier Code: 100.50.76.02 Product Dimensions: 188mm Diameter Warranty: 5-year





- Manufactured using Lead Safe[™] DZR Brass with less than 0.25% lead content^{*}
- Has a unique thermal disinfection bypass feature (kit sold separately)
- Reduces risk of Legionella growth by mixing water close to point of discharge and minimising stagnant warm water
- Minimises dirt build up and is fast and easy to clean due to its smoother internal and external design
- Can be set to a thermostatically controlled water temperature of 48°C
- All servicing and commissioning can be done without removing the device. Easy accessible isolators help to minimise the time for commissioning and maintenance
- Rapid shut down in event of cold or water supply failure






TAPWARE

Anti-ligature Shower Set



I/No: N/A Supplier Code: 121.51.13.03 Product Dimensions: 85mm H x 63mm D x 64.5mm L Warranty: 5-year





- Anti-ligature design
- Anti-rotation pin
- Easy to grip handle
- Machined identification button
- Vandal resistant design
- High quality chrome finish for easy cleaning and hygiene maintenance
- Australian Made
- WaterMark: AS/NZS 3718 Lic. WMKA0034






TAPWARE

Anti-vandal/Anti-ligature Basin Mixer



I/No: N/A Supplier Code: TM-BASX Product Dimensions: 145mm H x 53.5m Diameter Warranty: 5-year





- 304 stainless steel construction
- Ergonomic design
- WELS: 6 Star Rating (4.0L/min) or 5 Star Rating (6.0L/min)
- Nominal Flow Rate (LPM): 3.80 or 5.88
- WaterMark: AS/NZS 3718 Lic. WM-021226
- Inlet: 1/2" BSP Female Flexi Tales
- Outlet: Aerator
- Headwork: 40mm Ceramic Cartridge
- Working Pressure Range (kPa): 50 Min - 500 Max
- Working Temperature Range (°C): 5 Min - 80 Max





TAPWARE

Basin Mixer Time Flow


paco jaanson

I/No: 0666110 Supplier Code: PJ-RBBM Product Dimensions: 53mm W x 155mm D x 175mm H Warranty: 7-year



Product Features:

- Minimalist Basin Mixer Tap
- Heavyweight Solid Brass Construction
- Stylish Chrome Plated Finish
- Knurl handle for better grip
- 5 Star Wels 5 Litres Per Minute
- Water Mark Approved



Click here for more product information




TAPWARE

Robust Anti-ligature Shower Outlet


paco jaanson

I/No: 0666119 Supplier Code: PJ-RBSH Product Dimensions: 65mm W x 42.5mm D x 65mm H Warranty: 7-year



Product Features:

- Anti-ligature minimalist Shower Outlet
- Heavyweight Solid Brass Construction
- Stylish Chrome Plated Finish
- Water Mark Approved
- 15 Years Limited Manufacturers Warranty
- 3 Star Wels 8 Litres Per Minute



Click here for more product information



TAPWARE

Wall Mixer Time Flow


paco jaanson

I/No: 0666114 Supplier Code: PJ-RBWM Product Dimensions: 63mm W x 105mm D x 63mm H Warranty: 7-year



Product Features:

- Minimalist Wall Mixer Tap
- Heavyweight Solid Brass Construction
- Stylish Chrome Plated Finish
- Knurl Handle For Better Grip
- Water Mark Approved



Click here for more product information



TAPWARE

Anti-vandal Shower Chrome




I/No: N/A Supplier Code: JTV22CH Product Dimensions: 60mm H x 158mm D Warranty: 20-year



Product Features:

- Durable chromed brass construction
- Simple, secure fixing system
- Anti-vandal construction
- WELS 3 Star, 8L/min. S15650







BATHROOM ACCESSORIES


Anti-ligature Floor Grate Assembly 100mm x 100mm



I/No: N/A Supplier Code: 303070X Product Dimensions: 100mm Diameter Warranty: 5-year



- Stainless steel construction
- Tamper resistant screws
- Complies with AS 3996 to Class A
- Unique dual ring design to maximise drainage
- WaterMark: WMTS 040 Lic. WMK02448








BATHROOM ACCESSORIES

Mirror Polished Stainless Steel



I/No: 0674952 Supplier Code: 748-1840 Product Dimensions: 450mm W x 1000mm H x 6mm D Warranty: 1-year



Product Features:

- Surface mounted
- Stainless steel
- Unbreakable
- Architectural bright polished No. 8






BATHROOM ACCESSORIES

Mirror Acrylic Flat Safety Mirror with Bevelled Edges




I/No: 0674936 Supplier Code: 746-1840 Product Dimensions: 450mm W x 1000mm H x 3mm D Warranty: 1-year



Product Features:

- Surface mounted
- Lightweight 3mm Euromir Acrylic mirror
- Smooth corners and edges



Click here for more product information



BATHROOM ACCESSORIES

Mirror 6mm Polycarbonate Frameless Smooth Round Corners




I/No: N/A Supplier Code: 745-1840

Product Dimensions: 450mm W x 1000mm H x 6mm D Warranty: 1-year



Product Features:

- Surface mounted frameless mirror
- Strong, lightweight and shatter resistant
- Smooth corners and edges



Click here for more product information



BATHROOM ACCESSORIES

Anti-ligature Surface Mounted Towel Hook Stainless Steel




I/No: 0674904 Supplier Code: SA36 Product Dimensions: 110mm W x 110mm H Warranty: 1-year



Product Features:

- Anti-ligature Surface Mounted Towel Hook
- Hook releases with 9kgs of force
- Front fix
- Satin finish Stainless Steel



Click here for more product information



BATHROOM ACCESSORIES

Antiligature Chase Mounted Towel Hook Stainless Steel




I/No: 0674909 Supplier Code: SA35 Product Dimensions: 110mm W x 110mm H Warranty: 1-year



Product Features:

- Anti-ligature Chase Mounted Towel Hook
- Hook releases with 9kgs of force
- Rear Mounted
- Satin finish Stainless Steel



Click here for more product information



BATHROOM ACCESSORIES

Anti-ligature Recessed Toilet Tissue Holder Stainless Steel




I/No: 0564043 Supplier Code: SA11 Product Dimensions: 185mm Diameter x 114mm D Warranty: 1-year



Product Features:

- Anti-ligature Washroom Solutions
- Recessed single toilet roll holder
- Colour: Satin
- Satin Finish Stainless Steel



Click here for more product information



BATHROOM ACCESSORIES

Anti-ligature Recessed Toilet Tissue Holder Stainless Steel




I/No: 0662597 Supplier Code: SA12 Product Dimensions: 181mm W x 181mm H x 107mm D Warranty: 1-year



Product Features:

- Anti Ligature washroom solutions
- Recessed single toilet roll holder
- Front Mounted
- Colour: Satin
- Satin Finish Stainless Steel



Click here for more product information



BATHROOM ACCESSORIES


Anti-vandal Single Flap White Toilet Seat With Closed Front

3monkeez®

I/No: 0650115 Supplier Code: WC-CSFSEAT Product Dimensions: 24mm H x 365mm W x 465mm D Warranty: 5-year



- · Single flap toilet seat
- White
- · Features a closed front
- Disabled compliant





BATHROOM ACCESSORIES


Anti-vandal Single Flap Black Toilet Seat With Closed Front

3monkeez®

I/No: 0650133 Supplier Code: WC-CSFSEAT-B Product Dimensions: 24mm H x 365mm W x 465mm D Warranty: 5-year



- · Single flap toilet seat
- Black
- · Features a closed front
- Disabled compliant







BATHROOM ACCESSORIES


Anti-vandal Single Flap Blue Toilet Seat with Closed Front

3monkeez®

I/No: N/A Supplier Code: WC-CSFSEAT-BL Product Dimensions: 24mm H x 365mm W x 465mm D Warranty: 5-year




- · Single flap toilet seat
- Blue
- · Features a closed front
- Disabled compliant











INTRODUCTION

The SDA Design Standard specifies the following requirements for Kitchens and Laundries in Robust builds:

- Kitchen with a fixed cooktop with a rangehood, an in-built oven, a sink with tap and standard or drawer-style dishwasher
- D-pull cupboard handles located towards the top of below-bench cupboards and towards the bottom of overhead cupboards
- Kitchen benchtop and cabinetry to be made of robust materials
- Laundry with a sink or tub with taps

The NDIS SDA Design Standard (SDA) must be consulted with respect to design and compliance requirements. The products presented in this catalogue also rely on correct installation to meet the requirements of AS1428.



TAPWARE

Sink Mixer Time Flow


paco jaanson

I/No: 0666114 Supplier Code: PJ-RBSM Product Dimensions: 45mm W x 257mm D x 247mm H Warranty: 7-year



Product Features:

- · Easy grip low-profile knurled handle
- Progressive Cartridge technology
- Accurate temperature and flow control in one simple rotation
- 4 Star-Wels 7.5 litres per minute



Click here for more product information




TAPWARE

Anti-vandal Sink Mixer



I/No: N/A Supplier Code: TM-SNKX Product Dimensions: 145mm H x 53.5mm Diameter Warranty: 5-year





- 304 stainless steel construction
- Ergonomic design
- WELS: 6 Star Rating (3.0L/min) or 5 Star Rating (5.0L/min)
- Nominal Flow Rate (LPM): 3.00 or 4.71
- WaterMark: AS/NZS 3718 Lic. WM-021226
- Inlet: 1/2: BSP Female Flexi Tail
- Outlet: Aerator
- Headworks: 40mm Ceramic Cartridge
- Working Pressure Range (kPa): 20 Min 500 Max
- Working Temperature Range (°C): 5 Min - 80 Max






SINKS

Lirio Care Single Bowl Sink and Drainer

I/No: 0508606 Supplier Code: SSLIRSBD800 Product Dimensions: 800mm L x 460mm D x 145mm H Warranty: 10-year





Click here for more product information

By clicking this link you are being taken to an external website.

Product Features:

Manufactured from 304 Stainless Steel

castano


- 1.2mm Thickness
- 145mm deep
- Australian Watermark Strainer
- Australian Designed Product
- Reversible Top Mount Sink with 1 Taphole Side Landing
- Side tapware landing tapware can be installed within 300mm of the front edge of the bench to increase accessibility
- Suitable for installations needing to comply with AS1428.2 Design for Access and Mobility




SINKS

Lirio Care Single Bowl Sink

I/No: 0508561 Supplier Code: SSLIRSB480 Product Dimensions: 480mm L x 460mm D x 145mm H Warranty: 10-year





Click here for more product information

By clicking this link you are being taken to an external website.



- Manufactured from 304 Stainless Steel, 1.2mm Thick
- Reversible with Tap Landing On The Side
- R10 Internal Corners
- Brushed Stainless Finish
- 145mm Depth
- Suitable for installations that need to comply with AS1428.2.1992, Design for Access and Mobility
- Full Heat Pad On Underside Of Bowl For Protection From Heat Transfer



APPLIANCES

60cm Electric Side Opening Oven Reversable Door


@eur0 appliances

I/No: 0267001 Supplier Code: E060SOSX Product Dimensions: 595mm W x 595mm H x 546mm D Warranty: 3-year



Product Features:

- 8 multi functions
- 67Lt gross 64Lt net capacity
- 120 minute cut-off timer
- Reversible door
- 1 set telescopic runners
- Cavity cooling system
- Triple glazed door
- Stylish black and stainless steel finish



Click here for more product information



APPLIANCES

60cm Ceran Electric Cooktop


Beuro appliances

I/No: 0378995 Supplier Code: ECT600CB Product Dimensions: 590mm W x 520mm D Warranty: 3-year



Product Features:

- Smooth Ceran glass electric cooktop
- 4 rapid burner elements
- Side knob controls
- Total rated load: 6.0kW
- Variable temperature control
- Residual heat indicator
- Square edge design



Click here for more product information





APPLIANCES

60cm Induction Cooktop

Leuro appliances

I/No: 0266943 Supplier Code: E60IDB Product Dimensions: 580mm W x 510mm D Warranty: 3-year





Product Features:

- · Easy clean Ceran glass
- 4 cooking zones including large central zone
- Front sensor touch operation control
- Total rated load: 7.4kW
- Over temperature safety device
- Overflow protection
- Flexi dual zone with bridge function
- Auto shutdown protection
- 9 heating levels with residual heat indicator
- Child lock function
- Square edge design



By clicking this link you are being taken to an external website.

💼 Home


APPLIANCES

52cm Undermount Rangehood

@eur0 appliances

I/No: 0349734 Supplier Code: EP52UMS2 Product Dimensions: 520mm W x 254mm H x 296mm D Warranty: 3-year





Click here for more product information

By clicking this link you are being taken to an external website.

- Stainless steel finish
- 3 speed motor; 500m3/hr extraction capacity
- 2 x 1.5W LED lights
- Undermount non-visible rangehood
- Under push button control
- Dishwasher safe carbon filter: CF110 (requires 2)
- Decibel rating 48-59 dBA
- 150mm flue diameter




APPLIANCES

60cm Freestanding Dishwasher 12-place setting

@eur0 appliances

I/No: 0132874 Supplier Code: EDV604SS Product Dimensions: 598mm W x 845mm H x 600mm D Warranty: 3-year





Click here for more product information

By clicking this link you are being taken to an external website.

- Stainless steel finish and slim panel design
- 12 place setting and height adjustable top basket
- 4 wash programs and extra dry function
- · Concealed heating element
- Removable top cover
- Water consumption 10.2Lt
- Decibel rating 49 dBA
- 3 star energy rating
- 4.5 star water rating



APPLIANCES

60cm Freestanding Dishwasher 14-place setting

@eur0 appliances

I/No: 0359369 Supplier Code: EED614TX Product Dimensions: 598mm W x 845mm H x 600mm D Warranty: 3-year





Click here for more product information

By clicking this link you are being taken to an external website.

- Stainless steel finish with slim panel design
- 14 place setting with height adjustable top basket
- 8-wash settings with time delay, half load, turbo wash and extra dry functions
- Concealed heating element
- Decibel rating 47dBA
- 3.5 star energy rating
- 4 star water rating
- Made in Europe




APPLIANCES

Omega 60cm 5 Function Side-opening Oven - Right-hand side

omega

I/No: 0698993 Supplier Code: 0B0S605MR Product Dimensions: 594mm W x 569.5mm D x 594mm H Warranty: 5-year





Click here for more product information

By clicking this link you are being taken to an external website.

- 5 Functions
- 75L Gross Oven capacity
- Plastic ergonomic easy grip knobs and fluted steel knobs
- 180° Side-opening door with right-hand side hinges
- Telescopic runners
- Minute Minder Timer
- · Black Glass with Midnight Trim
- · Black tinted triple glazed door
- · Cavity cooling system




APPLIANCES

Omega 60cm 5 Function Side-opening Oven - Left-hand side



I/No: 0698988 Supplier Code: 0B0S605ML Product Dimensions: 594mm W x 569.5mm D x 594mm H Warranty: 5-year





Click here for more product information

By clicking this link you are being taken to an external website.

- 5 Functions
- 75L Gross Oven capacity
- Plastic ergonomic easy grip knobs and fluted steel knobs
- 180° Side-opening door with left-hand side hinges
- Telescopic runners
- Minute Minder Timer
- · Black Glass with Midnight Trim
- · Black tinted triple glazed door
- · Cavity cooling system



APPLIANCES

Omega 60cm Induction Cooktop - Knob Controls



I/No: 0698989 Supplier Code: 0CI603KZCOM Product Dimensions: 590mm W x 520mm D x 62mm H Warranty: 5-year



A B H F DIMENSIONS (MM) F F A 590 B 520 C 78 D 20

Click here for more product information

'By clicking this link you are being taken to an external website.

- 3 Cooking Zones; 9 Power Levels
- Durable EuroKera® Ceramic Glass - single piece
- Residual heat indicator
- 120 minute auto safety shut off
- Easy grip fluted steel control knobs
- 99 Minute Zone Timer
- Automatic Pan Detection



APPLIANCES

Omega 60cm Ceramic Cooktop with Knob Controls




I/No: 0698991 Supplier Code: OCC604KCOM Product Dimensions: 590mm W x 520mm D x 55mm H Warranty: 5-year



Product Features:

- 4 Ceramic cooking zones
- 9 power levels
- Durable DiaCeram® Ceramic Glass
- Single piece of glass
- Automatic Safety Shut Off
- Child Safety Lock
- Midnight Fluted Steel Control Knobs



Click here for more product information



APPLIANCES


Omega 52cm Undermount Rangehood (Button-less)



I/No: 0638608 Supplier Code: ORU50PXL Product Dimensions: 254mm H x 520mm W x 296mm D Warranty: 3-year




- Streamlined, Buttonless design
- 52cm undermount
- 3 × speed settings
- Stainless steel finish
- Aluminium mesh filter









AUTOMATED ACCESS



INTRODUCTION

The SDA Design Standard specifies the following door and door hardware requirements for Robust builds:

- Doorways need to provide a minimum opening clearance of 820mm
- All internal doorways should have a level, stepfree transition and threshold (maximum vertical tolerance of 3mm vertical or 5mm between abutting surfaces is allowable provided the lip is rounded or bevelled)
- Any Timber doors provided should be solid core.
- All glazed areas, glazed doors, and side lights should be laminated glass or polycarbonate resin thermoplastic material
- Doorways should have door handles installed at between 900mm to 1100mm above the finished floor level
- Products selected need to be durable and resilient with additional consideration required for resident's fixtures and fittings to be vandalproof at minimum (low risk) or anti-ligature (med/high risk)

The NDIS SDA Design Standard (SDA) must be consulted with respect to design and compliance requirements. The products presented in this catalogue also rely on correct installation to meet the requirements of AS1428.

💼 Home



INTERNAL DOORS

Flush Internal Door Primed MDF


I/No: 1973121 Supplier Code: H1 Product Dimensions: 2040mm H x 870mm W x 35mm D Warranty: 5-year





Product Features:

- Primecoat high-density honeycomb MDF core
- Pre-primed door ready to paint








INTERNAL DOORS

Oakfield Internal Door

I/No: 1973155 Supplier Code: HC2 Product Dimensions: 2041mm H x 870mm W x 35mm D Warranty: 5-year






• High density honeycomb construction

HUME DOORS & TIMBER

- Moulded panel embossed MDF
- Woodgrain embossed pre-primed faces to both sides



Click here for more product information




ENTRANCE DOORS

Newington Door Entrance


I/No: 1973408 Supplier Code: XN5 Product Dimensions: 2040mm H x 870mm W x 40mm D Warranty: 5-year





Product Features:

- Solid core construction engineered for strength and stability
- Timeless design with laminated glass panel
- Duracote Tempered Hardboard
- · Ready to paint







ENTRANCE DOORS

Urban Entrance Door



I/No: 2019248 Supplier Code: 045100 Product Dimensions: 2040mm H x 870mm W x 40mm D Warranty: 5-year



Product Features:

- Light weight, feature entry door
- Features CoriTech core construction
- External primed skin ready for painting





ENTRANCE DOORS

Door EXT Flush Solicore


I/No: 2010216 Supplier Code: SCX1 Product Dimensions: 2040mm H x 870mm W x 40mm D Warranty: 5-year





Product Features:

- Solid construction
- Pre Primed ready for paint
- Timber Stiles and rails
- Unique high density honeycomb core construction







DOOR HARDWARE

Gainsborough Neue Telo Passage Lever Set in Matt Black

I/No: 0501058 Supplier Code: 1905TELAMB Product Dimensions: 50mm D x 65mm H x 148mm L Warranty: 10-year





Product Features:

- Return to face lever design
- Designed for access and mobility and meets DDA requirements
- Uses a standard 50-54mm cut-out
- Easy to install, with concealed fixing for a clean look





DOOR HARDWARE

Gainsborough Neue Telo Privacy Lever Set in Matt Black

I/No: 0501030 Supplier Code: 1915TELAMB Product Dimensions: 50mm D x 65mm H x 148mm L Warranty: 10-year





Product Features:

- · Return to face lever design
- Designed for access and mobility
- Privacy lever with an internal locking pin ensuring privacy where needed and an external emergency release for peace of mind
- Easy to install



DOOR HARDWARE

Gainsborough Neue Telo Passage Lever Set in Brushed Satin Chrome



I/No: 0501044 Supplier Code: 1905TELBSC Product Dimensions: 50mm D x 65mm H x 148mm L Warranty: 10-year



Product Features:

- Return to face lever design
- Designed for access and mobility and meets DDA requirements
- Uses a standard 50-54mm cut-out
- Easy to install, with concealed fixing for a clean look

Click here for more product information



DOOR HARDWARE

Gainsborough Neue Telo Privacy Lever Set in Brushed Satin Chrome



I/No: 0501048 Supplier Code: 1915TELBSC Product Dimensions: 50mm D x 65mm H x 148mm L Warranty: 10-year



Product Features:

- Return to face lever design
- Designed for access and mobility
- Privacy lever with an internal locking pin ensuring privacy where needed and an external emergency release for peace of mind
- · Easy to install






DOOR HARDWARE

Schlage S7000 Series Alpha Lever #715 SSS



I/No: 4020828 Supplier Code: S7000/715SSS Product Dimensions: 140mm L x 64mm D x 54mm H Warranty: 10-year





Click here for more product information

'By clicking this link you are being taken to an external website.

- Durable design
- Solid stainless steel handles and outer ring, die cast inner roses
- Faster, easier installation
- Built-in privacy push-button for quick installation and ease of use
- Sleek design
- Through bolts provide secure fixing, concealed by a classic round rose design
- Square outer rings available to suit all lever profiles




DOOR HARDWARE

Haro Passage Lever Stainless Steel

LEMAAR

I/No: 0555318 Supplier Code: 27001SSS Product Dimensions: 75mm W x 65mm H x 135mm L Warranty: 12-year





- Passage latch: both levers are always unlocked
- Modern style
- Heavy duty functionality
- Suitable for Commercial and Domestic applications
- Stainless steel 316 grade
- 70mm backset
- Concealed fixings
- Fire-rated
- DDA Compliant AS1428.1
- Economical and Easy to install 54mm Face hole and 25mm latch bolt






DOOR HARDWARE


Haro Privacy Lever Stainless Steel

LEMAAR

I/No: 0555316 Supplier Code: 27002SSS Product Dimensions: 75mm W x 65mm H x 135mm L Warranty: 12-year



- Left or right-handed
- Spacers included
- 54mm face hole
- 70m backset from surface of door
- DDA compliant
- 316 marine grade stainless steel satin finish
- Fire-rated







DOOR HARDWARE

Gala Black Passage Set

LEMAAR

I/No: 0247093 Supplier Code: 28301BLK Product Dimensions: 65mm W x 52mm H x 134mm L Warranty: 12-year



- DDA Compliant
- Fixed 60mm latch distance, not adjustable
- Black Satin chrome finish





DOOR HARDWARE

Gala Chrome Passage Set

LEMAAR

I/No: 0247094 Supplier Code: 28301SC Product Dimensions: 65mm W x 52mm H x 134mm L Warranty: 12-year



- DDA Compliant
- Fixed 60mm latch distance, not adjustable
- Satin chrome finish






AUTOMATED ACCESS

2615 Series CAM Action Door Closer

I/No: 0318242 Supplier Code: 2615DASIL Product Dimensions: 500mm L x 63mm D Warranty: 25-year





Click here for more product information

By clicking this link you are being taken to an external website.

Product Features:

- Lockwood 2615 Series is a non-handed CAM Action Door Closer
- Light to open but still strong enough to close a door
- Can be adjusted to meet the requirements of a light door opening resistance and is ideal for both interior and exterior doors
- Adjustable closing force is high enough for heavy duty applications.
- Meets Design for Access and Mobility Standard (AS1428.1-2009)
- Covers right and left hand, pull side/ push side applications and also features an adjustable arm height

NB: Only required at participant request




AUTOMATED ACCESS

5831 Low Energy Door Operator

I/No: 0696870 Supplier Code: 5831AUxNPB Product Dimensions: 458mm L x 241mm D Warranty: 25-year







Click here for more product information

By clicking this link you are being taken to an external website.

Product Features:

- Mounts on door
- No voltage / low voltage power to opening
- Includes stainless steel, weatherized RF push buttons
- Patented Auto-Tune ensures safety and compliance
- Non-handed
- · Push and pull side mounting
- · Adjustable open/closing force
- Controls doors up to 1200mm wide and weighing 110kg
- Functions like ordinary door closer when used manually
- Grade 1 heavy-duty, commercial design

NB: Only required at participant request



AUTOMATED ACCESS

5831 Pull Side Conversion Kit

I/No: 0696869 Supplier Code: ADA1021 Product Dimensions: 368mm L x 216mm D Warranty: 25-year



Product Features:

- For doors requiring compliance to meet DDA
- To suit 5831 Low Energy Door Operator

NB: Only required at participant request



Click here for more product information



AUTOMATED ACCESS

5831 Touchless Wave-to-open Switch



I/No: N/A Supplier Code: ADA700 Product Dimensions: 75mm W x 120mm H (single) Warranty: 3-year



Product Features:

- To suit 5831 Low Energy Door Operator
- Wave-to-Open switch allows touch-free door opening
- Picks-up hand gestures within 100mm
- Can be installed to be AS1428.1 compliant

NB: Only required at participant request





ASSISTIVE TECHNOLOGY

INTRODUCTION

HOME AUTOMATION AND EMERGENCY POWER SOLUTIONS



ASSISTIVE TECHNOLOGY



While not a requirement for Robust builds, assistive technology provides added safety and security for all occupants.

The NDIS SDA Design Standard (SDA) must be consulted with respect to design and compliance requirements. The products presented in this catalogue also rely on correct installation to meet the requirements of AS1428.



ASSISTIVE TECHNOLOGY

HOME AUTOMATION AND EMERGENCY POWER SOLUTIONS

Livigy Smart Home Assistive Technology Onsite Overnight Kit



I/No: 0676209 Supplier Code: SDA-00A-KIT Product Dimensions: N/A Warranty: 10-years Design Life, 5-year Battery

Image coming soon				

- Wall-mount rack-to-house equipment
- Cloud managed networking (router, POE switch, Wi-Fi 6 access point)
- Patch cables and accessories
- · Desktop phone
- Calling plan
- 24/7 phone / email support



INTRODUCTION

FLOOR TILES

VINYL FLOORING



INTRODUCTION

The Specialist Disability Accommodation (SDA) Design Standard specifies the following requirements for Robust builds:

- All flooring for bathrooms, kitchens and laundries must be tested to a minimum slip resistance rating of P3 or R10
- Carpeting must meet a requirement of a maximum total height of 15mm

The NDIS SDA Design Standard (SDA) must be consulted with respect to design and compliance requirements. The products presented in this catalogue also rely on correct installation to meet the requirements of AS1428.



FLOOR TILES

Cemento 400 x 400mm White Matte Ceramic Floor Tile



I/No: 0012634 Supplier Code: 714139 Product Dimensions: 400mm W x 400mm H x 8.4mm D Warranty: 10-year



Product Features:

- · Ceramic indoor floor tile
- P4 slip rating
- Suitable for Bathroom, Entry, Kitchen, Laundry and Living floors



BUNNINGS 102 TRADE



FLOOR TILES

Cemento 400 x 400 Taupe Matte P4 Slip Rating



I/No: 0012635 Supplier Code: 714140 Product Dimensions: 400mm W x 400mm H x 8.4mm D Warranty: 10-year



Product Features:

- · Ceramic indoor floor tile
- P4 slip rating
- Suitable for Bathroom, Entry, Kitchen, Laundry and Living floors







FLOOR TILES

Cemento 400 x 400 Cement Matte P4 Slip Rating



I/No: 0012636 Supplier Code: 714141 Product Dimensions: 400mm W x 400mm H x 8.4mm D Warranty: 10-year



Product Features:

- · Ceramic indoor floor tile
- P4 slip rating
- Suitable for Bathroom, Entry, Kitchen, Laundry and Living floors



SUNNINGS 104 TRADE



FLOOR TILES

Cemento 400 x 400mm Charcoal Matte Ceramic Floor Tile



I/No: 0122633 Supplier Code: 714142 Product Dimensions: 400mm W x 400mm H x 8.4mm D Warranty: 10-year



Product Features:

- · Ceramic indoor floor tile
- P4 slip rating
- Suitable for Bathroom, Entry, Kitchen, Laundry and Living floors



SUNNINGS 105 TRADE



VINYL FLOORING

Virtuo Classic 55 XL Vinyl Plank Empire Blond



I/No: N/A Supplier Code: 1011 Product Dimensione: 020mm W x 1500mm L x 05m

Product Dimensions: 230mm W x 1500mm L x 25mm D Warranty: 15-year



Product Features:

- Virtuo Classic 55 planks are designed for permanent, glued installation
- Dryback
- Realistic appearance
- Easy to Install
- R10 Slip Rating





VINYL FLOORING

Virtuo Classic 55 XL Vinyl Plank Empire Clear



I/No: N/A Supplier Code: 1012 Product Dimensions: 230mm W x 1500mm L x 25mm D Warranty: 15-year



Product Features:

- Virtuo Classic 55 planks are designed for permanent, glued installation
- Dryback
- Realistic appearance
- Easy to Install





VINYL FLOORING

Virtuo Classic 55 XL Vinyl Plank Astir Spotted Gum



I/No: N/A Supplier Code: 3003

Product Dimensions: 230mm W x 1500mm L x 25mm D **Warranty:** 15-year




Product Features:

- Virtuo Classic 55 planks are designed for permanent, glued installation
- Dryback
- Realistic appearance
- Easy to Install
- R10 Slip Rating







INLINE EXHAUST FANS



INTRODUCTION

The SDA Design Standard specifies the following Electrical requirements for Robust builds:

- Light and power outlet switches should be rocker action, toggle or push pad in design with a minimum width of 35mm
- Dimmable lighting switches should be provided in living areas and bedrooms
- Task lighting should be provided above workspaces. A minimum level of 300lux should be achieved when tested at maximum intervals of 1500mm, directly over the surface of the benchtops
- Recessed lighting fixtures should be provided

The NDIS SDA Design Standard (SDA) must be consulted with respect to design and compliance requirements. The products presented in this catalogue also rely on correct installation to meet the requirements of AS1428.




SWITCHES

HPM Como Double Power Point White Square

A Group brand

I/No: 4332201 Supplier Code: CM777WE Product Dimensions: 117.0mm W x 117.0mm H x 9.0mm D Warranty: 1-year





Click here for more product information

By clicking this link you are being taken to an external website.

Product Features:

- Double powerpoint
- 10A 240V a.c.
- Plate Size: 114mm x 70mm
- Mounting Centres 84mm
- Colour: White
- Horizontal format
- Cut-out size: 95 x 90 mm
- Plate dimensions: 116 x 116mm
- Plate thickness: 8mm



SWITCHES

HPM Como Single Power Point White Square


A Group brand

I/No: 4332202 Supplier Code: CM787WE Product Dimensions: 116.0mm W x 72.0mm H x 8.0mm D Warranty: 1-year





- Single powerpoint
- 10A 240V a.c.
- Mounting Centres 84mm
- Colour: Matt White
- Horizontal format
- Cut-out size: 95 x 50mm
- Plate dimensions: 116 x 72mm
- Plate thickness: 8mm



Click here for more product information




SWITCHES

HPM Como Single Gang Switch White



I/No: 4332199 Supplier Code: CM910/1HWE Product Dimensions: 116.0mm W x 72.0mm H x 8.0mm D Warranty: 1-year



Product Features:

- · Como Range Switch
- Easy to see and use
- Customisable options available on this range
- Smooth switching action
- More fixing options 4 corners
- · Marked with red indicator line
- Cut-out size: 95 x 50mm
- Plate dimensions: 116 x 72mm
- Plate thickness: 8mm
- Horizontal format






SWITCHES

HPM Como Double Gang Switch White



I/No: 4332200 Supplier Code: CM920/2HWE Product Dimensions: 116.0mm W x 72.0mm H x 8.0mm D Warranty: 1-year



Product Features:

- Como Range Switch
- Easy to see and use
- Customisable options available on this range
- Smooth switching action
- More fixing options 4 corners
- · Marked with red indicator line
- Cut-out size: 95 x 50mm
- Plate dimensions: 116 x 72mm
- Plate thickness: 8mm
- Horizontal format






LIGHTING

HPM Alina Recessed 90mm Downlight LED Tricolour

I/No: 0465345 Supplier Code: DLIE90TRIWE Product Dimensions: 90mm Diameter Warranty: 5-year





Click here for more product information

By clicking this link you are being taken to an external website.

A Group brand

Product Features:

- Light colour selector: Easily switch between Warm (3,000K), Cool (4,000K) and Natural (5,000K) light colour temperatures
- Suitable for low ceiling cavities
- High quality flame retardant plastic construction
- Integral dimmable driver compatible with most quality dimmers
- For optimum dimming performance we recommend HPM or Legrand dimmers
- IP44 rating suitable for outdoor undercover areas
- 2,500 V electrical surge protection
- IC-4 & IC-F insulation rating: This downlight can be fully covered and abutted by insulation material





INLINE EXHAUST FANS

DETA Inline Exhaust Fan Kit




I/No: 0246590 Supplier Code: DIEF150 Product Dimensions: 150mm Diameter Warranty: 5-year



Product Features:

- 2 speed switch
- Ideal use for air extraction and air transfer
- Easy plug-in connection
- Strong air extraction up to 555m3 /h
- Fan includes flex and plugs



Click here for more product information



INLINE EXHAUST FANS

HPM Inline Exhaust Fan Kit

I/No: 4420560 Supplier Code: EFIL150SQWE Product Dimensions: 150mm Diameter Warranty: 5-year





Product Features:

- 150mm Inline Exhaust Fan Kits
- Ideal use for air extraction and air transfer
- Plug-in connection with 2 speed switch
- Voltage: 230-240V a.c. 50Hz
- Power rating: 60W
- IP rating: IP55
- Draught stopper: Yes (PET Sheet)
- Air extraction: 555m3/h max
- Duct diameter: 150mm

Click here for more product information



INTRODUCTION

GRAB RAILS

SHOWER SEATS

SHELVING AND STORAGE





INTRODUCTION

While not a requirement for Robust builds, add-on bathroom accessories such as shower seats and grab rails may be required, specific to the participants needs.

The NDIS SDA Design Standard (SDA) must be consulted with respect to design and compliance requirements. The products presented in this catalogue also rely on correct installation to meet the requirements of AS1428.



GRAB RAILS

Straight Anti-ligature Security Fixings Straight 600mm Stainless Steel




I/No: 0662629 Supplier Code: SA72BP-001-24 Product Dimensions: 600mm W x 78mm H x 79mm D Warranty: 1-year



Product Features:

- Heavy duty satin finish stainless steel
- For places where ligature points are of concern



Click here for more product information




GRAB RAILS

Straight Anti-ligature Security Fixings Straight 900mm Stainless Steel




I/No: 0662566 Supplier Code: SA72BP-001-36 Product Dimensions: 978.1mm W (900mm centres) x 78.1mm H x 79.1mm D Warranty: 1-year



Product Features:

- Heavy duty satin finish stainless steel
- For places where ligature points are of concern



Click here for more product information



GRAB RAILS

Straight Anti-ligature Security Fixings Straight 300mm Stainless Steel




I/No: 4822865 Supplier Code: SA72BP-001-12 Product Dimensions: 300mm W x 78mm H x 79mm D Warranty: 1-year



Product Features:

- Heavy duty satin finish stainless steel
- For places where ligature points are of concern



Click here for more product information





GRAB RAILS

Angled Anti-ligature Security Fixings Stainless Steel




I/No: 0674912 Supplier Code: SA72BP-006-AMB Product Dimensions: 450mm L x 450mm H Warranty: 1-year



Product Features:

- Heavy duty satin finish stainless steel
- For places where ligature points are of concern



Click here for more product information



GRAB RAILS

Angled Anti-ligature Security Fixings Left-hand Stainless Steel




I/No: 0674915 Supplier Code: SA72BP-006 Product Dimensions: 950mm L x 600mm H Warranty: 1-year



Product Features:

- Heavy duty satin finish stainless steel
- For places where ligature points are of concern



Click here for more product information



GRAB RAILS

Angled Anti-ligature Security Fixings Right-hand Stainless Steel




I/No: 0674938 Supplier Code: SA72BP-005 Product Dimensions: 950mm L x 600mm H Warranty: 1-year



Product Features:

- Heavy duty satin finish stainless steel
- For places where ligature points are of concern



Click here for more product information



SHOWER SEATS

Anti-ligature Shower Seat


Bradley

I/No: 0662570 Supplier Code: SA96 Product Dimensions: 1060mm W x 400mm H x 395mm D Warranty: 1-year



Product Features:

- Stainless steel tubing
- Satin finish stainless steel
- Surface mounted
- Free of ligature points
- Seat surface area is 960 mm to suit accessible requirements



Click here for more product information



SHELVING AND STORAGE

Anti-ligature Recessed Shelf Stainless Steel


Bradley

I/No: 0662590 Supplier Code: SA46 Product Dimensions: 200mm W x 300mm H x 75mm D Warranty: 1-year



Product Features:

- Anti-ligature Recessed Shelf
- Heavy Duty design
- Satin Glass blasted stainless Steel finish







SHELVING AND STORAGE

Anti-ligature Security Shelf




I/No: 0662572 Supplier Code: SA49

Product Dimensions: 406mm W x 65mm H x 102mm D Warranty: 1-year



Product Features:

- Surface mounted security shelf
- Satin Finish 304 grade Stainless Steel



Click here for more product information



Contact us for all your business needs

Phone

134 Trade

Email

sda@bunnings.com.au

Visit

trade.bunnings.com.au/products/assisted-living trade.bunnings.com.au/about-us/sda-solutions



Helping business is our trade.