



CAUTION: Contents are heavy. Exercise caution and correct lifting positions when removing from packaging.

# IGNITE + KITCHEN SINGLE

MODULE

GB0685

Retain manual for future reference.

# CONTENTS

FEATURES & BENEFITS	3
SAFETY INFORMATION	4
CARE AND MAINTENANCE	5
EXPLODED PRODUCT DIAGRAM	6
PART LIST	7
HARDWARE LIST	8
ASSEMBLY INSTRUCTIONS	9
SPARE PARTS LIST	25
WARRANTY	27

## **CONTACT INFORMATION**


Please contact your nearest Bunnings
Warehouse for product enquiries. For spare
parts, service and warranty queries, please
contact
Mayo Hardware at
matador@mayohardware.com.au
or call;
1300 360 211 (AUS)
09 415 6240 (NZ)
www.matadorbbqs.com.au

## **DIMENSIONS**

	Ignite + Single Module
	GB0685
Length	438 mm
Width	600 mm
Height	904 mm



# FEATURES & BENEFITS



# SAFETY INFORMATION

Read the Instruction manual thoroughly before assembling or using

technical support or to order spare parts please have this information at hand.

- We recommend assembling this module with another person.
- Estimated assembly time is 2 Hrs.
- Only use this module on a hard, level, stable surface (concrete, ground, etc.) capable of supporting the weight of the module.
- Do not use this module for anything other than its intended purpose.
- Any modifications to this module may be dangerous.
   Parts sealed by the manufacturer or their agent must not be manipulated by the user.
- In windy weather, place the module in an outdoor area that is protected from the wind.
- Use caution during assembly and while operating your module to avoid scrapes or cuts from sharp edges of metal parts.
- · Use caution and common sense when operating
- Use caution when lifting or moving the module to prevent strains and back injuries.
- Failure to adhere to safety warnings and guidelines in this manual could result in bodily injury or property damage.
- Recycle and/or dispose of all packaging materials thoughtfully. Check with your local council recycling rules for further information.
- Ensure manual remains in the possession of the user for further reference.

## PRODUCT WARNING LABELS

Do not remove the permanent WARNING labels that are applied to your module to ensure safe operation.

#### **DATA SPECIFICATION LABEL:**

On your module is a silver data label that contains detailed information about your product. For your records on this label will find;

- Product Specifications
- Serial Number
- Manufacturing Date

If you need to contact the manufacturer for information,

## YOUR MATADOR KITCHEN

DATE OF PURCHASE	
MODEL NUMBER	
SERIAL NO	
DATE OF MANUFACTURE	



# **CARE & MAINTENANCE**

## PERIODICAL CLEANING

To maintain the performance and high finish of your module we recommend cleaning it on a regular basis. To perform this cleaning we recommend the following:

#### **STORAGE**

To help maintain your module we recommend using a protective cover (not included). Where possible store module under a sheltered area.

## **EXTERNAL SURFACE CARE**


- DO NOT use carbon steel brushes or steel wool on this module.
- On polished finishes, rubbing or wiping should be done in the direction of the polish lines, NOT across
- Care must be taken when cleaning areas with printed information. Text and important warnings may be erased with heavy cleaning.

#### PAINT DAMAGE

Sand back the effected area and then re-touch as required per the paint manufacturers instructions.

# **EXPLODED PARTS DIAGRAM**

# SINGLE MODULE



# **PARTS LIST**

No.	Name	QTY
1	Side Panel LH	1
2	Side Panel RH	1
3	Top Assembly	1
4	Rear Panel	1
5	Rear Sealing Panel	1
6	Front Beam	1
7	Door Assembly	1
8	Drawer Assembly	1
9	Drawer Front Panel	1
10	Locking castor	4
11	Decorative Panel	1
12	Bottom Panel Assembly	1

# HARDWARE LIST

PART	NAME	HARDWARE IMAGE	QTY
A	Interlocking Tab		2
В	Pan Head Screws 5/32"- 32UNC		24
С	Cross Slot Pan Head Screw M4		2
D	Door Stop Screw	38	1
E	Door Hinge		1
F	Pan Head Screws 1/4"- 20UNC		8
L	Butterfly Nuts		4

It is important to read these instructions thoroughly.

Check all components before assembling

If you have any problems, difficulties or concerns please contact the manufacturer or retailer.

Read all safety warnings and assembly instructions carefully before assembling or operating your barbecue. Inspect contents of the box to ensure all parts are included and undamaged.

We recommend two people for assembly of this barbecue. The following tools are required for assembly and are not included:


- Phillips head Screwdriver
- Adjustable Wrench

Symbol: The following symbols will be shown in each procedure for indication of tightening the bolt and nut if necessary.

## Hand Tighten Only at this stage:



### Tighten with Tools at this stage:



#### Pay Attention at this stage:



#### VIDEO INSTRUCTIONAL GUIDES

To help you assemble your new Spark Barbecue videos of the assembly process have been made to step you through the process.

To access these helpful videos visit:

www.matadorbbqs.com.au

www.bunnings.com.au www.bunnings.co.nz

In addition to the instructional guides you will also find useful tips, recipes and available barbecue accessories.


#### **CAUTION**

Although we take every effort to ensure that the assembly process is as easy as possible, it is inherent with fabricated steel parts that corners and edges can cause cuts if improperly handled during assembly procedures. Be careful while handling any parts during assembly. It is strongly recommended that you protect hands with a pair of work gloves.

# STEP1 - LOCKING CASTOR ASSEMBLY

Parts / Hardware Needed			
10	Locking Castor		4
12	Bottom panel assembly		1

1.1 assemble the 4 locking castors (10) into the bottom panel assembly (12)




## STEP 2 - ASSEMBLE SIDE PANELS


Parts /	Hardware Needed	
1	Side Panel LH	1
2	Side Panel RH	1

## NOTE:

This stage will require a Phillips head screwdriver



- **2.1** Turn the base panel over so that it is sitting on its wheels.
- 2.2 Unscrew the 4 securing screws in the Bottom Panel so they become loose but do not fully remove the
- 2.3 Locate the keyhole slots on the base of the two Side Panels (2 and 11) over the head of the two securing screws. Slide the panels into the neck of the keyhole slots.
- **2.4** Tighten the screws to lock the panels in place.




## STEP 3 - ATTACH REAR PANEL


Parts /	Parts / Hardware Needed		
4	Rear Panel		1
F	Pan head screws ¼" – 20UNC		6

## NOTE:

This stage will require a Phillips head screwdriver



**3.1** Use the screws (A) to fix the rear panel to the side walls and bottom assembly. 2 screws in each side panel and 2 screws in bottom.






# STEP 4 - INSERT REINFORCEMENT BEAM

Parts / Hardware Needed			
6	Front Beam		1
В	Pan Head Screws 5/32" - 32UNC		4
С	Cross slot pan head screw M4		2

## NOTE:

This stage will require a Phillips head screwdriver





# STEP 5 - PLACE TOP ON ASSEMBLY


Parts / Hardware Needed			
3	Top Assembly		1

**5.1** Locate the Top Assembly (1) onto the module

## NOTE:

This stage will require a Phillips head screwdriver







## STEP 6 - SECURE THE TOP


## Parts / Hardware Needed **Pan Head Screw** В 6 5/32" - 32UNC

**6.1** Secure the top assembly from the underside using the screws (B).

## NOTE:

This stage will require a Phillips head screwdriver






# STEP 7 - SEAL REAR PANEL


Parts /	Parts / Hardware Needed		
5	Rear Sealing Plate		1
В	Pan head screw 5/32" - 32UNC		4

## NOTE:

This stage will require a Phillips head screwdriver



**7.1** Attach the rear sealing plate with screws (B).





## STEP8 - ASSEMBLE THE DRAWERS


Parts / Hardware Needed			
8	Drawer Assembly		1
9	Drawer Front Panel		1
В	Pan head screw 5/32" – 32UNC		4

## NOTE:

This stage will require a Phillips head screwdriver



- **8.1** Attach the drawer front panel to the drawer assembly using the screws (B).
- **8.2** Line up the drawer runners in the module and push in until a click is heard.



## STEP 9 - INSERT DECORATIVE STRIP


Parts / Hardware Needed				
11	Decorative Bottom Panel		1	
В	Pan head screw 5/32" – 32UNC		2	
D	Door stop screw	38	1	

## NOTE:

This stage will require a Phillips head screwdriver



- **9.1** Place the decorative panel onto the bottom panel of the module.
- **9.2** Fix in place using the screws (B).
- 9.3 Insert the door stop screw (D) on the left side.






## STEP 10 - CONNECT TO KITCHEN

10.1 The unit can be connected to the kitchen or any other module. Here it is pictured connecting to the corner module. The fixing techniques is the same for all module connections.

10.2 If connecting to another module, remove the decorative panel from the edge of the kitchen you wish to add the Module.

10.3 Align the Module with the end of the kitchen on flat ground to ensure the connection holes line up correctly.




# STEP 11 - CONNECT THE MODULE

Parts / Hardware Needed			
F	Pan head screw 1/4" – 20UNC		2
L	Butterfly Nuts	ang-	4

## NOTE:


This stage will require a Phillips head screwdriver



11.1 Using the butterfly nuts attach the units together from within the units.

11.2 Using screws (A) fix the top of the units as shown.

**Note** – 2 People are needed to connect this module to the corner module.






# STEP 12 - REINFORCE THE CONNECTION


Parts / Hardware Needed			
A	Interlocking tab		2
В	Pan head screws 5/32" - 32UNC		3

## NOTE:

This stage will require a Phillips head screwdriver



12.1 Using the  $3 \times Pan$  head screws (B) and  $2 \times Pan$  interlocking tabs (F) secure the modules.




## STEP 13 - ATTACH DOOR


Parts / Hardware Needed			
7	Door Assembly		1
E	Door Hinge		1

## NOTE:

This stage will require a Phillips head screwdriver



- **13.1** Push the door hinge into the hole in bottom panel.
- **13.2** To attach the door, you first locate the bottom of the door onto door hinge.
- **13.3** Once in place move the door to the top of the unit and push in the top pivot which is sprung loaded. Once the door is under the pivot move into place and the pivot will release and lock and secure the door.






## STEP 14 - ADJUST THE DOOR


14.1 If your door is not sitting correctly inside the unit, you can adjust the top pivot point to straighten it.

14.2 To adjust the door you will need to remove it by pushing the top pivot in to release the door in the same way it was assembled.

14.3 Loosen the screw next to the pivot, which allows you to move it left or right and therefore, adjust the door angle. Once adjusted reattach the door to see if it is correctly aligned.


NOTE: This process may take a couple of attempts to get the desired position.1





# STEP 15 - ATTACH THE SIDE PANEL

**15.1** Re-attach the side panel to the unit.





# SINGLE MODULE **SPARE PARTS LIST**

1	1	7		1
2	1	8		1
3	1	9		1
4	1	10		4
5	1	11	Col P. Col	1
6	1	12		1

# SINGLE MODULE SPARE PARTS LIST

NO. NAME QTY  1 Trolley Panel LH 1 2 Trolley Panel RH 1 3 Single Module Top Assembly 1 4 Trolley Rear Panel 1 5 Single Module Rear Sealing Plate 1 6 Trolley Front Beam 1 7 Door Assembly 1 8 Drawer Bottom Panel Assembly 1 9 Drawer Front Panel 1 10 Locking Castor 4 11 Trolley Bottom Decorative Panel 1			
2       Trolley Panel RH       1         3       Single Module Top Assembly       1         4       Trolley Rear Panel       1         5       Single Module Rear Sealing Plate       1         6       Trolley Front Beam       1         7       Door Assembly       1         8       Drawer Bottom Panel Assembly       1         9       Drawer Front Panel       1         10       Locking Castor       4	No.	NAME	QTY
3 Single Module Top Assembly 1 4 Trolley Rear Panel 1 5 Single Module Rear Sealing Plate 1 6 Trolley Front Beam 1 7 Door Assembly 1 8 Drawer Bottom Panel Assembly 1 9 Drawer Front Panel 1 10 Locking Castor 4	1	Trolley Panel LH	1
4 Trolley Rear Panel 1  5 Single Module Rear Sealing Plate 1  6 Trolley Front Beam 1  7 Door Assembly 1  8 Drawer Bottom Panel Assembly 1  9 Drawer Front Panel 1  10 Locking Castor 4	2	Trolley Panel RH	1
5 Single Module Rear Sealing Plate 1  6 Trolley Front Beam 1  7 Door Assembly 1  8 Drawer Bottom Panel Assembly 1  9 Drawer Front Panel 1  10 Locking Castor 4	3	Single Module Top Assembly	1
6 Trolley Front Beam 1  7 Door Assembly 1  8 Drawer Bottom Panel Assembly 1  9 Drawer Front Panel 1  10 Locking Castor 4	4	Trolley Rear Panel	1
7 Door Assembly 1  8 Drawer Bottom Panel Assembly 1  9 Drawer Front Panel 1  10 Locking Castor 4	5	Single Module Rear Sealing Plate	1
8 Drawer Bottom Panel Assembly 1 9 Drawer Front Panel 1 10 Locking Castor 4	6	Trolley Front Beam	1
9 Drawer Front Panel 1 10 Locking Castor 4	7	Door Assembly	1
10 Locking Castor 4	8	Drawer Bottom Panel Assembly	1
	9	Drawer Front Panel	1
11 Trolley Bottom Decorative Panel 1	10	Locking Castor	4
	11	Trolley Bottom Decorative Panel	1
12 Trolley Bottom Panel Assembly 1	12	Trolley Bottom Panel Assembly	1



# WARRANTY

## MATADOR WARRANTY

Thank you for purchasing one of our quality Matador BBQs.

YOUR MATADOR BBQ IS COVERED AGAINST DEFECTS FOR A PERIOD OF 5 YEARS FOR PARTS AND LABOUR, REPAIR OR REPLACEMENT.

THIS WARRANTY EXCLUDES SURFACE RUST AND DAMAGE CAUSED BY ABUSE OR NEGLECT.

#### **CONDITIONS OF THE WARRANTY**

- The BBQ must be operated and maintained in accordance with the instructions supplied in the operating manual.
- Any repair does not extend the warranty period.
- Any parts other than original Matador parts will void this warranty.

#### THIS WARRANTY IS GIVEN BY:

Mayo Hardware Pty Ltd ABN 73 000 032 806 4 Secombe Place Moorebank NSW 2170 Australia www.mayohardware.com.au

Phone (Aus) 1300 360 211 Phone (NZ) 09 415 6240

Email: matador@mayohardware.com.au

#### RETAIN A COPY OF YOUR RECEIPT AND THE BELOW INFORMATION FOR YOUR RECORDS ALSO

Date of purchase:
Purchased from:
Location:
Model name and number:
Batch code:
Receipt number:

Note: The manufacturing date can be found printed on this operating manual and is also located on the Data Specification Label that is applied to the inside of the Trolley Door of your Matador BBQ.

# WARRANTY

#### **MAKING A CLAIM**

Any claim under this warranty must be made within 5 years of the date of purchase of the product. To make a claim under warranty, take the product (with proof of purchase) to any Bunnings store (see www.bunnings.com.au (for AU) or www.bunnings.co.nz (for NZ) for store locations) or contact Mayo Hardware Pty Ltd matador@ mayohardware.com.au.

Mayo Hardware Pty Ltd bears reasonable, direct, expenses of claiming under warranty. You may submit details and proof to Mayo Hardware Pty Ltd for consideration. The warranty covers manufacturer defects in materials and workmanship under normal use. Refer to care and use instructions for correct cleaning and maintenance advice.

This warranty is provided in addition to other rights and remedies you may have under law: our goods come with guarantees which cannot be excluded under the Australian Consumer Law or Consumer Guarantees Act 1993 (NZ). You are entitled to replacement or refund for a major failure and to compensation for other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

The warranty excludes damage resulting from product misuse or product neglect. The warranty covers domestic use only and does not apply to commercial applications.

#### WHAT IS NOT COVERED

- Removal or re-location costs.
- Liability will only be accepted for loss or damage during transit if at the time the product was being transported by Bunnings or a Bunnings approved contractor.
- · Lack of maintenance, abuse, neglect, misuse, accidental or improper installation of this appliance.
- Scratches, dents, surface rust, discolouration caused by heat, abrasive chemical cleaners or chipping or porcelain enamel parts.
- · Damage caused by exposure to the elements such as weather, hail, insects, grease and fat fires.
- · Rusting of the cooking or solid grate.
- · Cleaning and wear and tear.
- Commercial use of this product.
- · Halogen globes
- Ignition battery
- Unauthorised modifications or repairs during the warranty period.

#### FOR TECHNICAL ASSISTANCE

Refer to the troubleshooting section of this operating manual or contact the Mayo Hardware through the below details: Phone (Aus) 1300 360 211

Phone (NZ) 09 415 6240

Email: matador@mayohardware.com.au

#### **FOR SPARE PARTS**

Contact Mayo Hardware through the below details:

Phone (Aus) 1300 360 211 Phone (NZ) 09 415 6240

Email: matador@mayohardware.com.au

#### **REGISTERING YOUR BBQ FOR WARRANTY**

We recommend you register your Matador BBQ to make it easier for you in the event that you ever have any warranty claims.

You can register your Matador BBQ by emailing us a copy of your BBQ's details together with a copy of your purchase receipt to matador@mayohardware.com.au.





Visit www.matadorbbqs.com.au

For technical and warranty support call

# 1300 360 211 (AUS) 09 415 6240 (NZ)

Your purchase receipt will be required for warranty claims.