Buildings to fit your farm.

- 44 standard designs available from our extensive range
- Lean-To and Gable End sheds available in 3.6 or 4.8 spans
- All standard sheds are designed for very high wind zones
- Custom designs available on request
- Made from SG8 H3.2 Gauged Timber







We currently have 44 standard farm sheds ranging from 2-5 bays with two different roof types. Standard templates vary from roof types and sizes. Our aim is to provide the closest match that suits your needs.

An indicative price will be provided on request, and should you wish to proceed with your shed order, a plan fee is required which may vary based on shed type.

Materials

Timber: Locally sourced and meets all specifications outlined by the Farm Shed Designers.

Hardware: Meets all local council requirements and specifications.

Roof & cladding materials may vary based on site location.



Lean-To Selected Enclosed



Lean-To Open Front



Lean-To Fully Enclosed



Gable Fully Enclosed



Gable Selected Enclosed



Gable Open Front





LT11BEGPA	2 bay (2 X 3.6m) 7.2m wide X 6.0m deep	1 bay enclosed
LT21BEGPA	2 bay (2 X 4.2m) 8.4m wide X 9.0m deep	1 bay enclosed
LT32BEGPA	3 bay (3 X 3.6m) 10.8m wide X 6.0m deep	2 bay enclosed
LT42BEGPA	3 bay (3 X 4.2m) 12.6m wide X 9.0m deep	2 bay enclosed
LT53BEGPA	4 bay (4 X 3.6m) 14.4m wide X 6.0m deep	3 bay enclosed
LT63BEGPA	4 bay (4 X 4.2m) 16.8m wide X 9.0m deep	3 bay enclosed
LT73BEGPA	5 bay (5 X 3.6m) 18.0m wide X 6.0m deep	3 bay enclosed
LT83BEGPA	5 bay (5 X 4.2m) 21.0m wide X 9.0m deep	3 bay enclosed



LT1STD	2 bay (2 X 3.6)	7.2m wide X 6m deep
LT2STD	2 bay (2 X 4.2)	8.4m wide X 9m deep
LT3STD	3 bay (3 X 3.6)	10.8m wide X 6m deep
LT4STD	3 bay (3 X 4.2)	12.6m wide X 9m deep
LT5STD	4 bay (4 X 3.6)	14.4m wide X 6m deep
LT6STD	4 bay (4 X 4.2)	16.8m wide X 9m deep
LT7STD	4 bay (5 X 3.6)	18m wide X 6m deep
LT8STD	5 bay (5 X 4.2)	21m wide X 9m deep

To order or find out more, contact the Bunnings Farm Buildings Team via email **FarmBuildings@bunnings.co.nz**





LT1FEGPA	2 bay (2 X 3.6m) 7.2m wide X 6.0m deep	Enclosed W roller door & PA door
LT2FEGPA	2 bay (2 X 4.2m) 8.4m wide X 9.0m deep	Enclosed W roller door & PA door
LT3FEGPA	3 bay (3 X 3.6m) 10.8m wide X 6.0m deep	Enclosed W roller door & PA door
LT4FEGPA	3 bay (3 X 4.2m) 12.6m wide X 9.0m deep	Enclosed W roller door & PA door
LT5FEGPA	4 bay (4 X 3.6m) 14.4m wide X 6.0m deep	Enclosed W roller door & PA door
LT6FEGPA	4 bay (4 X 4.2m) 16.8m wide X 9.0m deep	Enclosed W roller door & PA door
LT7FEGPA	5 bay (5 X 3.6m) 18.0m wide X 6.0m deep	Enclosed W roller door & PA door
LT8FEGPA	5 bay (5 X 4.2m) 21.0m wide X 9.0m deep	Enclosed W roller door & PA door



G1FEGPA	2 bay (2 X 3.6m) 7.2m wide X 6.0m deep	Enclosed W roller door & PA door
G2FEGPA	2 bay (2 X 4.2m) 8.4m wide X 9.0m deep	Enclosed W roller door & PA door
G3FEGPA	3 bay (3 X 3.6m) 10.8m wide X 6.0m deep	Enclosed W roller door & PA door
G4FEGPA	3 bay (3 X 4.2m) 12.6m wide X 9.0m deep	Enclosed W roller door & PA door
G5FEGPA	4 bay (4 X 3.6m) 14.4m wide X 6.0m deep	Enclosed W roller door & PA door
G6FEGPA	4 bay (4 X 4.2m) 16.8m wide X 9.0m deep	Enclosed W roller door & PA door
G7FEGPA	5 bay (5 X 3.6m) 18.0m wide X 6.0m deep	Enclosed W roller door & PA door
G8FEGPA	5 bay (5 X 4.2m) 21.0m wide X 9.0m deep	Enclosed W roller door & PA door

To order or find out more, contact the Bunnings Farm Buildings Team via email **FarmBuildings@bunnings.co.nz**





G11BEGPA	2 bay (2 X 3.6m) 7.2m wide X 6.0m deep	1 bay enclosed
G21BEGPA	2 bay (2 X 4.2m) 8.4m wide X 9.0m deep	1 bay enclosed
G32BEGPA	3 bay (3 X 3.6m) 10.8m wide X 6.0m deep	2 bay enclosed
G42BEGPA	3 bay (3 X 4.2m) 12.6m wide X 9.0m deep	2 bay enclosed



G1STD / G102S	2 bay (2 X 3.6m) 7.2m wide X 6.0m deep
G2STD / G202S	2 bay (2 X 4.2m) 8.4m wide X 9.0m deep
G3STD / G302S	3 bay (3 X 3.6m) 10.8m wide X 6.0m deep
G4STD / G402S	3 bay (3 X 4.2m) 12.6m wide X 9.0m deep
G5STD / G502S	4 bay (4 X 3.6m) 14.4m wide X 6.0m deep

To order or find out more, contact the Bunnings Farm Buildings Team via email **FarmBuildings@bunnings.co.nz**

