# **MATERIAL SAFETY DATA SHEET**



#### 1. IDENTIFICATION OF MATERIAL AND SUPPLIER

Product Name: U	niversal Spot & Stain Remover

Other Names:

Recommended Use: Carpet Detergent

Supplier: Britex Carpet Care P/L

ABN: 80 093 729 787

Street Address: Unit 10 25-27 Chapman St Blackburn Nth VIC 3130 AUSTRALIA

Telephone Number: +61 3 8892 4800 Facsimile Number: +61 3 9899 8533

Emergency Telephone No: 1800 804 973

#### 2. HAZARDS IDENTIFICATION

Based on available information, the material is: NOT CLASSIFIED AS HAZARDOUS ACCORDING TO CRITERIA OF THE

AUSTRALIAN SAFETY AND COMPENSATION COUNCIL (NOHSC)

Based on available information, the material is:

NOT CLASSIFIED AS DANGEROUS GOODS ACCORDING TO

**AUSTRALIAN DANGEROUS GOODS (ADG) CODE** 

Hazard category: None allocated

None allocated

Risk Phrases: None

Safety Phrases: None

## 3. COMPOSITION/ INFORMATION ON INGREDIENTS

COMPONENTS	CAS No.	Proportion	Risk Phrases
Ingredients not classified as hazardous		to 100.0%	
Dirpopylene Glycol Monomethyl Ether	34590-94-8	<5%	

# 4. FIRST AID MEASURES

For advice, contact Poisons Information Centre ( phone Australia 13 1126 ) or a doctor.

**Inhalation:** Inhalation not an expected exposure route, however,

Remove from source of exposure to fresh air. Seek medical assistance if effects persist.

**Skin Contact:** Wash skin thoroughly with water.

Eye Contact: Irrigate with copious quantities of water for at least 15 minutes and seek medical attention

if effects persist.

Ingestion: Immediately remove product from the mouth, rinse and give water to effectively dilute the product.

Rinse mouth thoroughly with water immediately. Seek medical advice.

Note to Physician: Treat symptomatically.

#### 5. FIRE FIGHTING MEASURES

Hazards from combustion Non-combustible material.

products: Product may emit oxygen in a fire, which may support combustion of nearby material.

Precautions for firefighters

The product is non-combustible, however, the packaging material may burn to emit noxious fumes.

and special protective

Fire fighters should wear self-contained breathing apparatus to minimise risk of exposure

equipment:

to vapour or products of combustion.

Suitable extinguishing

material:

Extinguish fires using whatever material is suitable for the primary cause of fire.

#### 6. ACCIDENTAL RELEASE MEASURES

Emergency procedures: Spillages are slippery. Keep spectators away -- rope off the area.

Absorb with dry earth, sand or a similar material. Shovel up and dispose of in an area

approved by local authority by-laws.

Methods and materials for containment and clean up:

Small spillages may be safely mopped up or flushed to drain with water, if permitted.

#### 7. HANDLING AND STORAGE

This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant

Precautions forWear eye/ face protection.safe handling:Keep out of reach of children.

Conditions for safe storage: Keep in a cool, well ventilated place away from foodstuffs.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National Exposure

**Standards:** No value assigned for this specific material by the NOHSC.

No Biological limit allocated.

**Engineering Controls:** Natural or local exhaust ventilation should be adequate under normal conditions.

Personal Protective Safety glasses and rubber gloves are recommended as a precautionary measure.

**Equipment:** Observe good standards of hygiene and cleanliness.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Cloudy Liquid

Odour: Lemon fragrance

 pH:
 9.0

 Specific Gravity or Density:
 1.020

 Vapour Pressure:
 N/D

Percent Volatiles: No Data Available
Boiling Point Range: About 100°C
Freezing/ Melting Point: No Data Available
Solubility: Miscible with water.
Flash Point: No known fire hazard.
Flammability Limits: Non-Flammable
Ignition Temperature: No Data Available

Shelf Life: 2 years from date of manufacture (when stored as directed)

Other: none

#### 10. STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions of use. The shelf life is 2 years from manufacturing.

Conditions to avoid: Avoid contact with foodstuffs.

Incompatible Materials: No information available

**Hazardous Decomposition** 

**Products:** The packaging material may burn to emit noxious fumes.

Hazardous Reactions: Oxygen gas may be emitted if involved in a fire. Oxygen will sustain further combustion.

#### 11. TOXICOLOGICAL INFORMATION

arise if the product is mishandled and overexposure occurs are:

**ACUTE EFFECTS** 

Ingestion: Ingestion will cause nausea, vomiting, abdominal pain and chemical burns to the mouth, throat and stomach.

Eye Contact: Eye contact will cause stinging, blurring, lacrimation and chemical burns.

**Skin Contact:** Skin contact will result in irritation.

**Inhalation:** Inhalation not an expected exposure route.

Long term effects: Prolonged or repeated contact with this material may result in skin irritation leading to dermatitis.

Acute Toxicity/

Chronic Toxicity: No LD50 data available for the product.

#### 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** Avoid contaminating waterways.

Persistence and Degradability: Surfactants are readily biodegradable to AS4351.

Mobility: No information available

Other: None.

#### 13. DISPOSAL CONSIDERATIONS

**Disposal methods:** Dispose of material through a licensed waste contractor.

Empty container is recyclable where facilities exist. Otherwise dispose to approved landfill.

**Special precautions** 

for landfill or The product is suitable for disposal by landfill through an approved agent.

Incineration: Incineration of product is not recommended, as it is unlikely to adequately burn.

### 14. TRANSPORT INFORMATION

ROAD & RAIL TRANSPORT: Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for

transport by Road and Rail.

UN NUMBER:
UN PROPER SHIPPING NAME:
None Allocated
D.G. CLASS:
None Allocated
SUBSIDIARY RISK:
None Allocated
PACKAGING GROUP:
HAZCHEM CODE:
SEGREGATION:
None Allocated
Not Applicable.

MARINE TRANSPORT: Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG

Code) for transport by sea.

UN NUMBER:

UN PROPER SHIPPING NAME:

D.G. CLASS:

None Allocated

Not Applicable.

SEGREGATION:

AIR TRANSPORT: Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) for

transport by air.

UN NUMBER: None Allocated
UN PROPER SHIPPING NAME: None Allocated
D.G. CLASS: None Allocated
SUBSIDIARY RISK: None Allocated
PACKAGING GROUP: None Allocated

DG ERG CODE: None allocated.

#### 15. REGULATORY INFORMATION

Poisons Schedule: Not scheduled

APVMA Status: Not relevant

TGA Status: Not relevant

AICS Status: All the constituents of this product are listed on AICS.

AQIS Status: Not relevant
Other: Nil

# 16. OTHER INFORMATION.

MSDS Issue date: 26/08/2015 Issue Number: 2

Reason for issue Odour updated - New fragrance

In any event, the review and, if necessary, the re-issue of this MSDS shall be no longer than 5 years after the last date of issue.

#### Legend:

AICS	Australian Inventory of Chemical Substances
APVMA	Australian Pesticides and Veterinary Medicines Authority
AQIS	Australian Quarantine and Inspection Service
AS	Australian Standard (as issued by Standards Australia)
MSDS	Material Safety Data Sheet
ASCC	Australian safety and Compensation Council
STEL	Short Term Exposure Limit - A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TGA	Therapeutic Goods Administration
TLV	Threshold Limit Value - TLV is a proprietary name registered by the American Conference of Governmental Industrial Hygienists (ACGIH) and refers to airborne concentrations of substances or levels of physical agents to which it is believed that nearly all workers may be repeatedly exposed day after day without adverse effect.
TWA	Time Weighted Average - The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.

This MSDS has been prepared from current technical data and summarises at the date of issue our best knowledge of the health and safety information of the product, and in particular how to safely handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

This MSDS may only be reproduced in full. Summaries or excerpts from this MSDS may not contain all the relevant information and thus are not permitted.

### **End of MSDS**