

---

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

---

### 1.1 Product identifier

**Product name** RAMSET POWER LOADS

**Synonyms** PLCPU22S, PLBGR38N, PLBYW38N, PLSGR22, PLSYW22, PLSRD22, PLCYW22S, PLCRD22S - PRODUCT CODE • POWER LOADS FOR EXPLOSIVE POWERED TOOLS

### 1.2 Uses and uses advised against

**Uses** EXPLOSIVES

### 1.3 Details of the supplier of the product

**Supplier name** RAMSETREID AU (A DIVISION OF ITW AUSTRALIA PTY LTD)

**Address** 1 Ramset Drive, Chirnside Park, VIC, 3116, AUSTRALIA

**Telephone** 1300 780 063

**Fax** 1300 780 122

**Email** [enquiry@ramset.com.au](mailto:enquiry@ramset.com.au)

**Website** <http://www.ramset.com.au>

### 1.4 Emergency telephone numbers

**Emergency** 1800 033 111

---

## 2. HAZARDS IDENTIFICATION

---

### 2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

#### Physical Hazards

Explosives: Division 1.4

#### Health Hazards

Not classified as a Health Hazard

#### Environmental Hazards

Not classified as an Environmental Hazard

### 2.2 GHS Label elements

**Signal word** WARNING

**Pictograms**



#### Hazard statements

H204 Fire or projection hazard.

#### Prevention statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P234 Keep only in original packaging.

P240 Ground and bond container and receiving equipment.

P250 Do not subject to grinding/shock/friction/rough handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

## PRODUCT NAME **RAMSET POWER LOADS**

### Response statements

P370 + P372 + P380 + In case of fire: Explosion risk. Evacuate area. DO NOT fight fire when fire reaches explosives.

### Storage statements

P401 Store in accordance with relevant site and storage provisions.

### Disposal statements

P503 Refer to manufacturer/supplier for information on disposal/recovery/recycling.

### 2.3 Other hazards

The Cartridge is made of a shell which contains hazardous substances. During normal handling of the cartridge, no exposure to these substances should take place. However when the cartridge is fired, a small amount of particles may be released which have the following hazards:

H301+H311+H331: Toxic by inhalation, in contact with skin and if swallowed.

H317: May cause an allergic skin reaction.

H360: May damage fertility or the unborn child.

H373: Causes damage to organs through prolonged or repeated exposure.

H410: Very toxic to aquatic life with long lasting effects.

## 3. COMPOSITION/ INFORMATION ON INGREDIENTS

### 3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
COPPER	7440-50-8	231-159-6	50 to 65%
ZINC	7440-66-6	231-175-3	15 to 30%
NITROCELLULOSE	9004-70-0	618-392-2	7 to 12%
4-AMIDINO-N'-NITROSO-1-TETRAZENE-1-CARBOXIMIDO HYDRAZID	109-27-3	203-659-4	1 to 10%
BARIUM NITRATE	10022-31-8	233-020-5	0.5 to 2%
DIBUTYL PHTHALATE (DBP)	84-74-2	201-557-4	0.5 to 2%
NITROGLYCERIN	55-63-0	200-240-8	0.5 to 2%
TRINITRO-1,3-BENZENEDIOL LEAD SALT	63918-97-8	-	0.5 to 2%
NON HAZARDOUS INGREDIENTS	Not Available	Not Available	Remainder

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

**Eye** Exposure is considered unlikely unless casing is damaged. Flush gently with running water. Seek medical attention if irritation develops.

**Inhalation** Due to product form / nature of use, an inhalation hazard is not anticipated.

**Skin** Exposure is considered unlikely unless casing is damaged. Gently flush affected areas with water. Seek medical attention if irritation develops.

**Ingestion** For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). Due to product form and application, ingestion is considered unlikely.

**First aid facilities** Eye wash facilities should be available.

### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

### 4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

DO NOT attempt to extinguish burning explosives. Evacuate area immediately. Notify trained emergency response personnel.

**5.2 Special hazards arising from the substance or mixture**

EXPLOSIVE. Will explode under specific conditions. May evolve toxic gases (carbon/nitrogen/metal oxides) when heated to decomposition or detonated. Eliminate all ignition sources including cigarettes, open flames, spark producing switches/tools, heaters, naked lights, pilot lights, etc when handling. Eliminate all static discharge and potential for static discharge. CAUTION: Will explode if exposed to heat or with heavy impact.

**5.3 Advice for firefighters**

Evacuate area and contact emergency services. Exposure to heat may result in detonation, however effects are expected to be limited to the package. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Do not attempt to fight fire if other explosives are present. Use waterfog to cool unexploded cartridges.

**5.4 Hazchem code**

1YE  
1    Coarse Water Spray.  
Y    Risk of violent reaction or explosion. Wear full fire kit and breathing apparatus. Contain spill and run-off.  
E    Evacuation of people in and around the immediate vicinity of the incident should be considered.

---

**6. ACCIDENTAL RELEASE MEASURES**

---

**6.1 Personal precautions, protective equipment and emergency procedures**

Clear area of all unprotected personnel. Contact emergency services where appropriate. CAUTION: Heating, impact or static charge may cause explosion.

**6.2 Environmental precautions**

Prevent product from entering drains and waterways.

**6.3 Methods of cleaning up**

If cartridges are spilt or containers damaged, contain spillage, then collect and place in suitable containers for disposal. Eliminate all sources of ignition.

**6.4 Reference to other sections**

See Sections 8 and 13 for exposure controls and disposal.

---

**7. HANDLING AND STORAGE**

---

**7.1 Precautions for safe handling**

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in a clean, dry magazine licensed for Class 1.4 Explosives. Do not store with other explosives. Store removed from incompatible materials and heat or ignition sources. Ensure the magazine is adequately placarded. Large storage areas should have appropriate ventilation and fire protection systems. To eliminate static charge the devices should be shunted.

**7.3 Specific end uses**

No information provided.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control parameters

#### Exposure standards

Ingredient	Reference	TWA		STEL	
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
55-63-0	SWA [Proposed]	0.01	0.1	0.02	0.19
Barium, soluble compounds (as Ba)	SWA [AUS]	--	0.5	--	--
Copper (fume)	SWA [AUS]	--	0.2	--	--
Copper (fume, dusts & mists)	SWA [Proposed]	--	0.01	--	--
Copper, dusts & mists (as Cu)	SWA [AUS]	--	1	--	--
Dibutyl phthalate	SWA [AUS]	--	5	--	--
Dibutyl phthalate	SWA [Proposed]	0.05	0.58	--	--
Lead, inorganic dusts & fumes (as Pb)	SWA [AUS]	--	0.05	--	--
Nitroglycerin (NG)	SWA [AUS]	0.05	0.46	--	--

#### Biological limits

Ingredient	Determinant	Sampling Time	BEI
NITROGLYCERIN	Methemoglobin in blood	During or end of shift	1.5% of hemoglobin

Reference: ACGIH Biological Exposure Indices

### 8.2 Exposure controls

#### Engineering controls

Avoid inhalation. Use in well ventilated areas. When handling exposed explosive, mechanical explosion proof extraction ventilation is recommended.

#### PPE

- Eye / Face** Wear safety glasses.
- Hands** Wear leather or cotton gloves.
- Body** Wear safety boots and coveralls.
- Respiratory** Not required under normal conditions of use.



## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

<b>Appearance</b>	BLACK POWDER (BRASS CARTRIDGE ENCLOSED)
<b>Odour</b>	ODOURLESS
<b>Flammability</b>	EXPLOSIVE
<b>Flash point</b>	NOT AVAILABLE
<b>Boiling point</b>	NOT AVAILABLE
<b>Melting point</b>	NOT AVAILABLE
<b>Evaporation rate</b>	NOT AVAILABLE
<b>pH</b>	NOT AVAILABLE
<b>Vapour density</b>	NOT AVAILABLE
<b>Relative density</b>	NOT AVAILABLE
<b>Solubility (water)</b>	INSOLUBLE
<b>Vapour pressure</b>	NOT AVAILABLE
<b>Upper explosion limit</b>	NOT AVAILABLE
<b>Lower explosion limit</b>	NOT AVAILABLE
<b>Partition coefficient</b>	NOT AVAILABLE
<b>Autoignition temperature</b>	NOT AVAILABLE
<b>Decomposition temperature</b>	NOT AVAILABLE
<b>Viscosity</b>	NOT AVAILABLE

## PRODUCT NAME RAMSET POWER LOADS

### 9.1 Information on basic physical and chemical properties

Explosive properties	
Oxidising properties	NOT AVAILABLE
Odour threshold	NOT AVAILABLE

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

### 10.2 Chemical stability

Stable under recommended conditions of storage.

### 10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

### 10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

### 10.5 Incompatible materials

May detonate if heated strongly or exposed to severe shock. Due to enclosed form, reaction with other materials is unlikely, however avoid contact with acids (e.g. nitric acid), metal powders, combustibles and oxidisers. Incompatible with alkalis (e.g. sodium hydroxide).

### 10.6 Hazardous decomposition products

May evolve toxic gases (carbon/nitrogen/metal oxides) when heated to decomposition or detonated.

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

**Acute toxicity** Due to the product encapsulation, acute toxicity associated with the contents is not anticipated with normal use. Use safe work practices to avoid dust/fume inhalation after detonation. WARNING: May explode with shock, heat, friction or static charge. Serious damage may result from explosive fragments. Exposure to contents may result in toxicity by inhalation, ingestion and contact with skin.

#### Information available for the ingredients:

Ingredient	Oral LD50	Dermal LD50	Inhalation LC50
COPPER	--	> 2000 mg/kg (rat)	--
NITROCELLULOSE	> 5 g/kg (rat)	--	--
BARIUM NITRATE	355 mg/kg (rat)	--	--
NITROGLYCERIN	105 mg/kg (rat)	280 mg/kg (rabbit)	--

**Skin** Contact with contents/fumes may result in irritation, redness, pain, rash and dermatitis. Due to product form (enclosed), the potential for exposure to contents is not anticipated. Serious damage may result from explosive fragments.

**Eye** Contact with contents/fumes may cause discomfort, lacrimation and redness. Due to product form (enclosed), the potential for exposure to contents is not anticipated. Serious damage may result from explosive fragments.

**Sensitisation** Exposure to contents may cause skin sensitisation.

**Mutagenicity** The evidence for genotoxic effects of lead is contradictory, with numerous studies reporting both positive and negative effects. Responses appear to be induced by indirect mechanisms, mostly at very high concentrations that lack physiological relevance. Due to product form (enclosed), the potential for exposure to contents is not anticipated.

**Carcinogenicity** Lead compounds (inorganic) are classified as probably carcinogenic to humans (IARC Group 2A). Due to product form (enclosed), the potential for exposure to contents is not anticipated.

**Reproductive** Due to product encapsulation, the potential for exposure to the contents is reduced. Exposure to high levels of lead and its compounds may cause adverse effects on male and female fertility, including adverse effects on sperm quality. Prenatal exposure to lead and its compounds is also associated with adverse effects on neurobehavioral development in children.

**STOT - single exposure** Not classified as causing organ damage from single exposure. However, serious damage may result from explosive fragments.

**STOT - repeated exposure** Lead is a cumulative poison, and symptoms are often delayed. Repeated exposure may result in lead poisoning. Symptoms may include blood, kidney and central nervous system/brain damage. Due to product

**PRODUCT NAME RAMSET POWER LOADS**

form (enclosed), the potential for exposure to contents is not anticipated.

**Aspiration**

This product does not present an aspiration hazard.

**12. ECOLOGICAL INFORMATION****12.1 Toxicity**

Very toxic to aquatic life with long lasting effects.

**12.2 Persistence and degradability**

Expected to be persistent in the environment. May cause bioaccumulation.

**12.3 Bioaccumulative potential**

This product or its degradation products are expected to bioaccumulate

**12.4 Mobility in soil**

No information provided.

**12.5 Other adverse effects**

Avoid release to the environment.

**13. DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods****Waste disposal**

Small quantities may be disposed by incineration or blasting (by licensed personnel only). For large quantities, contact the manufacturer/supplier for additional information.

**Legislation**

Dispose of in accordance with relevant local legislation.

**14. TRANSPORT INFORMATION**

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE



	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
<b>14.1 UN Number</b>	0014	0014	PROH
<b>14.2 Proper Shipping Name</b>	CARTRIDGES, SMALL ARMS, BLANK	CARTRIDGES, SMALL ARMS, BLANK	Air transport PROHIBITED under the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air in passenger and cargo aircraft.
<b>14.3 Transport hazard class</b>	1.4S	1.4S	None allocated.
<b>14.4 Packing Group</b>	None allocated.	None allocated.	None allocated.

**14.5 Environmental hazards**

Marine Pollutant.

**14.6 Special precautions for user**

**Hazchem code** 1YE  
**GTEPG** EXP1  
**EmS** F-B, S-X

**Other information**

The environmentally hazardous substance mark is not required when transported in packages of less than 5 kg/L (UN Model Regulations: Special Provision 375; IATA: Special Provision A197; IMDG: Special Provision 969) or less than 500 kg/L by Australian Road and Rail.

**15. REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

<b>Poison schedule</b>	A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
<b>Classifications</b>	Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals (GHS Revision 7).
<b>Inventory listings</b>	<b>AUSTRALIA: AIC (Australian Inventory of Industrial Chemicals)</b> All components are listed on AIC, or are exempt.

---

**16. OTHER INFORMATION**

---

<b>Additional information</b>	<p><b>EXPLOSIVES &amp; BLASTING AGENTS:</b> Refer to Local State and Federal legislation that specifically relates to the use of Explosives. Users of products described in this ChemAlert Report are advised to ensure familiarity and compliance with the appropriate legal requirements (e.g. Regulations) prior to the use of this product. Where any further information is required, users may contact their local authority in Explosives and Dangerous Goods.</p> <p><b>EXPLOSIONS:</b> Fires involving explosives or explosive mixtures may undergo further explosions and rapid propagation. Police and emergency personnel should be notified immediately. Evacuate individuals to a safe sheltered area at least 800 metres away. If possible remove vehicles and further heat and ignition sources from the area. Do not return to areas until at least one hour after fire and explosions have ceased.</p> <p><b>EXPLOSIONS:</b> For further information please refer to Australian Standard 1216, for classification of explosives and Local and Federal Explosive and Dangerous Goods legislation (Act and Regulations).</p> <p><b>ENGINEERING CONTROLS:</b> Effective shielding is recommended for personnel when handling these devices. Humidity controls (i.e. higher relative Humidity, &gt; 60%) reduces or prevents static electricity build up.</p> <p><b>PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:</b> The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.</p> <p><b>HEALTH EFFECTS FROM EXPOSURE:</b> It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.</p>
-------------------------------	--

**PRODUCT NAME RAMSET POWER LOADS****Abbreviations**

ACGIH	American Conference of Governmental Industrial Hygienists
CAS #	Chemical Abstract Service number - used to uniquely identify chemical compounds
CNS	Central Nervous System
EC No.	EC No - European Community Number
EMS	Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous Goods)
GHS	Globally Harmonized System
GTEPG	Group Text Emergency Procedure Guide
IARC	International Agency for Research on Cancer
LC50	Lethal Concentration, 50% / Median Lethal Concentration
LD50	Lethal Dose, 50% / Median Lethal Dose
mg/m <sup>3</sup>	Milligrams per Cubic Metre
OEL	Occupational Exposure Limit
pH	relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).
ppm	Parts Per Million
STEL	Short-Term Exposure Limit
STOT-RE	Specific target organ toxicity (repeated exposure)
STOT-SE	Specific target organ toxicity (single exposure)
SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons
SWA	Safe Work Australia
TLV	Threshold Limit Value
TWA	Time Weighted Average

**Report status**

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

**Prepared by**

Risk Management Technologies  
5 Ventnor Ave, West Perth  
Western Australia 6005  
Phone: +61 8 9322 1711  
Fax: +61 8 9322 1794  
Email: [info@rmt.com.au](mailto:info@rmt.com.au)  
Web: [www.rmtglobal.com](http://www.rmtglobal.com)

**[ End of SDS ]**

---

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

---

### 1.1 Product identifier

**Product name** RAMSET POWDER LOADS (NZ)

**Synonyms** PLCGR22S, PLCGY22S, PLCPU22S, PLCRD22S, PLCYW22S, PLSBL22 - PRODUCT CODES • PLDRD25X, PLDYW25 - PRODUCT CODES • PLSRD22, PLSYW22, PLDBL25X, PLDBU25X, PLDGR25, PLDRD25S - PRODUCT CODES

### 1.2 Uses and uses advised against

**Uses** CARTRIDGE • PROPELLANT

22 and 25 calibre construction tool propellant containers for explosive actuated tools (bolt gun). A black powder, encased in a cylindrical brass cartridge, colour coded to indicate strength of charge.

### 1.3 Details of the supplier of the product

**Supplier name** RAMSETREID NZ (A DIVISION OF ITW NEW ZEALAND)

**Address** 23-29 Poland Road, Glenfield, Auckland, 0627, NEW ZEALAND

**Telephone** 0800 88 22 12

**Email** [info@ramset.co.nz](mailto:info@ramset.co.nz)

**Website** <http://www.ramset.co.nz>

### 1.4 Emergency telephone numbers

**Emergency** 0800 734 607

---

## 2. HAZARDS IDENTIFICATION

---

### 2.1 Classification of the substance or mixture

HAZARDOUS ACCORDING TO NZ ENVIRONMENTAL PROTECTION AUTHORITY CRITERIA

#### Physical Hazards

Explosives: Division 1.4

#### Health Hazards

Acute Toxicity: Inhalation: Category 2

Acute Toxicity: Oral: Category 2

Germ Cell Mutagenicity: Category 1

Serious Eye Damage / Eye Irritation: Category 2A

Skin Sensitisation: Category 1

Specific Target Organ Toxicity (Repeated Exposure): Category 2

Toxic to Reproduction: Category 1

#### Environmental Hazards

Aquatic Toxicity (Acute): Category 1

Aquatic Toxicity (Chronic): Category 1

### 2.2 GHS Label elements

**Signal word** DANGER

**Pictograms**



**PRODUCT NAME RAMSET POWDER LOADS (NZ)****Hazard statements**

H204	Fire or projection hazard.
H300	Fatal if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H340	May cause genetic defects.
H360	May damage fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

**Prevention statements**

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P234	Keep only in original packaging.
P240	Ground and bond container and receiving equipment.
P250	Do not subject to grinding/shock/friction/rough handling.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	Wear respiratory protection.

**Response statements**

P302 + P352	IF ON SKIN: Wash with plenty of water.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P310	Immediately call a POISON CENTRE or doctor/physician.
P320	Specific treatment is urgent - see first aid instructions.
P330	Rinse mouth.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P370 + P372 + P380 + P373	In case of fire: Explosion risk. Evacuate area. DO NOT fight fire when fire reaches explosives.
P391	Collect spillage.

**Storage statements**

P401	Store in accordance with relevant site and storage provisions.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

**Disposal statements**

P501	Dispose of contents/container in accordance with relevant regulations.
P503	Refer to manufacturer/supplier for information on disposal/recovery/recycling.

**2.3 Other hazards**

No information provided.

---

**3. COMPOSITION/ INFORMATION ON INGREDIENTS**

---

**3.1 Substances / Mixtures**

Ingredient	CAS Number	EC Number	Content
COPPER	7440-50-8	231-159-6	50 to 65%
ZINC POWDER - ZINC DUST (STABILISED)	7440-66-6	231-175-3	15 to 30%
NITROCELLULOSE	9004-70-0	682-719-5	7 to 12%
4-AMIDINO-N'-NITROSO-1-TETRAZENE-1-CARBOXIMIDO HYDRAZID	109-27-3	203-659-4	1 to 10%
BARIUM NITRATE	10022-31-8	233-020-5	0.5 to 2%
DIBUTYL PHTHALATE (DBP)	84-74-2	201-557-4	0.5 to 2%
NITROGLYCERIN	55-63-0	200-240-8	0.5 to 2%

**PRODUCT NAME RAMSET POWDER LOADS (NZ)**

TRINITRO-1,3-BENZENEDIOL LEAD SALT	63918-97-8	-	0.5 to 2%
NON HAZARDOUS INGREDIENTS	Not Available	Not Available	Remainder

---

**4. FIRST AID MEASURES**

---

**4.1 Description of first aid measures**

<b>Eye</b>	Exposure is considered unlikely unless casing is damaged. Flush gently with running water. Seek medical attention if irritation develops.
<b>Inhalation</b>	Due to product form / nature of use, an inhalation hazard is not anticipated.
<b>Skin</b>	Exposure is considered unlikely unless casing is damaged. Gently flush affected areas with water. Seek medical attention if irritation develops.
<b>Ingestion</b>	For advice, contact the National Poisons Centre on 0800 764 766 (0800 POISON) or +643 479 7248 or a doctor (at once). Due to product form and application, ingestion is considered unlikely.
<b>First aid facilities</b>	Eye wash facilities should be available.

**4.2 Most important symptoms and effects, both acute and delayed**

See Section 11 for more detailed information on health effects and symptoms.

**4.3 Immediate medical attention and special treatment needed**

Treat symptomatically.

---

**5. FIRE FIGHTING MEASURES**

---

**5.1 Extinguishing media**

DO NOT attempt to extinguish burning explosives. Evacuate area immediately. Notify trained emergency response personnel.

**5.2 Special hazards arising from the substance or mixture**

EXPLOSIVE. Will explode under specific conditions. May evolve toxic gases (carbon/ nitrogen/ lead/ zirconium/ fluoride/ potassium/ chloride oxides) when heated to decomposition or detonated. Eliminate all ignition sources including cigarettes, open flames, spark producing switches/tools, heaters, naked lights, pilot lights, etc when handling. Eliminate all static discharge and potential for static discharge. CAUTION: Will explode if exposed to heat or with heavy impact.

**5.3 Advice for firefighters**

Evacuate area and contact emergency services. Exposure to heat may result in detonation, however effects are expected to be limited to the package. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Do not attempt to fight fire if other explosives are present. Use waterfog to cool unexploded cartridges.

**5.4 Hazchem code**

1YE	
1	Coarse Water Spray.
Y	Risk of violent reaction or explosion. Wear full fire kit and breathing apparatus. Contain spill and run-off.
E	Evacuation of people in and around the immediate vicinity of the incident should be considered.

---

**6. ACCIDENTAL RELEASE MEASURES**

---

**6.1 Personal precautions, protective equipment and emergency procedures**

Clear area of all unprotected personnel. Contact emergency services where appropriate. CAUTION: Heating, impact or static charge may cause explosion.

**6.2 Environmental precautions**

Prevent product from entering drains and waterways.

**6.3 Methods of cleaning up**

If cartridges are spilt or containers damaged, contain spillage, then collect and place in suitable containers for disposal. Eliminate all sources of ignition.

**6.4 Reference to other sections**

See Sections 8 and 13 for exposure controls and disposal.

---

**7. HANDLING AND STORAGE**

---

## PRODUCT NAME RAMSET POWDER LOADS (NZ)

### 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a clean, dry magazine licensed for Class 1.4 Explosives. Do not store with other explosives. Store removed from incompatible materials and heat or ignition sources. Ensure the magazine is adequately placarded. Large storage areas should have appropriate ventilation and fire protection systems. To eliminate static charge the devices should be shunted.

### 7.3 Specific end uses

No information provided.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control parameters

#### Exposure standards

Ingredient	Reference	TWA		STEL	
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Barium, soluble compounds, as Ba	WES [NZ]	--	0.5	--	--
Copper (fume)	WES [NZ]	--	0.2	--	--
Copper and its inorganic compounds, as Cu	WES [Proposed]	--	0.01	--	--
Copper, dusts & mists (as Cu)	WES [NZ]	--	1	--	--
Dibutyl phthalate	WES [NZ]	--	5	--	--
Lead, inorganic dusts & fumes, as Pb	WES [NZ]	--	0.1	--	--
Nitroglycerin (NG)	WES [NZ]	0.05	0.46	--	--
Zinc oxide (dust)	WES [NZ]	--	10	--	10
Zinc oxide (fume)	WES [NZ]	--	5	--	10

#### Biological limits

Ingredient	Determinant	Sampling Time	BEI
NITROGLYCERIN	Methemoglobin in blood	During or end of shift	1.5% of hemoglobin

Reference: ACGIH Biological Exposure Indices

### 8.2 Exposure controls

**Engineering controls** Avoid inhalation. Use in well ventilated areas. When handling exposed explosive, mechanical explosion proof extraction ventilation is recommended.

#### PPE

<b>Eye / Face</b>	Wear safety glasses.
<b>Hands</b>	Wear cotton gloves.
<b>Body</b>	Wear coveralls.
<b>Respiratory</b>	Not required under normal conditions of use.



## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

<b>Appearance</b>	BLACK POWDER (BRASS CARTRIDGE ENCLOSED)
<b>Odour</b>	ODOURLESS
<b>Flammability</b>	EXPLOSIVE
<b>Flash point</b>	NOT AVAILABLE
<b>Boiling point</b>	NOT AVAILABLE
<b>Melting point</b>	NOT AVAILABLE

**9.1 Information on basic physical and chemical properties**

Evaporation rate	NOT AVAILABLE
pH	NOT AVAILABLE
Vapour density	NOT AVAILABLE
Relative density	NOT AVAILABLE
Solubility (water)	INSOLUBLE
Vapour pressure	NOT AVAILABLE
Upper explosion limit	NOT AVAILABLE
Lower explosion limit	NOT AVAILABLE
Partition coefficient	NOT AVAILABLE
Autoignition temperature	NOT AVAILABLE
Decomposition temperature	NOT AVAILABLE
Viscosity	NOT AVAILABLE
Explosive properties	NOT AVAILABLE
Oxidising properties	NOT AVAILABLE
Odour threshold	NOT AVAILABLE

**10. STABILITY AND REACTIVITY**

**10.1 Reactivity**

Carefully review all information provided in sections 10.2 to 10.6.

**10.2 Chemical stability**

Stable under recommended conditions of storage.

**10.3 Possibility of hazardous reactions**

Polymerization is not expected to occur.

**10.4 Conditions to avoid**

Avoid heat, sparks, open flames and other ignition sources.

**10.5 Incompatible materials**

May detonate if heated strongly or exposed to severe shock. Due to enclosed form, reaction with other materials is unlikely, however avoid contact with acids (e.g. nitric acid), metal powders, combustibles and oxidisers. Incompatible with alkalis (e.g. sodium hydroxide).

**10.6 Hazardous decomposition products**

May evolve toxic gases (carbon/ nitrogen/ lead/ zirconium/ fluoride/ potassium/ chloride oxides) when heated to decomposition or detonated.

**11. TOXICOLOGICAL INFORMATION**

**11.1 Information on toxicological effects**

**Acute toxicity** Due to the product encapsulation, acute toxicity associated with the contents is not anticipated with normal use. Use safe work practices to avoid dust/fume inhalation after detonation. WARNING: May explode with shock, heat, friction or static charge. Serious damage may result from explosive fragments. Fatal if inhaled and if swallowed.

**Information available for the ingredients:**

Ingredient	Oral LD50	Dermal LD50	Inhalation LC50
COPPER	--	> 2000 mg/kg (rat)	--
ZINC POWDER - ZINC DUST (STABILISED)	> 2,000 mg/kg (rat)	--	> 5.41 mg/l/4hrs (rat)
NITROCELLULOSE	> 5 g/kg (rat)	--	--
BARIUM NITRATE	355 mg/kg (rat)	--	--
NITROGLYCERIN	105 mg/kg (rat)	280 mg/kg (rabbit)	--

**Skin** Contact with contents/fumes may result in irritation, redness, pain, rash and dermatitis. Due to product form (enclosed), the potential for exposure to contents is not anticipated. Serious damage may result from explosive fragments.

**Eye** Contact with contents/fumes may cause discomfort, lacrimation and redness. Due to product form (enclosed), the potential for exposure to contents is not anticipated. Serious damage may result from explosive fragments.

**Sensitisation** May cause an allergic skin reaction. This product is not classified as a respiratory sensitiser.

**PRODUCT NAME RAMSET POWDER LOADS (NZ)**

<b>Mutagenicity</b>	May cause genetic defects. The evidence for genotoxic effects of lead is contradictory, with numerous studies reporting both positive and negative effects. Responses appear to be induced by indirect mechanisms, mostly at very high concentrations that lack physiological relevance. Due to product form (enclosed), the potential for exposure to contents is not anticipated.
<b>Carcinogenicity</b>	Lead compounds (inorganic) are classified as probably carcinogenic to humans (IARC Group 2A). Due to product form (enclosed), the potential for exposure to contents is not anticipated.
<b>Reproductive</b>	Due to product encapsulation, the potential for exposure to the contents is reduced. Exposure to high levels of lead and its compounds may cause adverse effects on male and female fertility, including adverse effects on sperm quality. Prenatal exposure to lead and its compounds is also associated with adverse effects on neurobehavioral development in children. Dibutyl phthalate may damage fertility or the unborn child.
<b>STOT - single exposure</b>	Not classified as causing organ damage from single exposure. However, serious damage may result from explosive fragments.
<b>STOT - repeated exposure</b>	Lead is a cumulative poison, and symptoms are often delayed. Repeated exposure may result in lead poisoning. Symptoms may include blood, kidney and central nervous system/brain damage. Due to product form (enclosed), the potential for exposure to contents is not anticipated.
<b>Aspiration</b>	This product does not present an aspiration hazard.

**12. ECOLOGICAL INFORMATION****12.1 Toxicity**

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

**12.2 Persistence and degradability**

Contains ingredients which are not rapidly biodegradable.

**12.3 Bioaccumulative potential**

Not expected to bioaccumulate.

**12.4 Mobility in soil**

No information provided.

**12.5 Other adverse effects**

This product is not considered toxic to the soil environment. This product is not considered toxic to terrestrial vertebrates.

**13. DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

**Waste disposal** Small quantities may be disposed by incineration or blasting (by licensed personnel only). For large quantities, contact the manufacturer/supplier for additional information.

**Legislation** Dispose of in accordance with relevant local legislation.

**14. TRANSPORT INFORMATION**

CLASSIFIED AS A DANGEROUS GOOD ACCORDING TO LAND TRANSPORT RULE: DANGEROUS GOODS 2005; NZS 5433:2012, UN, IMDG OR IATA



	LAND TRANSPORT (NZS 5433)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
<b>14.1 UN Number</b>	0323	0323	0323
<b>14.2 Proper Shipping Name</b>	CARTRIDGES, POWER DEVICE	CARTRIDGES, POWER DEVICE	CARTRIDGES, POWER DEVICE
<b>14.3 Transport hazard class</b>	1.4S	1.4S	1.4S
<b>14.4 Packing Group</b>	None allocated.	None allocated.	None allocated.

**14.5 Environmental hazards**

Marine Pollutant.

**14.6 Special precautions for user**

**Hazchem code** 1YE

**EmS** F-B, S-X

**Other information**

The environmentally hazardous substance mark is not required when transported in packages of less than 5 kg/L (UN Model Regulations: Special Provision 375; IATA: Special Provision A197; IMDG: Special Provision 969).

---

**15. REGULATORY INFORMATION**

---

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Approval code** HSR100249

**Group standard** CARTRIDGES, POWER DEVICE

**Inventory listings** **AUSTRALIA: AIIC (Australian Inventory of Industrial Chemicals)**

Some components are listed on AIIC, or are exempt.

**NEW ZEALAND: NZIoC (New Zealand Inventory of Chemicals)**

All components are listed on the NZIoC inventory, or are exempt.

---

**16. OTHER INFORMATION**

---

**Additional information**

**EXPLOSIVES & BLASTING AGENTS:** Refer to Local State and Federal legislation that specifically relates to the use of Explosives. Users of products described in this ChemAlert Report are advised to ensure familiarity and compliance with the appropriate legal requirements (e.g. Regulations) prior to the use of this product. Where any further information is required, users may contact their local authority in Explosives and Dangerous Goods.

**EXPLOSIONS:** Fires involving explosives or explosive mixtures may undergo further explosions and rapid propagation. Police and emergency personnel should be notified immediately. Evacuate individuals to a safe sheltered area at least 800 metres away. If possible remove vehicles and further heat and ignition sources from the area. Do not return to areas until at least one hour after fire and explosions have ceased.

**EXPLOSIONS:** For further information please refer to Australian Standard 1216, for classification of explosives and Local and Federal Explosive and Dangerous Goods legislation (Act and Regulations).

**ENGINEERING CONTROLS:** Effective shielding is recommended for personnel when handling these devices. Humidity controls (i.e. higher relative Humidity, > 60%) reduces or prevents static electricity build up.

**PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:**

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

**HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

**PRODUCT NAME RAMSET POWDER LOADS (NZ)****Abbreviations**

ACGIH	American Conference of Governmental Industrial Hygienists
CAS #	Chemical Abstract Service number - used to uniquely identify chemical compounds
CCID	Chemical Classification and Information Database (HSNO)
CNS	Central Nervous System
EC No.	EC No - European Community Number
EMS	Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous Goods)
EPA	Environmental Protection Authority [New Zealand]
GHS	Globally Harmonized System
HSNO	Hazardous Substances and New Organisms
IARC	International Agency for Research on Cancer
LC50	Lethal Concentration, 50% / Median Lethal Concentration
LD50	Lethal Dose, 50% / Median Lethal Dose
mg/m <sup>3</sup>	Milligrams per Cubic Metre
OEL	Occupational Exposure Limit
pH	relates to hydrogen ion concentration using a scale of 0 (highly acidic) to 14 (highly alkaline).
ppm	Parts Per Million
STEL	Short-Term Exposure Limit
STOT-RE	Specific target organ toxicity (repeated exposure)
STOT-SE	Specific target organ toxicity (single exposure)
TLV	Threshold Limit Value
TWA	Time Weighted Average

**Report status**

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

**Prepared by**

Risk Management Technologies  
5 Ventnor Ave, West Perth  
Western Australia 6005  
Phone: +61 8 9322 1711  
Fax: +61 8 9322 1794  
Email: [info@rmt.com.au](mailto:info@rmt.com.au)  
Web: [www.rmtglobal.com](http://www.rmtglobal.com)

**[ End of SDS ]**